

IT'SIN YOUR HANDS.

WORK SAFETY 2025






TABLE OF CONTENTS

GLOVES STRONG

PAGE 4 - 17

GLOVES TOUCH

PAGE 18 - 35

GLOVES SMALL

PAGE 36 - 47

GLOVES WET

PAGE 48 - 61

GLOVES EXTRA

PAGE 62 - 65

GLOVES COLD

PAGE 66 - 75

RESPIRATORY PROTECTION

AGE 76 - 81

EYE PROTECTION

PAGE 84 - 87

HEARING PROTECTION

PAGE 88 - 93

CLOTHING & SHOES

PAGE 94 - 107

FIRST AID

PAGE 108 - 109

OLFA

PAGE 110 - 125



GEBOL launches a new collection of cut-resistant gloves.

GEBOL CUT

As a leading specialist in occupational safety, we are constantly developing innovative products for maximum safety. We also meet this requirement with our new and exclusive **GEBOL CUT cut-resistant glove series. Here is an overview of all the features:**



GEBOL test mark for cut protection Certification in cut protection classes D and F according to EN ISO 13997



Gloves washable at 40°C



Suitable for touchscreen operation




GEBOL test mark for skin compatibility tested by independent testing institutes



All components of the models have been thoroughly tested and certified according to OEKO-TEX Standard 100.





The series was designed for a wide range of industrial working environments, including mechanical engineering, automotive manufacturing, glass and metal processing, and the construction industry.

MULTI CUT F PLUS

DESCRIPTION

- cut protection (level F) - reinforced thumb and index
- finger area - suitable for touchscreen operation
- tested and certified in Germany
- food safe

MATERIAL

polyethylene, polyester, nylon, metal fibers, elastane

COATING

nitrile microfoam with nubs











item no.	size	VE	ÜK
709422_06	6/XS	12	120
709422_07	7/S	12	120
709422_08	8/M	12	120
709422_09	9/L	12	120
709422_10	10/XL	12	120
709422_11	11/XXL	12	120
709422_12	12/XXXL	12	120













MULTI CUT F PLUS LONG

DESCRIPTION

- cut protection (level F)
- with extra-long cuff
- reinforced thumb and index finger area
- suitable for touchscreen operation
- tested and certified in Germany
- food safe

MATERIAL

polyethylene, polyester, nylon, metal fibers, elastane

COATING

nitrile microfoam with nubs













tem no.	size	VE	ÜK
709423_06	6/XS	12	120
709423_07	7/S	12	120
709423_08	8/M	12	120
709423_09	9/L	12	120
709423_10	10/XL	12	120
709423_11	11/XXL	12	120
709423_12	12/XXXL	12	120









WET CUT F PLUS DESCRIPTION

— cut protection (level F)

- reinforced thumb and index finger area
- suitable for touchscreen operation
- tested and certified in Germany
- food safe

MATERIAL

polyethylene, polyester, nylon, metal fibers, elastane

COATING

double coating ¾ nitrile with sandy finish













item no.	size	VE	ÜK
709424_06	6/XS	12	120
709424_07	7/S	12	120
709424_08	8/M	12	120
709424_09	9/L	12	120
709424_10	10/XL	12	120
709424_11	11/XXL	12	120
709424_12	12/XXXL	12	120



















MULTI CUT D PLUS

DESCRIPTION

- cut protection (level D)
- reinforced thumb and index finger area
- suitable for touchscreen operation
- tested and certified in
- germany food safe

MATERIAL

polyethylene, polyester, nylon, metal fibers, elastane

nitrile microfoam with nubs













em no.	size	VE	ÜK
09421_06	6/XS	12	120
09421_07	7/S	12	120
09421_08	8/M	12	120
09421_09	9/L	12	120
09421_10	10/XL	12	120
09421_11	11/XXL	12	120
09421_12	12/XXXL	12	120

MASTER CUT C PLUS

DESCRIPTION

- cut protection (level C)
- reinforced thumb and index finger area
- good fit and high wearing comfort
- good grip on smooth objects
- oil-repellent

MATERIAL

polyethylene, HPPE, nylon, metal fibers, elastane

COATING

nitrile microfoam with sandy finish









item no.	size	VE	ÜK
709818	6/XS	12	120
709819	7/S	12	120
709820	8/M	12	120
709821	9/L	12	120
709822	10/XL	12	120
709823	11/XXL	12	120













G-BASE CUT

DESCRIPTION

- cut protection (level C)
- highly durable PU coating
- optimal dexterity and a secure grip, even on smooth objects

MATERIAL

polyethylene, polyester, glass fibers, nylon, elastane

COATING

polyurethane

















UPCYCLED STRONG

- DESCRIPTION

 polyester thread made from recycled PET bottles
- high wearing comfortvery good fit

MATERIAL

polyester, nylon











UPCYCLED STRONG

- DESCRIPTION

 polyester thread made from recycled PET bottles
- high wearing comfortvery good fit

MATERIAL

polyester, nylon



Global Recycled Standard



latex coating with sandy finish



21318			
item no.	size	VE	ÜK
740000_05	5/XXS	12	120
740000_06	6/XS	12	120
740000_07	7/S	12	120
740000_08	8/M	12	120

COATING

latex coating with sandy finish







item no.	size	VE	ÜK
740001_08	8/M	12	120
740001_09	9/L	12	120
740001_10	10/XL	12	120
740001_11	11/XXL	12	120





ECO GRIF

ECO GRIP

DESCRIPTION

- high wearing comfort — secure grip even with wet
- objects good fit

MATERIAL

polyester

COATING latex crinkle





em no.	size	VE	ÜK
09689	8/M	12	120
09690	9/L	12	120
09691	10/XL	12	120
09692	11/XXL	12	120

1-1-1

4|-||-









G-BASE GRIP

DESCRIPTION

- secure grip even with wet objects
- good fit and comfort

MATERIAL

polyester, elastane

COATING latex crinkle





	2131H		
item no.	size	VE	ÜK
EP760001_08	8/M	12	120
EP760001_09	9/L	12	120
EP760001_10	10/XL	12	120
EP760001_11	11/XXL	12	120

DRIVER

DESCRIPTION

- leather thickness approx. 1.1
- double stitchinghigh wearing comfort

MATERIAL

cow leather





item no.	size	VE	ÜK
709213	8/M	12	120
709214	9/L	12	120
709215	10/XL	12	120
709216	11/XXL	12	120











G-BASE DRIVER

- **DESCRIPTION** robust buffalo leather gloves — leather thickness approx. 0.8 mm
- good fit and comfort

MATERIAL

buffalo leather







item no.	size	VE	ÜK
EP760010_08	8/M	12	120
EP760010_09	9/L	12	120
EP760010_10	10/XL	12	120
EP760010_11	11/XXL	12	120







— rubberized cuff approx. 7 cm

MATERIAL

full-grain cowhide leather, split cowhide leather,













UNI FIT COMFORT

DESCRIPTION

— goatskin gloves

— spandex back of hand

— elastic cuff with Velcro fastener

-- high wearing comfort
-- very good fit

MATERIAL

goatskin, polyester elastane





item no.	size	VE	ÜK
703431	8/M	12	120
703432	9/L	12	120
703433	10/XL	12	120
703434	11/XXL	12	120



4|-||-

G-BASE ECO

DESCRIPTION

— goatskin gloves

— elastic cuff with Velcro

good fit and comfortable to wear

MATERIAL

goatskin, polyester





item no.	size	VE	ÜK
EP703431	8/M	12	120
EP703432	9/L	12	120
EP703433	10/XL	12	120
EP703434	11/XXL	12	120

industrial packaging without header card

(€ CAT I	I EN 388		
item no.	size	VE	ÜK
709207	10,5/XL	12	120



WORKER PRO

- **DESCRIPTION** leather thickness approx. 1.2 mm
 — padded palm
 — double stitching
 — canvas back and cuff
 — rubberized cuff approx. 8 cm

Full-grain cowhide leather, cotton





item no.	size	VE	ÜK
709208	9/L	12	120
709209	10,5/XL	12	120
709210	12/XXXL	12	120



11-11







ECO

DESCRIPTION

- leather thickness approx. 1
- padded palm reinforced cuff approx. 7 cm

MATERIAL

cow split leather, cotton





item no.	size	VE	ÜK
709201	10,5/XL	12	120

industrial packaging without header card

BUILDER

- **DESCRIPTION** leather thickness approx. 1 mm
- knuckle protection and finger caps made of split cowhide leather
- padded palm
 rubberized cuff approx. 7 cm
- back of hand and cuff made of canvas

MATERIAL

cow split leather, cotton





item no.	size	VE	ÜK
EP709201_10	10/XL	12	120



LIGHTNING

DESCRIPTION

- leather thickness approx. 1
- length approx. 35 cm - pulse guard

MATERIAL

cow split leather





VE ÜK

12 60















TONCH

UPCYCLED SENSITIVE

- DESCRIPTION

 polyester thread made from recycled PET bottles
- high wearing comfort very good fit

MATERIAL

polyester, nylon

4-1-E GEBOL

Global Recycled Standard



740002_06

740002_07

740002_08

COATING latex foam						
CE	CAT II	EN 388 2121X	LATEX			
item no.			size		VE	ÜK
740002	2_05		5/XXS		12	120

6/XS

7/S

8/M

12

120

120

12 120

UPCYCLED SENSITIVE

DESCRIPTION

- polyester thread made from recycled PET bottles
- high wearing comfortvery good fit

MATERIAL

polyester, nylon












	COATING
ı	latev foar











MULTI FLEX COOL&TOUCH

DESCRIPTION

- cooling Thermatech fiber wicks away moisture comfortable to wear
- suitable for touchscreen operation
- optimal dexterity

MATERIAL

nylon, elastane

GEBO MULTIFLE 0000000000

THERMA ECH

COATING nitrile microfoam with nitrile nubs				
C € CAT II	EN 407 STANDOXX COOLING KIXXXXX EFFECT	TOUCH		
item no.	size	VE	ÜK	
709374_T	6/XS	12	72	
709375_T	7/S	12	72	
709376_T	8/M	12	72	
_709377_T	9/L	12	72	
709378_T	10/XL	12	72	
709379_T	11/XXL	12	72	

MASTER FLEX COOL&TOUCH

DESCRIPTION

- cooling Thermatech fiber wicks away moisture
 comfortable to wear
- suitable for touchscreen operation
- optimal dexterity

MATERIAL

nylon, elastane











COATING

nitrile with sandy finish









item no.	size	VE	ÜK
709542_T	6/XS	12	72
709543_T	7/S	12	72
709544_T	8/M	12	72
709545_T	9/L	12	72
709546_T	10/XL	12	72
709547_T	11/XXL	12	72



MULTI FLET

MULTI FLEX

- excellent tactile sensitivity — breathable back of the hand
- good grip even on smooth
- objects good resistance to fats and oils
- liquid-repellent coating

MATERIAL

nylon, elastane

nitrile microfoam with nitrile nubs









item no.	size	VE	ÜK
709275	7/S	12	72
709276	8/M	12	72
709277	9/L	12	72
709278	10/XL	12	72
709279	11/XXL	12	72

11-|1-

%









MULTI FLEX ECO

DESCRIPTION

- good fit
- good grip, even on smooth objects
- good resistance to fats and oils
- liquid-repellent coating

MATERIAL

polyester

COATING

nitrile foam with nitrile nubs





item no.	size	VE	ÜK
709676	8/M	12	120
709677	9/L	12	120
709678	10/XL	12	120
709679	11/XXL	12	120

MULTI FLEX TOUCH

DESCRIPTION

- suitable for touchscreen operation
- breathable back of hand
- good grip even on smooth objects
- good resistance to fats and oils
- liquid-repellent coating

— very good tactile sensitivity

ATERIAL

nylon, elastane

COATING

nitrile microfoam with nitrile nubs









item no.	size	VE	ÜK
709276_T	8/M	12	72
709277_T	9/L	12	72
709278_T	10/XL	12	72
709279 T	11/XXL	12	72









MULTI FLEX COMFORT

DESCRIPTION

- excellent tactile sensitivity
- high wearing comfortgood resistance to fats and
- liquid-repellent coating

MATERIAL

viscose made from bamboo fiber, polyester, elastane

COATING

nitrile microfoam with sandy finish and nitrile nubs









item no.	size	VE	ÜK
709576	8/M	12	72
709577	9/L	12	72
709578	10/XL	12	72
709579	11/XXL	12	72











industrial packaging without header card

MULTI FLEX INDUSTRY

DESCRIPTION

- high abrasion resistance
- excellent tactile sensitivity
- breathable back of the hand — good grip even on smooth
- resistant to fats and oils
- liquid-repellent coating

MATERIAL

nylon, elastane

COATING

nitrile microfoam with nitrile



E GEBO



item no.	size	VE	ÜK
709475_07	7/S	12	120
709475_08	8/M	12	120
709475_09	9/L	12	120
709475_10	10/XL	12	120
709475 11	11/XXL	12	120



















MASTER FLEX

DESCRIPTION

- high durability
 excellent fit and high wearing
- good resistance to fats and oils
- secure grip even on smooth

MATERIAL

nylon, elastane

COATING

PPU nitrile with sandy finish









item no.	size	VE	ÜK
709544	8/M	12	72
709545	9/L	12	72
709546	10/XL	12	72
709547	11/XXL	12	72

MASTER FLEX **TOUCH**

DESCRIPTION

- suitable for touchscreen operation
- good tactile sensitivity
- secure grip even on smooth objects
- good resistance to fats and oils

MATERIAL

nylon, elastane

COATING

nitrile with sandy finish











item no.	size	VE	ÜK
709545_T_08	8/M	12	120
709545_T_09	9/L	12	120
709545_T_10	10/XL	12	120
709545 T 11	11/XXL	12	120





MASTER FLEX ECO

DESCRIPTION

- good fit and high wearing comfort
- secure grip even on smooth objects
- good resistance to fats and

MATERIAL

polyester

COATING

nitrile with sandy finish



















TOP FLEX

TOP FLEX

DESCRIPTION

- particularly robust nitrile coating
- excellent tactile sensitivitymoisture-repellent coating
- good fit

MATERIAL

nylon, elastane

COATING

nitrile microfoam







item no.	size	VE	ÜK
709534_08	8/M	12	120
709534_09	9/L	12	120
709534_10	10/XL	12	120
709534_11	11/XXL	12	120
709534_12	12/XXXL	12	120



11-1









G-BASE T-FLEX

- **DESCRIPTION** particularly robust nitrile coating
- good tactile sensitivity
- moisture-repellent coating – good fit and wearing comfort
- secure grip even on smooth
- objects

MATERIAL

polyester, elastane

COATING

nitrile





item no.	size	VE	ÜK
EP760005_08	8/M	12	120
EP760005_09	9/L	12	120
EP760005_10	10/XL	12	120
EP760005_11	11/XXL	12	120

G-BASE NEON

DESCRIPTION

- robust, soft latex foam coating
- good fit
- secure grip even on smooth objects

MATERIAL

polyester, elastane

COATING

latex







item no.	size	VE	ÜK
EP760006_08	8/M	12	72
EP760006_09	9/L	12	72
EP760006_10	10/XL	12	72
EP760006_11	11/XXL	12	72





FLEX GRIP

DESCRIPTION


- foamed, robust nitrile coating
- suitable for working with wet, oily objects
- optimal dexterity


MATERIAL

polyester

COATING nitrile

C € CAT II





VE ÜK

12 120

12 120











TOUCH









4-|-

%



NANO FLEX TOUCH

DESCRIPTION

- good tactile sensitivitygood fit and secure grip
- suitable for touchscreen
- operation
- also available in industrial packaging: 709240S_T - 709244S_T

MATERIAL

polyester

COATING polyurethane







item no.	size	VE	ÜK
709242S_T_SB	8/M	12	120
709243S_T_SB	9/L	12	120
709244S_T_SB	10/XL	12	120
709245S_T_SB	11/XXL	12	120

NANO FLEX PRO

DESCRIPTION

- breathable and oil-repellent
- high wearing comfort
- manufactured without silicone

MATERIAL

nylon

COATING polyurethane











item no.	size	VE	ÜK
709419BG_06	6/XS	12	120
709419BG_07	7/S	12	120
709419BG_08	8/M	12	120
709419BG_09	9/L	12	120
709419BG_10	10/XL	12	120
709419BG_11	11/XXL	12	120

industrial packaging without header card

industrial packaging without header card

NANO FLEX WHITE

- **DESCRIPTION** durable polyurethane coating — good fit and comfort
- optimal dexterity

MATERIAL polyester

COATING polyurethane







item no.	size	VE	ÜK
709241	7/S	12	120
709242	8/M	12	120
709243	9/L	12	120
709244	10/XL	12	120
709245	11/XXL	12	120











NANO FLEX GRAY

DESCRIPTION

- durable polyurethane coating good fit and comfortoptimal dexterity

MATERIAL

polyester

COATING polyurethane





item no.	size	VE	ÜK
709240G	6/XS	12	120
709241G	7/S	12	120
709242G	8/M	12	120
709243G	9/L	12	120
709244G	10/XL	12	120
709245G	11/XXL	12	120
709246G	12/XXXL	12	120

industrial packaging without header card













industrial packaging without header card

NANO FLEX BLACK

DESCRIPTION

- durable polyurethane coatinggood fit and comfort
- optimal dexterity

E GEBOL

polyester

COATING polyurethane



item no.	size	VE	ÜK
709242S	8/M	12	120
709243S	9/L	12	120
709244S	10/XL	12	120
709245S	11/XXL	12	120

G-BASE NANO

- DESCRIPTION

 durable polyurethane coating

 good fit and comfort
- optimal dexterity

MATERIAL

polyester, elastane

COATING

polyurethane





item no.	size	VE	ÜK
EP760003_08	8/M	12	120
EP760003_09	9/L	12	120
EP760003_10	10/XL	12	120
EP760003_11	11/XXL	12	120















11-11









NANO FLEX NEON

DESCRIPTION

- durable polyurethane coating
 good fit and comfort
 optimal dexterity

MATERIAL

polyester

COATING polyurethane





item no.	size	VE	ÜK
709242H	8/M	12	120
709243H	9/L	12	120
709244H	10/XL	12	120
709245H	11/XXL	12	120

G-BASE NANO

DESCRIPTION

- durable polyurethane coating
 good fit and comfort
 optimal dexterity

MATERIAL

polyester, elastane

COATING

polyurethane





item no.	size	VE	ÜK
EP760004_06	6/XS	12	120
EP760004_07	7/S	12	120
EP760004_08	8/M	12	120







BLUE GRIP

- DESCRIPTION

 made from a comfortable nylon/cotton blend

 with blue, non-slip PVC nubs for greater
- particularly breathable ideal for light work

MATERIAL

nylon, cotton, polyester



 nubs
_



item no.	size	VE	ÜK
709428 05	5/XXS	12	120
709428_06	6/XS	12	120
709428 07	7/S	12	120
709428 08	8/M	12	120
709428 09	9/L	12	120
709428 10	10/XL	12	120
709428 11	11/XXI	12	120

BLUE GRIP COMFORT

DESCRIPTION

- made from a comfortable
- nylon/polyacrylic blend with red, non-slip PVC nubs for greater durability

 — good fit and comfort
- ideal for light work

MATERIAL


nylon, polyacrylic

COATING

PVC nubs

((CAT II

















TRIKOT

DESCRIPTION

- very good fitbreathable
- 2-pair pack

MATERIAL

cotton/polyester blend

((CAT I

item no.	size	VE	ÜK
709536	9/L	6	120











SMALI









11-11

%



MULTI FLEX TOUCH LADY

DESCRIPTION

- optimal dexterity
- suitable for touchscreen operation
- high wearing comfort
- breathable back of the hand – good grip even on smooth
- very good tactile sensitivity

MATERIAL

nylon, elastane

COATING

nitrile coating with nitrile nubs







item no.	size	VE	ÜK
709974_T	6/XS	12	72
709975_T	7/S	12	72
709976_T	8/M	12	72

MULTI FLEX LADY

DESCRIPTION

- excellent tactile sensitivity
- breathable back of the hand
- good grip even on smooth objects
- good resistance to fats and
- liquid-repellent coating

MATERIAL

nylon, elastane

COATING


nitrile coating with nitrile nubs



MULTIFLEX







MASTER FLEX LADY

DESCRIPTION

- durable coating
- excellent fit and comfort
- secure grip even on smooth objects
- good resistance to fats and oils

MATERIAL

nylon, elastane

COATING

PPU nitrile with sandy finish







item no.	size	VE	ÜK
709942	6/XS	12	72
709943	7/S	12	72
709944	8/M	12	72









MASTER FLEX ECO LADY

DESCRIPTION

- good fit and comfort — secure grip even on smooth objects
- good resistance to fats and oils

MATERIAL


polyester

COATING

nitrile with sandy finish



















FLOWER LILA

DESCRIPTION— breathable

— good fit and grip

MATERIAL polyester

COATING

latex foam





item no.	size	VE	ÜK
709799	6/XS	12	120
709800	7/S	12	120
709801	8/M	12	120









MISS FLOWER

- DESCRIPTION

 excellent fit and comfort

 optimal dexterity

 secure grip even on smooth

MATERIAL polyester

COATING

polyurethane



item no.	size	VE	ÜK
709814	7/S	12	120
709815	8/M	12	120

FLOWER DUO

- DESCRIPTION

 breathable back of the hand

 good fit and secure grip

 set of 2 pairs (1x green / 1x red)

MATERIAL

polyester











COATING latex foam





item no.	size	VE	ÜK
709807_07	7/S	6	60
709807_08	8/M	6	60

SMAL









GARDELUXE DAISY

DESCRIPTION

- made from recycled PET bottles
- special water-repellent nitrile foam coating
- good grip on wet surfaces

MATERIAL

polyester

COATING

nitrile foam

ϵ	CAT I
------------	-------

item no.	size	VE	ÜK
779812_07	7/S	12	120
779812_08	8/M	12	120











G-BASE

GRIP

wet areas

polyester, elastane

MATERIAL

COATING latex crinkle

GARDEN

DESCRIPTION— flexible, moisture-repellent

– good grip in dry, damp, and

coating - good fit and comfort



item no.	size	VE	ÜK
EP760009_06	6/XS	12	144
EP760009_07	7/S	12	144
EP760009_08	8/M	12	144









42



GARDELUXE DAISY

- **DESCRIPTION** made from recycled PET
- special water-repellent nitrile foam coating
- good grip on wet surfaces

MATERIAL polyester

COATING nitrile foam

(€ CAT I

item no.	size	VE	ÜK
779813_07	7/S	12	120
779813_08	8/M	12	120



GARDELUXE DAISY

DESCRIPTION

- made from recycled PET bottles
- special water-repellent nitrile foam coating
- good grip on wet surfaces

MATERIAL polyester

COATING nitrile foam

((CAT I

item no.	size	VE	ÜK
779814_07	7/S	12	120
779814 08	8/M	12	120

















4-|





GARDELUXE LEMON

DESCRIPTION

- made from recycled PET
- special water-repellent nitrile foam coating
- good grip on wet surfaces

MATERIAL

polyester

COATING nitrile foam

(€ CAT I

item no.	size	VE	ÜK
779815_07	7/S	12	120
779815_08	8/M	12	120

GARDELUXE OLEANDER

- **DESCRIPTION** made from recycled PET
- special water-repellent nitrile foam coating
- good grip on wet surfaces

MATERIAL polyester

COATING



item no.	size	VE	ÜK
779817_07	7/S	12	120
779817_08	8/M	12	120





GARDELUXE POMEGRA-NATE

DESCRIPTION

- made from recycled PET bottles
- special water-repellent nitrile foam coating
- good grip on wet surfaces

MATERIAL

polyester

COATING

nitrile foam

((CAT I

item no.	size	VE	ÜK
779816_07	7/S	12	120
779816_08	8/M	12	120











GARDELUXE FLOWER & **FRUIT**

DESCRIPTION

- special water-repellent nitrile foam coating

 — good grip on wet surfaces

MATERIAL

polyester

COATING

nitrile foam



item no.	size	VE	ÜK
779808_07	7/S	12	120
779808_08	8/M	12	120



















(1-l+)



GARDELUXE HONEYBEE

DESCRIPTION

- special water-repellent nitrile foam coating

– good grip on wet surfaces

MATERIAL

polyester

COATING nitrile foam

(€ CAT I

item no.	size	VE	ÜK
779809_07	7/S	12	120
779809_08	8/M	12	120

GARDELUXE KIDS

- DESCRIPTION

 for all little hobby gardeners

 special water-repellent nitrile foam coating
- good grip on wet surfaces
- size 4-8 years

MATERIAL polyester

COATING



item no.	color	VE	ÜK
779810	blue	12	120
779811	yellow	12	120

FROGGY

DESCRIPTION

- for all young hobby gardeners
 high wearing comfort
 moisture-repellent coating

MATERIAL

polyester

COATING

nitrile with sandy finish



item no.	size	VE	ÜK
709700	4-6 years	12	120











KIDS

DESCRIPTION

- for all little hobby gardeners
 excellent fit and comfort
- sizes 5-8 years

MATERIAL

polyester

COATING

nitrile with sandy finish



item no.	color	VE	ÜK
709704	pink	12	120
709705	blue	12	120

















GEBOL CASP TROX









- high tear resistance





item no.	size	VE	ÜK
709926	9/L	12	14
709927	10/XL	12	14

GREEN TECH

DESCRIPTION

— flocked

— roughened palm – good resistance to acids, alkalis, fats, and oils

— food safe

MATERIAL

nitrile with cotton flocking





item no.	size	VE	ÜK
709926	9/L	12	144
709927	10/XL	12	144

(









BLUE TECH

DESCRIPTION

roughened palmoil and chemical resistant — good fit and grip

MATERIAL

PVC with cotton knit interior





4121X	TYP A AJKLMPT	EN 3/4-5

item no.	size	VE	ÜK
709923	9/L	12	72
709924	10/XL	12	120

GRIP TECH PLUS

9/L

10/XL

VE ÜK 12 72

12 72

GRIP TECH

low temperatures

nitrile with sandy finish

MATERIAL

COATING

item no.

709923 709924

(€ CAT III

EN 388 EN 407 TYP A EN 374-5
3121X X1XXXX JKL

— oil and chemical resistant

nitrile, PVC with nylon knit lining

seamless industrial glove
 made from a nitrile-PVC blend

with nylon knit on the inside – additional nitrile coating with a sandy finish on the palm for extra good grip – very high flexibility even at

DESCRIPTION

DESCRIPTION

- seamless industrial glove made from a nitrile-PVC blend with nylon knit on the inside
- additional nitrile coating with a sandy finish on the palm for extra good grip
- extra-long forearm protection
 very high flexibility even at low temperatures
- oil and chemical resistant

MATERIAL

nitrile, PVC with nylon knit lining

COATING

nitrile with sandy finish







item no.	size	VE	ÜK
709985_09	9/L	12	36
709985_10	10/XL	12	36







DISPOSABLE **GLOVE LATEX DERMAGRIP**

DESCRIPTION

- heavy-duty design
- textured fingertips
- high tear resistance unpowdered
- rolied cuff
- can be worn on either hand
- length approx. 27 cm
- 50 pieces/pack

MATERIAL

latex











item no.	size	ÜK
BX10619	7/S	10
BX20619	8/M	10
BX30619	9/L	10
BX40619	10/XL	10











DISPOSABLE GLOVE BLACK NITRIL ULTRA **STRONG**

DESCRIPTION

- heavy-duty design
- textured fingertipshigh tear resistance
- latex-free and powder-free
- rolled cuff
- can be worn on either hand — food-safe
- 80 pieces/pack

MATERIAL nitrile





item no.	size	ÜK
709629	7/S	10
709630	8/M	10
709631	9/L	10
709632	10/XL	10

DISPOSABLE GLOVE BLUE NITRIL COMFORT

DESCRIPTION

- extra-thin design
- textured fingertipsvery high tear resistance
- free from sulfur, thiuram, silicone, and dithiocarbamate
- can be worn on either hand — 100 pieces/pack

MATERIAL

nitrile









item no.	size	ÜK
709660	6/XS	10
709661	7/S	10
709662	8/M	10
709663	9/L	10
709664	10/XL	10
709665	11/XXL	10



DESCRIPTION

- with pyramid structure
- excellent grip even when wet
- very high tear resistance
- polymer coating for easy donning — latex-free
- can be worn on either hand
- silicone-free
- 50 pieces/pack

MATERIAL

nitrile







item no.	size	VE	ÜK
709668	8/M	1	10
709669	9/L	1	10
709670	10/XL	1	10
709671	11/XXL	1	10







DISPOSABLE **GLOVE MULTI** COLOR

DESCRIPTION

- solid disposable gloves made from 100% nitrile
- thin design, yet particularly tear-resistant
- textured fingertips
- latex-free, powder-free – food-safe
- can be worn on either hand
- Assorted box with 4 colors (black, violet blue, light blue, pink) - 20 pieces per color, 80 pieces per pack

MATERIAL nitrile



item no.	size	ÜK
709636_S	7/S	10
709635_M	8/M	10
709636_L	9/L	10

1-1



DISPOSABLE GLOVE BLACK **NITRIL ECO**

DESCRIPTION

- sturdy disposable gloves made of black nitrile – unpowdered
- textured fingertips
- high tear resistance
- polymer coating for easy donning
- latex- and silicone-free
- ambidextrous – 100 pieces/pack

MATERIAL

nitrile







item no.	size	ÜK
709635_S	7/S	10
709635_M	8/M	10
709635_L	9/L	10
709635_XL	10/XL	10

DISPOSABLE GLOVE WHITE NITRIL ECO

DESCRIPTION

- sturdy disposable gloves made of white nitrile
- unpowdered
- textured fingertips
- high tear resistance
- polymer coating for easy donning
- latex- and silicone-free
- ambidextrous
- 100 pieces/pack

MATERIAL

nitrile



709635W_L 9/L



KPT VIRUS		
item no.	size	ÜK
709635W_S	7/S	10
709635W_M	8/M	10

709635W_XL 11/XXL 10

DISPOSABLE GLOVE BLUE NITRIL ECO

DESCRIPTION

- sturdy disposable gloves made of blue nitrile — unpowdered
- textured fingertips
- high tear resistance polymer coating for easy
- donning - latex- and silicone-free
- ambidextrous
- 100 pieces/pack

MATERIAL

nitrile







item no.	size	ÜK
709635B_S	7/S	10
709635B_M	8/M	10
709635B_L	9/L	10
709635B_XL	11/XXL	10















DISPOSABLE GLOVE PRAKTIMAX

DESCRIPTION

— ambidextrous

MATERIAL

polyethylen (HDPE)

item no.	size	VE	ÜK
709673	universal, 50-piece card	20	200
709674	universal, 100-piece card	20	100
972038	Mount for Praktimax	1	NV



DANA HOUSEHOLD

- **DESCRIPTION** classic household gloves made of nitrile - textured surface on the
- fingers high tear resistance flocked inside
- length approx. 27 cm 709303_08-09 two pairs per
- pack 709304_07-10 one pair per

MATERIAL

nitrile			
item no.	size	VE	ÜK
709303_08	8/M	12	120
709303_09	9/L	12	120
	ı		
item no.	size	VE	ÜK
709304_07	7/S	12	120
709304_08	8/M	12	120
709304_09	9/L	12	120
709304_10	10/XL	12	120

MIDI FLEX

DESCRIPTION

- oil and grease-repellent coating
- very good tactile sensitivity

MATERIAL

polyester

COATING

nitrile





item no.	size	VE	ÜK
709262	8/M	12	120
709263	9/L	12	120
709264	10/XL	12	120
709265	11/XXL	12	120











G-BASE MIDI

DESCRIPTION

- with thick nitrile coating
 suitable for working with wet
- and oily objects
- optimal dexterity

MATERIAL

poylester, elastane

COATING nitrile



item no.	size	VE	ÜK
EP760007_08	8/M	12	120
EP760007_09	9/L	12	120
EP760007_10	10/XL	12	120
EP760007_11	11/XXL	12	120























NITRIL

DESCRIPTION

- ¾ coating knitted cuff
- oil and grease repellent coating

MATERIAL

cotton

COATING nitrile





item no.	size	VE	ÜK
729508	8/M	12	120
729509	9/L	12	120
709510	10/XL	12	120
709511	11/XXL	12	120

SUPER GRIP

DESCRIPTION

- grooved carrier fabric excellent grip
- very good fit
- good resistance to fats and oils

MATERIAL nylon

COATING nitrile





tem no.	size	VE	ÜK
709285_08	8/M	12	72
709285	9/L	12	72
709286	10/XL	12	72
709285_11	11/XXL	12	72

WET GRIP

- DESCRIPTION

 good fit and secure grip

 good resistance to grease
- and oil
- oil- and water-repellent double coating
- very good grip on wet objects

MATERIAL

nylon

COATING

nitrile with sandy finish





item no.	size	VE	ÜK
709592	9/L	12	144
709593	10/XL	12	144











BLUE NITRIL

- DESCRIPTION

 fully coated

 oil and grease repellent
- canvas cuff

MATERIAL

cotton

COATING

nitrile





item no.	size	VE	ÜK
709515	9/L	12	120
709516	10/XL	12	120













WET GUARD **BLUE**

DESCRIPTION

- dipped ¾ nitrile coating
- oil and water resistant — good fit
- very good grip on wet objects

MATERIAL

polyester

COATING





item no.	size	VE	ÜK
729513_08	8/M	12	120
729513_09	9/L	12	120
729513_10	10/XL	12	120
729513_11	11/XXL	12	120

%







G-BASE W-GUARD

- **DESCRIPTION** dipped ¾ nitrile coating oil and water repellent
- good fit
- good grip on wet objects

MATERIAL

polyester, elastane

COATING

nitrile







item no.	size	VE	ÜK
EP760008_08	8/M	12	120
EP760008_09	9/L	12	120
EP760008_10	10/XL	12	120
EP760008_11	11/XXL	12	120

industrial packaging without header card

WET GUARD YELLOW

DESCRIPTION

- dipped ¾ nitrile coating
- oil and water resistant
- good fit
- very good grip on wet objectsself-service packaging with hang tag

MATERIAL

polyester

COATING

nitrile





item no.	size	VE	ÜK
EP729514_08	8/M	12	120
EP729514_09	9/L	12	120
EP729514_10	10/XL	12	120
EP729514_11	11/XXL	12	120













WET GUARD PLUS YELLOW

DESCRIPTION

- fully dipped nitrile coating
- oil and water resistant good fit — very good grip on wet objects
- SB packaging with hang tag

MATERIAL

polyester

COATING







industrial packaging without header card





















7083







4-|





DESCRIPTION

- glove made from a sophisticated mix of materials - padded leather palm
- back of the hand made from breathable mesh for good ventilation
- cuff with Velcro fastener for a good fit – high wearing comfort

MATERIAL

polyester mesh, goatskin



item no.	size	VE	ÜK
EP760011_08	8/M	12	120
EP760011_09	9/L	12	120
EP760011_10	10/XL	12	120
EP760011_11	11/XXL	12	120

DESCRIPTION

- premium gloves for

MASTER

ALLROUND

- demanding users
- high wearing comfort — reinforcements on the
- knuckles
- padded and reinforced palm – additional reinforcements in
- areas subject to wear
- neoprene cuff with Velcro fastener


MATERIAL

polyester, elastane, synthetic leather, PVC





2111X	
size	VE
9/L	6











- premium glove for demanding users
- high wearing comfort
- padded and reinforced palm
- vibration dampingelastic back of the hand

neoprene, synthetic leather



G GEB

MASTER SH

TI B





tem no.	size	VE	ÜK
709831	9/L	6	72
709832	10/XL	6	72
709833	11/XXL	6	72

MASTER IMPACT

DESCRIPTION

- premium gloves for demanding users
- reinforcements on the knuckles

- padded palmnon-slip silicone coating for better grip on the palm

 – additional reinforcements in
- high-wear areas – neoprene cuff with Velcro
- fastener

MATERIAL

polyester, elastane, PVC, silicone, synthetic leather, nylon







item no.	size	VE	ÜK
709891	9/L	6	120
709892	10/XL	6	120
709893	11/XXL	6	120









MASTER THERMO

- premium gloves for demanding users
 high wearing comfort
 non-slip silicone coating on the palm
 cold insulation thanks to original 3M Thinsulate™ lining
 neoprene cuff with Velcro fastener

1-1-*** 기미담길!

polyester, nylon, elastane, neoprene, silicone, synthetic leather

CE	CAT II	3111X	XIX	Thinsu	late LATION	
item no.			size		VE	ÜK
709865	5		9/L		12	72
709866	5		10/XL		12	72
70006	,		11 ///	,	12	72

UNI FIT THERMO

- DESCRIPTION

 goatskin glove

 spandex back of hand

 Elastic cuff with Velcro fastener

 cold insulation thanks to 3M Thinsulate™ lining
- high wearing comfortvery good fit

MATERIAL

polyester, elastane, goatskin











LINING

original 3M Thinsulate™







item no.	size	VE	ÜK
709339	9/L	12	72
709340	10/XL	12	72
709341	11/XXL	12	72











 excellent protection against the cold

 moisture-repellent coating — good fit and grip in wet conditions

MATERIAL polyacrylic


COATING latex foam with sandy finish







6 72



11/XXL





709103 9/L 6 72 709104 10/XL 6 72	item no.	size	VE	ÜK
709104 10/XL 6 72	709103	9/L	6	72
	709104	10/XL	6	72
709105 11/XXL 6 72	709105	11/XXL	6	72

WORKER PRO

THERMO

durability

— thermal lining

— robust glove made from

premium full-grain cowhide

- leather thickness approx. 1.2

water-repellent polyester – rubberized cuff - approx. 8 cm

polyester, cow leather, polyester-

- double stitching for longer

– back of hand made from

WORKER PRO THERMO COMFORT



- leather thickness approx. 1.2 mm
- double stitching for longer durability
- back of hand made from
- water-repellent polyester – knitted cuff for greater comfort
- thermal lining

MATERIAL

polyester, cow leather, polyestercotton mix







item no.	size	VE	ÜK
709115	9/L	6	72
709116	10/XL	6	72
709117	11/XXL	6	72

WINTER EXTREME

DESCRIPTION

709284 709282

- water- and oil-repellent double coating

 — double layer for warm hands
- secure grip on smooth objects
- very good fit
- for activities in cold temperatures

MATERIAL

polyester, polyacrylic

COATING

latex coating with additional sandy latex coating on the palm







size	VE	ÜK
9/L	6	36
10/XL	6	36
11/XXL	6	36
	9/L 10/XL	9/L 6 10/XL 6







11-1-1

(1-l)



WINTER LITE TOUCH

DESCRIPTION

- ideal for use in temperatures down to 0 °C
- excellent fit and comfort
 optimal dexterity and secure grip on smooth objects
- liquid-repellent coating

MATERIAL

polyacrylic, elastane

COATING

nitrile with sandy finish









item no.	size	VE	ÜK
709220_06	6/XS	6	72
709220	7/S	6	72
709221	8/M	6	72
709222	9/L	6	72
709223	10/XL	6	72
709224	11/XXL	6	72



11-11







WINTER LITE TOUCH

DESCRIPTION

- ideal for use in temperatures down to 0 °C — excellent fit and comfort
- optimal dexterity and secure grip on smooth objects - liquid-repellent coating

MATERIAL

polyacrylic, elastane

nitrile with sandy finish









item no.	size	VE	ÜK
709220DB_08	8/M	6	72
709220DB_09	9/L	6	72
709220DB_10	10/XL	6	72
709220DB_11	11/XXL	6	72
	709220DB_08 709220DB_09 709220DB_10	709220DB_08 8/M 709220DB_09 9/L 709220DB_10 10/XL	709220DB_08 8/M 6 709220DB_09 9/L 6 709220DB_10 10/XL 6

WINTER ECO

DESCRIPTION

- roughened glove interior
- excellent gripwater-repellent crinkle latex coating

MATERIAL

polyester

















item no.	size	color	VE	ÜK
709589-91	9/L - 11/XXL	black	6	72
7095880-910	8/M - 11/XXL	orange	6	72
709588B-91B	8/M - 11/XXL	blue	6	72





UPCYCLED WINTER

DESCRIPTION

- made from recycled PET bottles
- comfortable polyacrylic knit
 gray, roughened latex coating
 remains flexible even in cold temperatures
- very good grip

MATERIAL

polyester, polyacrylic

COATING

latex foam







item no.	size	VE	ÜK
740008_05	5/XXS	12	72
740008_06	6/XS	12	72
740008_07	7/S	12	72
740008_08	8/M	12	72
740008_09	9/L	12	72
740008_10	10/XL	12	72
740008_11	11/XXL	12	72



DESCRIPTION

- for all little craftsmen — double-layered material for
- warm hands
- high wearing comfort

MATERIAL

nylon

COATING

latex



tem no.	size	VE	ÜK
709710	5 - 8 years	6	72













4-|-|-

**









WINTER QUEEN

DESCRIPTION

- women's gloves for cool
- temperatures extra soft microfiber ensures high wearing comfort
- ideal for use in temperatures
- optimal dexterity and a secure grip, even on smooth objects

MATERIAL

nylon

COATING latex foam



item no.	size	VE	ÜK
709930	6/XS	6	72
709931	7/S	6	72
709932	8/M	6	72

PINGUINA

DESCRIPTION

- for all little craftsmen
- double-layered material for warm hands
- high wearing comfort

MATERIAL

nylon

COATING latex

















INFO PROTECTIVE MASKS

If technical and organizational measures are not sufficient to ensure adequate air quality,

suitable respiratory protection must be used. The prerequisite for the effective prevention of health risks through respiratory protection is the correct selection, consistent use, and maintenance of the respiratory protection equipment. The employer must obtain information about possible air pollutants in the workplace, evaluate the workplaces, and, if necessary, provide suitable respiratory protection. The employee must wear the respiratory protection provided to them for the entire time they are in the danger zone.

EN 149

Respiratory protective devices – filtering half masks for protection against particles – requirements, testing, marking
The OCCUPATIONAL EXPOSURE LIMIT VALUES (OEL) indicate the concentration of a substance at which acute or chronic harmful effects on health are
generally not to be expected. The limit values are based on existing occupational health and toxicological findings.

FFP 1 / P⁴

PROTECTS AGAINST FINE DUST UP TO 4 TIMES THE AGW

Protection against non-toxic and non-fibrogenic1 dusts. Inhalation does not lead to the development of diseases, but may irritate the respiratory tract and cause odor nuisance.

FFP 2 / P2

PROTECTS AGAINST FINE DUST UP TO 10 TIMES THE AGW

Protection against solid and liquid dusts, smoke, and aerosols that are harmful to health. These particles can be fibrogenic, which means that they can cause short-term irritation of the respiratory tract and, in the long term, a decrease in the elasticity of lung tissue.

FFP 3 / P3

AGAINST FINE DUST UP TO 30 TIMES THE AGW

Protection against toxic and harmful dusts, smoke, and aerosols (e.g., carcinogenic particles, fungal spores, pesticides).

¹Fibrogen = Fibrogenic dusts are aerosols2 including droplets containing poorly soluble particles that can cause connective tissue formation (e.g., silicosis).

²Aerosols = mixture (dispersion) of solid or liquid particles suspended in a gas, e.g., soot, house dust, cigarette smoke, but also sprays of all kinds (paints, pesticides, deodorants, etc.).

A1 / A2

PROTECTS AGAINST GASES AND VAPORS

Gases and vapors are molecules that are so small that they can penetrate particle filters. Therefore, special filters must be used against gases and vapors. GVS gas or gas and particle respirators offer the user special protection against harmful substances through physical or chemical adsorption, which is highlighted by marked letters and colors:

TYPE		Protection
	Α	Organic gases and vapors with a boiling point above 65°C
	В	Inorganic gases/vapors (excluding carbon monoxide) Sulfur
	Ε	dioxide and other acidic gases and acidic vapors Ammonia and
	K	organic derivatives
	۸V	

AX Certain organic gases and vapors with a boiling point of ≤ 65 °C. For single use only.

There are different protection classes for each type of gas filter, depending

on the amount of pollutants that the filter can adsorb. Therefore, the choice depends on the predicted concentration of the pollutant:

concentration limit low | 1.000 ppm medium | 5.000 ppm

	FFP 1	FFP 2	FFP 3	A1P3	A2P3
CLEANING					
with low dust generation	X	X	X	X	X
with a lot of dust		X	X	X	X
GRINDING					
paints, varnishes		X	X	X	X
anti-fouling paints			X	X	X
softwood		X	X	X	X
hardwood			X	X	X
metal		X	X	X	X
rust		X	X	X	X
rust-proofing paint			X	X	X
filler compound		X	X	X	X
cement, concrete		X	X	X	X
WORKING WITH ASBESTOS					
to a small extent			X	X	X
PAINTING					
solvent-based paints					
water-based paints		X	X	X	X
AGRICULTURE					
pesticides					X
AUTOMOTIVE INDUSTRY					X
color odor up to 5.000 ppm					
CONSTRUCTION INDUSTRY					
color odor up to 1.000 ppm				X	X
molds				X	X
MANUFACTURE					
solvent				X	X
WELDING AND METAL INDUSTRY					
painted metal (repair)				X	X



RESPIRATOR MASK ELIPSE A1P3

DESCRIPTION

- reusable half mask
- extra compact, lightweight, and flexible design
- large, central exhalation valve
- protects against substances in concentrations up to 1,000 ppm
- latex- and silicone-free
- made in the UK



		l	I		
	item no.	size	VE		
734002		M/L	1		
	ACCESSORIES				
	item no.	designation	VE		

replacement filter A1P3 1



RESPIRATOR MASK ELIPSE PROFI A2P3

DESCRIPTION

- reusable half mask
- compact, lightweight, and flexible design
- large, central exhalation valve
- protects against substances in concentrations up to 5,000 ppm
- latex- and silicone-free
- made in the UK



734005

size	VE			
M/L	1			
ACCESSORIES				
designation	VE			
	M/L			



replacement filter A2P3 | 1





PROTECTIVE MASK FFP2 PROFI

DESCRIPTION

- preformed mask body
 innovative filter medium for greater protection and low breathing
- high wearing comfort

(E EN 149:2001+A1:2009

item no.	packaging	VE
730502	2 pcs. SB	12
730502MUP	10 pcs. SB	1



PROTECTIVE MASK FFP2 COMFORT

DESCRIPTION

- with exhalation valve
- preformed mask body

 high wearing comfort
- **C E** EN 149:2001+A1:2009

item no.	packaging	VE
730504	2 pcs. SB	12
730504MUP	10 pcs. SB	1



PROTECTIVE MASK FFP3 COMFORT

DESCRIPTION

- preformed mask body
 high-quality valve technology for a fresh mask climate
 soft foam sealing lip for high wearing
- flexible nose clip for optimal fit

(E EN 149:2001+A1:2009

	ı	
item no.	packaging	VE
730505	1 pc. SB	12
730505MUP	5 pcs. SB	1



PROTECTIVE MASK FFP1 **BASIC**

DESCRIPTION

- folding mask
- adjustable nose clip

C E EN 149:2001+A1:2009

item no.	packaging	VE
730500	3 pcs. SB	12

HYGIENE MASK

DESCRIPTION

— without protection level

item no.	packaging	VE
708500	5 pcs. SB	10



KNEE PROTECTION

EN 14404: PERSONAL PROTECTIVE EQUIPMENT - KNEE PROTECTION FOR WORK IN A KNEELING POSITION

TYPE 1: Knee protection that is independent of other clothing and is attached to the leg.

TYPE 2: Eingearbeitete oder in Taschen eingesetzte Polster (z. B. in Arbeitshosen).

PERFORMANCE LEVELS:

Performance level 0: for working on flat ground surfaces, no protection against punctures

Performance level 1: for working on flat and uneven ground surfaces, protection against punctures with a force of at least 100N (+/-5N)

THIS SHOULD BE TAKEN INTO ACCOUNT WHEN WEARING:

- The load must be evenly distributed.
- The knee protection must meet the ergonomic requirements of the wearer (fit, fastening, etc.).
- The knee pads should move freely with every movement without slipping.

EYE PROTECTION

All personal eye protection is regulated by EN 166. According to this standard, the numbers and letters on the lens and frame provide information about the protection level, mechanical strength, resistance to electric arcs, and resistance to fogging, among other things.

EN 166: PERSONAL EYE PROTECTION - REQUIREMENTS

HAZARDS REQUIRING EYE PROTECTION:

- mechanical hazards: particles, impact, and dust
- hazards from light: UV radiation, infrared light, lasers, and visible light
- chemical and biological hazards: alkalis, infected blood, solutions, and acid splashes
- electrical hazards: direct contact with electricity, electric arcs caused by short circuits
- thermal hazards: flames, splashes of molten materials, and hot liquids

HEARING PROTECTION

According to EU Directive 2003/10/EC, the following applies:

- If an employee's noise exposure level exceeds the trigger value of 80 dB, the employer must provide appropriate hearing protection.
- If the exposure limit value of 85 dB is exceeded, hearing protection must be worn that is selected so that the sound pressure level effective at the ear does not exceed the exposure limit value.

- headphone-like capsules, hard plastic shell, and sound-insulating padding
- mostly for short-term use

EN 352-2 EARPLUGS:

- earplugs, usually made of silicone, plastic, or foam, moldable or pre-formed, for single or repeated use
- also available with a carrying strap or plastic bracket (bracket earplugs)

SAFETY HELMETS

EN 397: INDUSTRIAL SAFETY HELMETS - BASIC REQUIREMENTS:

- shock absorption (through elastic and plastic deformation)
- penetration resistance (against pointed and sharp objects)
- flammability
- electrical insulation
- ensuring an optimal fit

A secure and comfortable fit on the head should be ensured depending on the field of activity and can be supported by an adjustable interior and additional fastening straps. For use in special circumstances, such as very high or low temperatures, possible accidental contact with alternating currents, danger from molten metal, and danger from lateral stress, protective helmets that meet these requirements must be

KNEE PAD PROFI

DESCRIPTION

- textile fabric with gel insert
- neoprene straps with Velcro fasteners
- profiled PVC shell (puncture-resistant)
- relief for the kneecaps
- high wearing comfort
- performance level 1
- type 1

MATERIAL

polyester, PVC, neoprene



item no.	packaging	VE
702003	1 pair SB	6

KNEE PAD CLASSIC

DESCRIPTION

- pressure relief
- for insertion into knee pad pockets
- no additional fastening straps required
- suitable for hard surfaces
- performance level 1 (protection
- against punctures 100±5N) — type 2 according to EN 14404

MATERIAL

EVA



C E N 14404:2024

item no.	packaging	VE
702002	1 pair SB	1

KNEE PAD BASIC

DESCRIPTION

- shell shape with stretch band
- universal size
- performance level 0 (without puncture protection)
- type 1

MATERIAL

PU foam



item no.	packaging	VE
702001	1 pair SB	6











SAFETY GLASSES **ULTRALIGHT**

DESCRIPTION

- sporty design with high wearing comfort
- particularly comfortable thanks to soft padding in the nose and temple
- removable sweat bar provides
 additional protection for the eyes
 against dust and sweat
- flexible, soft nose bridge
- UV filter
- scratch- and fog-free coating

MATERIAL

polycarbonate, TPR, TPE, PVC



item no.	color	VE
730401	clear	4
730402	tinted	4
730403	yellow	4



SAFETY GLASSES SAFETY **COMFORT**

DESCRIPTION

- sporty design with high wearing comfort
- integrated, stylish protection

 flexible, soft nose clip

 adjustable temple length and angle

- optical class 1

MATERIAL

frame made of nylon lenses made of polycarbonate

(E EN ISO 16321-1:2022

item no.	color	VE
730001	clear	6
730002	tinted	6

SAFETY GLASSES SAFETY GUARD

DESCRIPTION

- for professional users
- very comfortable to wear
- with adjustable elastic band— integrated side protection
- scratch-resistant and anti-fog coating — UV filter against UV-A / UV-B radiation
- optical class 1

MATERIAL

frame made of plastic and TPR lenses made of polycarbonate



item no.	packaging	VE
730400	1 pc. SB	6





SAFETY GLASSES SPORTS LINE

DESCRIPTION

- sporty design with high wearing comfort
- flexible, soft nose clip
- scratch- and fog-free coating
 UV filter against UV-A / UV-B radiation
 optical class 1

MATERIAL

polycarbonate frames and lenses

C € EN 166 EN 170

item no.	color	VE
730404	clear	4
730405	tinted	4





SAFETY GLASSES **READER**

DESCRIPTION

- sporty design

- sporty design
 integrated reading aid
 (+1.5 / +2 / +2.5 / +3 diopters)
 particularly lightweight (23 g)
 scratch-resistant and anti-fog coating
 UV filter against UV-A / UV-B radiation

frame made of nylon lenses made of polycarbonate

(E EN 166

item no.	color	VE
730003	+1,5	1
730004	+2	1
730005	+2,5	1
730006	+3,0	1



EYEGLASS CORD FOR SAFETY GLASSES

- very comfortable polyester glasses
- fits securely on all GEBOL glasses
 (except Basic safety glasses)
 individual length adjustment thanks
- to adjustable stopper

MATERIAL polyacrylic

item no.	length	VE
730099	60 cm	1



SAFETY GLASSES **NEON**

- sporty design
 adjustable temple length
 scratch- and fog-free coating
 neon color for high visibility
- UV filter
- optical class 1

MATERIAL

frame made of nylon, PVC lenses made of polycarbonate

C € EN 166 EN 170

	1	
item no.	color	VE
730406	clear	6
730407	tinted	6

SAFETY GLASSES FULL VIEW PROFI

DESCRIPTION

- sealed fit for all-round protection 2.2 mm thick polycarbonate lens
 — flexible vinyl frame
- adjustable elastic band
- extra wide panoramic field of vision
- fog-free
- direct ventilation
- optical class 1

MATERIAL

vinyl, polycarbonate

C E N ISO 16321-1:2022

item no.	packaging	VE
730421	1 pc. SB	3



SAFETY GLASSES BASIC

DESCRIPTION

- lightweight open construction
- impact resistantscratch resistant
- optical class 1

MATERIAL

polycarbonate

C E EN ISO 16321-1:2022

item no.	packaging	VE
730410	1 pc. SB	8



SAFETY GLASSES FULL VIEW ECO

DESCRIPTION

- sealed fit for all-round protection
 1.7 mm thick polycarbonate lens
- flexible vinyl frame
- adjustable elastic band
- high wearing comfort
- direct ventilation
- optical class 1

C E N ISO 16321-1:2022

item no.	packaging	VE
730420	1 pc. SB	6





SAFETY GLASSES SAFETY KIDS

DESCRIPTION

- specially designed for childrenhigh wearing comfortadjustable temples

- extra-lightweight design scratch-resistant
- optical class 1

MATERIAL

frame made of nylon lenses made of polycarbonate



item no.	color	VE
730020	blue	6
730021	pink	6



- specially designed for children
- very lightweight and comfortable
 collapsible
- high wearing comfort
- very soft ear padscomfortable contact pressure
- SNR value 26 dB

MATERIAL

plastic



em no.	color	VE
01420	blue	1
01421	pink	1

BASIC 3-PIECE OCCUPATIONAL **SAFETY SET**

DESCRIPTION

- SAFETY GLASSES
- very lightweight and comfortable

 EAR MUFFS
- very soft ear pads comfortable contact pressure SNR value 24 dB
- FFP1 PROTECTIVE MASK

MATERIAL

SAFETY GLASSES: PVC, polycarbonate EAR MUFFS: POM, ABS, PVC PROTECTIVE MASK: polypropylene, polyester



item no.	packaging	VE
730101	set	6

EAR MUFFS BASIC +

DESCRIPTION

- length-adjustable headband
 headband made of special plastic
 very soft ear pads
 comfortable contact pressure
 SNR value 29 dB

MATERIAL

PP capsule



C E EN 352-1:2020

		,
item no.	packaging	VE
701436	1 pc. SB	6

EAR MUFFS BASIC

DESCRIPTION

- headband made of special plastic
 very soft ear cushions
 comfortable contact pressure
 SNR value 24 dB

MATERIAL plastic

(E N 352-1:2020

item no.	packaging	VE
701434	1 pc. SB	10











EAR MUFFS PROFI

DESCRIPTION

- very light and comfortable
- extra wide and padded headbandlength-adjustable headband wires
- very soft ear pads
 comfortable contact pressure
- two-point suspension— SNR value 33 dB

MATERIAL

ABS capsule

CE CAT III EN 352-1:2020

item no.	packaging	VE
701433	1 pc. SB	1



EAR MUFFS PROFI

DESCRIPTION

- very light and comfortable
- extra wide and padded headbandlength-adjustable headband wires
- very soft ear pads
- comfortable contact pressure
- two-point suspension SNR value 33 dB

MATERIAL

ABS capsule

C E CAT III EN 352-1:2020

item no.	packaging	VE
701435	1 pc. SB	1

EAR MUFFS PROFI BLUETOOTH

- **DESCRIPTION** Bluetooth function for making calls, listening to music, etc.
- microphone switches off at volumes above 82 dB, guaranteeing optimal noise reduction

 — additional AUX input

 — USB charging cable

- battery life up to 8 hours
- very soft ear pads
- two-point suspension
- SNR value 29 dB



MATERIAL

CE CAT III EN 352-1:2020



item no.	packaging	VE
701437	1 pc. SB	3



EAR PROTECTION COMFORT

DESCRIPTION

- flexible headband design for easy
- can be worn as a chin strap or neckband
- earplugs do not penetrate the ear — high wearing comfort
 — includes 2 replacement earplugs
 — SNR value 29 dB



item no.	packaging	VE
731101	1 pc. SB	12

EARPLUGS PROFI SILICONE 2 PAIRS

DESCRIPTION

- high wearing comfort
- excellent fit
- reusable, washable
- long service life— pack of 2
- SNR value 31 dB

MATERIAL

silicone



item no.	packaging	VE
731102	2 pairs SB	12



DESCRIPTION

- smooth, conical surfacehigh wearing comfort
- SNR value 38 dB



item no.	packaging	VE
731100	5 pairs SB	25

EARPLUGS BASIC MULTIPACK

DESCRIPTION

- 200 pcs. / dispenser box
- packaged in pairssmooth, conical surface
- high wearing comfortSNR value 38 dB



item no.	packaging	VE
731103	200 pcs. dispenser	1







SAFETY HELMET CONSTRUCTION

- DESCRIPTION

 6-point suspension system

 with sweatband

 weight approx. 317 g

 made in the EU



MATERIAL HDPE		
C € EN 397		
item no.	size / color	VE
704019	universal, 56-61 cm / white	1
704020	universal, 56-61 cm / red	1
704021	universal, 56-61 cm / yellow	1

SAFETY HELMET MASTER

- DESCRIPTION

 6-Point suspension

 highly tear-resistant textile straps


 long sweatband

 weight approx. 350 g

 cold-resistant down to -30 °C

 twist lock for continuous size adjustment

 high wearing comfort



MATERIAL



item no.	packaging	VE
704002	universal, 56-61 cm / white	1
704003	universal, 56-61 cm / yellow	1
704004	universal, 56-61 cm / high viz yellow	1

SAFETY HELMET EVOLITE

DESCRIPTION

- with reflective strips and ID card holder
 one-handed size adjustment
 cold-resistant down to -40 °C
 6-point suspension with highly tear-resistant textile straps
- weight approx. 285 g made in the EU

MATERIAL ABS



C € EN 397		
item no.	size / color	VE
704104	universal, 56-61 cm / white	1
ZUBEHÖR		
item no.	type / packaging	VE
704100	chin strap / 1 pc. SB	1
704039	sweatband / 1 pc. SB	1

SAFETY HELMET EVO 3

DESCRIPTION

- one-handed size adjustment
 high wearing comfort
 cold-resistant down to -40 °C
 6-point suspension with highly tear-resistant textile straps
- weight approx. 375 g made in the EU

MATERIAL

HDPE



(E N 397

item no.	packaging	VE
704101	universal, 56-61 cm / white	1
704102	universal, 56-61 cm / yellow	1
704103	universal, 56-61 cm / blue	1
ZUBEHÖR		
item no.	type / packaging	VE
704100	chin strap / 1 pc. SB	1
704039	sweatband / 1 pc. SB	1

BEANIE WITH REFLECTIVE STRIPS

- with reflective strips— original 3M Thinsulate™ lining
- one size fits all

MATERIAL

polyacrylic, Thinsulate™-fibre

Thinsulate



item no.	color	VE
700000	orange	12
700001	yellow	12
700003	black	12
700015	grey	12
700000K	orange (child size)	12
700001K	yellow (child size)	12

BEANIE LED WITH REFLECTIVE STRIPS

- **DESCRIPTION** removable LED light with four brightness
- settings

 light duration approx. 60 minutes

 rechargeable battery via USB

 universal size

MATERIAL

polyacrylic



	l .	l
item no.	color	VE
700006	black	1
700007	yellow	1
700011	orange	1
700012	grey	1
700006K	black (child size)	1
700013K	blue (child size)	1
700014K	pink (child size)	1

BEANIE UPCYCLED

- DESCRIPTION

 material blend of natural modal fiber and polyester from recycled PET bottles
- elastic, durable, and retains its shape

 comfortable to wear

 one size fits all



MATERIAL recycled polyester, modal			
item no.	color	VE	
700010	black	12	



BEANIE VISION

- DESCRIPTION

 comfortable to wear

 360-degree reflective strips ensure high visibility

 one size fits all

MATERIAL

polyacrylic

item no.	color	VE	ÜK
700008	yellow	12	96
700009	black	12	96

PONCHO UNIVERSAL

- DESCRIPTION

 transparent

 waterproof

 thickness 2.5 microns
- compact and lightweight— ideal for travel, hiking, cycling, and events

MATERIAL

LDPE

item no.	size	VE
804080	one size	1



OVERSHOES PROFI

- stable, tear-resistant, and waterproof outsole
- good grip breathable upper material with elastic band

- low design 10 pairs in a self-service box



upper material: polypropylene outsole: Polyethylen

item no.	size	VE
703010	one size	1

DISPOSABLE COVERALL

DESCRIPTION

- breathable
- hood, elasticated cuffs and leg openings
- with zipper

MATERIAL

polypropylene

item no.	size / packaging	VE
703000	XL 180 - 188 cm / SB	20
703002	XXL 186 - 194 cm / SB	20

PROTECTIVE COVERALL TYP 5/6

DESCRIPTION

- suitable for working with asbestos
- high-quality, certified material (type
- lightweight, low-lint SF fabric
 provides protection against particles and liquid splashes
- hood design allows for unhindered head movement
- elasticated cuffs and leg openings

MATERIAL

microporous film, coated PP















VF
V L
10
10







JACKET MONSUN

DESCRIPTION

- welded seams
- tear-resistant materialzipper and concealed button placket with snap fasteners

 — sleeve cuffs with Velcro fasteners

 — 2 pockets with flaps

- hood in the collar
- with reflective strips

MATERIAL

100% polyester with polyurethane

item no.	size	VE	ÜK
804008G	М	1	25
804009G	L	1	25
804010G	XL	1	25
804011G	XXL	1	25



DESCRIPTION

- welded seams
- tear-resistant material
- wide elastic waistband
 side zipper at the leg end
 with reflective strips

MATERIAL

100% polyester with polyurethane

item no.	size	VE	ÜK
804002G	М	1	25
804003G	L	1	25
804004G	XL	1	25
804005G	XXL	1	25



DESCRIPTION

- welded seams
- tear-resistant material
- zipper and concealed button placket with snap fasteners
- sleeve cuffs with Velcro fasteners
- 2 pockets with flaps
- hood in the collar
- with reflective strips

MATERIAL

100% polyester with polyurethane

item no.	size	VE	ÜK
804007	S	1	25
804008	M	1	25
804009	L	1	25
804010	XL	1	25
804011	XXL	1	25



PANTS MONSUN

DESCRIPTION

- welded seams
- tear-resistant material
- wide elastic waistband
- side zipper at the leg endwith reflective strips

MATERIAL

100% polyester with polyurethane

item no.	size	VE	ÜK
804001	S	1	25
804002	М	1	25
804003	L	1	25
804004	XL	1	25
804005	XXL	1	25







JACKET RAIN

DESCRIPTION

zipper
cuffs with snap fasteners
hood in the collar
pockets with flaps

100% polyester with vinyl coating

item no.	size	VE	ÜK
804021	S	1	25
804022	М	1	25
804023	L	1	25
804024	XL	1	25
804025	XXL	1	25



DESCRIPTION

— elastic waistband

— adjustable leg openings

— 2 pockets

MATERIAL

100% polyester with vinyl coating

item no.	size	VE	ÜK
804014	S	1	25
804015	М	1	25
804016	L	1	25
804017	XL	1	25
804018	XXL	1	25



DESCRIPTION

— for construction and industry

weight approx. 1,400 gshaft height 38 cm, can be shortened

MATERIAL

UPPER MATERIAL: PVC INSIDE LINING: textile MIDDLE SOLE: metallic, punctureresistant CAP: steel



VE ÜK item no. 902038-48 38-48 1 6



BOOTS BASIC

DESCRIPTION

— non-slip tread sole

— 100% waterproof

— weight approx. 640 g — shaft height 38 cm

MATERIAL

UPPER MATERIAL: PVC INSIDE LINING: textile



	1.	l	l
item no.	size	VE	UK
902139-47	39-47	1	10







HIGH-VISIBILITY **VEST BASIC**

- lightweight, durable high-visibility vest made from 120 g/m² polyester
- washable 5 times at 40°C
- 360-degree visibility thanks to reflective strips all around

 — velcro fastener
- one size fits all
- EN ISO 20471 Class 2

polyester (approx. 120 g/m²)

C E EN ISO 20471:2013+A1:2016 DIN EN ISO 13688:2013+A1:2021

item no.	color	VE	ÜK
805021	yellow	1	50
805022	orange	1	50



VEHICLE FIRST-AID KIT

— including filling material for multitrack motor vehicles

MATERIAL

It. KFG § 102 Abs. 10

item no.	size	VE
972202	25,5 x 16,6 x 8,0 cm	1

FIRST-AID KIT SMALL, TYPE 1

- wall mount with 90-degree stop lock

 transparent cover plates
- all-round rubber seal
- adjustable interior dividers
 twist locks and reinforced carrying handle
 — sealing device
- filling material included

MATERIAL ABS

ÖNORM Z1020

item no.	size	VE
972203	22,5 x 22 x 12,5 cm	1
972200	Contents for first aid kits type 1 (for up to 5 employees)	1



FIRST-AID KIT LARGE, TYPE 2

DESCRIPTION

- wall mount with 90-degree stop lock
- transparent cover plates
- all-round rubber seal — adjustable interior dividers
- twist locks and reinforced carrying handle
- sealing device— filling material included

MATERIAL ABS

ÖNORM Z1020

item no.	size	VE
972204	38 x 37 x 14	1
972201	Contents for first aid kits type 2 (for up to 20 employees)	1





OLFA BLADE INFO



AB/LB/HB

blade

High-quality snap-off blade made of carbon steel for excellent sharpness and extremely long durability.

A precise 59° blade angle ensures maximum performance and stability of the

For cutting linoleum, carpets, insulation, etc.

ABB / LBB / HBB

blade "Excel Black"

High-quality snap-off blade made of carbon steel, double-ground and therefore 25% sharper.

This ensures extremely precise cuts with noticeably less resistance.

A precise 59° blade angle ensures maximum performance and stability of the blade.

For cutting plasterboard, etc.

LFB

blade "Speed Blade"

High-quality snap-off blade made of carbon steel with a special fluorine coating for outstanding sharpness and extremely long durability.

A precise 59° blade angle ensures maximum performance and stability. This blade cuts cardboard significantly faster than other blades.

LWB

blade serrated edge

High-quality, unbreakable serrated blade made of carbon steel with extremely long durability. A precise 59° blade angle ensures maximum performance and stability of the blade. Perfect for cutting round, slippery, or soft materials (e.g., glass wool, ropes, insulation, etc.).

CUTTER A-5

DESCRIPTION

— stainless steel blade guide — One-way blade lock

item no.	blade width	VE
857212	9 mm	6

CUTTER 180 BLACK

DESCRIPTION

— made of metal

— with spring latch

item no.	blade width	VE
857202	9 mm	6

CUTTER SILVER SVR-1

DESCRIPTION

- made entirely of stainless steel
- completely rust-free
- with auto-lock-system

item no.	blade width	VE
857204	9 mm	6

CUTTER SAC-1

DESCRIPTION

- with 30° blade for the most precise
- ideal for graphic designers
- made entirely of stainless steel
- completely rust-free
- with auto-lock-system

item no.	blade width	VE
857284	9 mm	6

CUTTER XA-1

DESCRIPTION

- steel blade guide
- non-slip grip

857289

– acetone resistant — with auto-lock-system

item no.	blade width	VE

9 mm





9 mm

18 mm

25 mm

9 mm

18 mm

25 mm





SPEEU BLADE OLFA



CUTTER A-1 DESCRIPTION — steel blade guide — with auto-lock-system

— practical clip for attaching to trouser

item no.	blade width	VE
857325	9 mm	6



CUTTER MXP-AL

DESCRIPTION

- premium cutter
- sturdy aluminum housingstainless steel blade guide
- non-slip rubber grip
- with auto-lock-system

ı	item no.	blade width	VE
	857291	18 mm	6



CUTTER LTD-AL-LFB

- **DESCRIPTION** steel blade guide
- non-slip, ergonomic plastic handle
- with auto-lock-system
- acetone resistantwith OLFA Speedblade blade

item no.	blade width	VE
857322	18 mm	6



CUTTER L5-AL

DESCRIPTION

- stainless steel blade guide
- non-slip grip
- with auto-lock-system
- acetone resistant – metal tab at the end of the handle for opening cans

item no.	blade width	VE
857218	18 mm	6

CUTTER MXP-L

DESCRIPTION

- premium cutter
- robust aluminum housing
- stainless steel blade guide
- non-slip rubber grip
- with locking screw for stepless blade feed

item no.	blade width	VE
857292	18 mm	6

CUTTER LTD-L-LFB

DESCRIPTION

- steel blade quide
- non-slip, ergonomic plastic handle
 with locking screw for stepless blade feed
- acetone resistant
- with OLFA Speedblade blade

item no.	blade width	VE
857321	18 mm	6

CUTTER L-1 GREEN

DESCRIPTION

- Griff aus recyceltem Kunststoffsteel blade guide
- with locking screw for stepless blade feed

item no.	blade width	VE
857215RC	18 mm	6

CUTTER L5-AL

- stainless steel blade guide
- non-slip grip
 with locking screw for stepless blade
- acetone resistant
- metal tab at the end of the handle for opening cans

item no.	blade width	VE
857281	18 mm	6











CUTTER OL

DESCRIPTION

- extended stainless steel blade guide for extra stability
 metal tab at the end of the handle for
- opening cans
- with locking screw for stepless blade

item no.	blade width	VE
857223	18 mm	6



CUTTER H-1

DESCRIPTION

- extra strong design— stainless steel blade guide
- non-slip grip
- with locking screw for stepless blade

item no.	blade width	VE
857226	18 mm	6



CUTTER XH-1

DESCRIPTION

- extra strong design— stainless steel blade guide
- non-slip grip
- with locking screw for stepless blade feed

item no.	blade width	VE
857283	25 mm	6



CUTTER XH-AL

DESCRIPTION

- extra strong design
- stainless steel blade guide
- non-slip gripacetone resistant
- with auto-lock-system

item no.	blade width	VE
857254	25 mm	6

CUTTER MT-1

DESCRIPTION

- "Midi" blade with a width of 12.5 mm combines the advantages of the two standard sizes
- as light as the 9 mm blade and as hard as the 18 mm blade
- stainless steel blade guide
- acetone resistant
- with auto-lock system

item no.	blade width	VE
857302	12,5 mm	6

CUTTER 2 IN 1 CS-5

DESCRIPTION

- combines saw and 12.5 mm "midi" cutter
- stainless steel blade guide
- non-slip grip
- acetone resistant
- specially designed for electricians and drywall installers
- with auto-lock system

item no.	blade width	VE
857301	12.5 mm	6

ART KNIFE AK-1

DESCRIPTION

- professional scalpel knife for cutting, correcting, and retouching
- with protective cap

item no.	packaging	VE
857241	SB packaging	6
857247	25 blades in dispenser	6

ART KNIFE AK-4

- high-quality precision scalpel knife
- top quality with fixed precision blade
 balanced weight distribution
- comfortable handle
- brass blade clamp
- includes four blades (2x precision blades, 1x chisel blade, 1x curved blade)

item no.	packaging	VE
857314	SB packaging	6
857247	25 blades in dispenser	6













SAFETY KNIEFE ESK-1

- safety knife for office or school
- plastic-coated snap-off blades protect against serious injuries when cutting or changing blades — ergonomically shaped handle
- knife holder with integrated blade

item no.	VE
857313	6



SAFETY KNIFE SK-15/DSB

DESCRIPTION

- safety knife with concealed stainless
- suitable for left- and right-handed
- a 3.2 mm thin cutting channel prevents damage to goods - double blade head for longer
- durability
- handle made of glass fiber reinforced plastic

item no.	VE
857317	6



SAFETY KNIFE SK-16

- safety knife with replaceable stainless steel blade head
- concealed blades prevent injuries and damage to goods
- suitable for left- and right-handed
- ergonomic, impact- and shockresistant plastic handle
- safe blade replacement without tools by replacing the blade head
- thorn at the end of the handle is used to cut through packaging straps
- length approx. 180 mm
- weight approx. 80 g

item no.	type	VE
857318	safety knife SK-16	6
857319	spare blades, 10 blades/box	6

SAFETY KNIFE SK-4

DESCRIPTION

- steel blade guide
- very handy
- impact-resistant ABS handle
- for right- and left-handed users
- with automatic blade retraction

item no.	packaging	VE
857311	industry packaging	24
857311_SB	SB packaging	6
857217	5 blades/dispenser	6



SAFETY KNIFE SK-7 GREEN

DESCRIPTION

- handle made from recycled plastic
- steel blade guide
- very handy
- for right- and left-handed users

 with automatic blade retraction

item no.	packaging	VE
857288RC	SB packaging	6




SAFETY KNIFE SK-8

DESCRIPTION

- steel blade guide
- reinforced blade extension for maximum durability
- for right- and left-handed users — with automatic blade retraction

item no.	packaging	VE
857326	SB packaging	24
857327	10 blades/dispenser	6



SAFETY KNIFE SK-10

- Safety knife with strap cutter— suitable for cardboard, tape, plastic film, and packaging material
- with concealed blade (17.8 mm)
- impact- and shock-resistant handle
- easy blade replacement - acetone resistant

packaging	VE
industry packaging	24
SB packaging	6
10 blades/dispenser	6
	industry packaging SB packaging





SCRAPER XSR-300

DESCRIPTION

- wall scraper with soft-touch handle
- tool-free blade replacement
- length 300 mm

item no.	packaging	VE
857296	SB-packaging	5
857293	10 spare blades	6



SCRAPER **GSR-1/3B**

- innovative glass scraper with
- ergonomic fiberglass handle
 with 3 extra stainless steel blades
- rustproof

item no.	packaging	VE
857294	SB-packaging	6
857246	30 spare blades	6



SCRAPER GSR-2

- high-quality scraper with non-slip
 2-component handle
- with protective cover and integrated
 blade box in the handle
- ideal for cleaning glass and removing adhesive residue
- includes 6 stainless steel blades, rustproof

item no.	packaging	VE
857312	SB packaging	6

SCISSORS SCS-1

DESCRIPTION

- precision scissors
- long service life
- serrated stainless steel blades for a non-slip grip on the material being
- ring handles made of ABS plastic
- suitable for left- and right-handed users
- cutting length 40 mm
- scissors length 140 mm

item no.	packaging	VE
857315	industry packaging	6



SCISSORS SCS-2

DESCRIPTION

- precision scissors
- long service life
- serrated stainless steel blades for a non-slip grip on the material being
- ring handles made of ABS plastic
- suitable for left- and right-handed users
- cutting length 55 mm
- scissors length 170 mm

item no.	packaging	VE
857316	industry packaging	6



ROUND CUTTER RTY-2C/YEL

DESCRIPTION

- cuts more precisely than scissors
- tool-free and quick blade replacement
- ideal for leather, fabric, paper, etc.
 suitable for left- and right-handed
- 45 mm stainless steel round blade

item no.	packaging	VE
857320	industry packaging	6



BLADES AB

DESCRIPTION

- maximum service life with the best cutting results
- thickness 0,5 mm / blade width 9 mm

item no.	packaging	VE
857208	10 blades/dispenser	12
857207	10 blades/dispenser	6
857209	50 blades/dispenser	6



DESCRIPTION

- very long service lifefor cutting on glass, etc.
- completely rust-free
- thickness 0,5 mm / blade width 9 mm

ı	item no.	packaging	VE
ı	857210	10 blades/dispenser	6



DESCRIPTION

- very long service life for SAC-1 Cutter
- thickness 0,5 mm / blade width 9 mm

item no.	packaging	VE
857285	10 blades/dispenser	6

BLADES EXCEL BLACK ABB

- 25% sharper than the standard AB
- thickness 0,5 mm / blade width 9 mm

item no.	packaging	VE
857211	10 blades/dispenser	12
857297	10 blades/dispenser	12

BLADES MTB

DESCRIPTION

- "Midi" blade
- light as a 9 mm blade and hard as an 18 mm blade
- blade width 12.5 mm

item no.	packaging	VE
857303	10 blades/dispenser	6



DESCRIPTION

- maximum service life with the best cutting results
- thickness 0,5 mm / blade width 18

item no.	packaging	VE
857230	10 blades/dispenser	6
857232	10 blades/dispenser	6
857233	50 blades/dispenser	6

BLADES LB-SOL

DESCRIPTION

- non-breakable
- for the food industry
- thickness 0,5 mm / blade width 18

item no.	packaging	VE
857250	10 blades/dispenser	6

BLADES SERRATED EDGE

DESCRIPTION

- Precise cutting of elastic or round materials
- Thickness 0.5 mm / blade width 18

item no.	packaging	VE
857235	3 blades/dispenser	6

BLADES EXCEL BLACK LBB

DESCRIPTION

- 25% sharper than the standard LB blade
- thickness 0,5 mm / blade width 18

item no.	packaging	VE
857229	10 blades/dispenser	6
857231	10 blades/dispenser	6


BLADES SPEED BLADE LFB-5B

- ultra-sharp blade
- extra fluorine coating on the cutting
- 50% less friction resistance
- for significantly better cutting performance
- thickness 0.5 mm / blade width 18

item no.	packaging	VE
857214	5 blades/dispenser	6





















BLADES HB

- maximum service life with the best cutting results
- thickness 0,5 mm / blade width 25

item no.	packaging	VE
857236	5 blades/dispenser	6



— 25% sharper than the standard AB

— thickness 0,7 mm / blade width 25

ı	item no.	packaging	VE
ı	857298	5 blades/dispenser	6

SAW BLADE HSWB-1/1B

DESCRIPTION

- for cutting wood, plastic, and more – gulse hardening process for lasting

- with rust protection

 suitable for all OLFA 25 mm cutters
- blade width 25 mm

item no.	packaging	VE
857324	5 blades/dispenser	6

SAW BLADE SWB-5

DESCRIPTION

— Replacement saw blade for CS-5

item no.	packaging	VE
857304	1 blade SB	10

BLADES SKB-8/10B

- Replacement blade for safety knife
- thickness 0,4 mm
- blade width 17,8 mm

item no.	packaging	VE
857327	10 blades/dispenser	6

BLADES ROTARY CUTTER

DESCRIPTION

— long service life — for RTY-2

		l
item no.	packaging	VE
857267	1 blade/dispenser	6

BLADE DISPOSAL CASE DC-4

DESCRIPTION

- container for used blades
- no blades lying around in the workshop or on the construction site
- blunt blades can be disposed of separately and recycled

item no.	VE
857323	6

KNIFE POUCH INCL. CUTTER

DESCRIPTION

- knife pouch incl. 18 mm cutter
- practical flexible loop for attaching to
- The angle of the belt loop can be adjusted by a maximum of 30 degrees forwards or backwards.
- Glass fiber reinforced polypropylene resin for strength, durability, and acetone resistance

item no.	VE
857328	6

OLFA CUTTING MAT

- self-healing cutting mat
- specially designed for OLFA rotary cutters
- can be used on both sides
- front side with grid lines, centimeter and inch scale, and 30°/45°/60° angles

item no.	size	VE
D857210	600 x 450 mm	5
D857211	920 x 610 mm	5





QUALITY IN 3 STAGES



INNOVATIVE PACKAGING SOLUTIONS



IT'S IN YOUR HANDS.

Together we can achieve more. Your GEBOL customer service team:



GEBOL GmbH Samesleitner Straße 34, A-4470 Enns



office@gebol.at

PRODUCT DIVERSITY

for professional users and DIY enthusiasts

+43 7223 85085-0

- compliant with all legal requirements
- highest quality, the right glove for every application

FLEXIBILITY

- delivery within 48 hours
- efficient logistics system
- reliable partners in the field of logistics

AVAILABILITY

- high storage capacity
- ready for shipment at any time

SUSTAINABILITY

- compliance with national laws and international social standards is strictly monitored.
- we ensure fair working conditions and prohibit child labor at all our production sites.
- we avoid the use of plastic in our packaging.
- we rely on cardboard.
- power generation with our own photovoltaic system
- certified environmental management according to ISO 14001:2015

QUALITY ASSURANCE

- ISO 9001:2015 certified
- quality control by international testing institutes
- quality and compliance management tests products and production processes on site.

INNOVATION

- continuous product development
- focus on application and product quality
- innovative sales concepts for the POS

FULL-SERVICE

- support from our own employees
- competent expert advice
- planning of POS solutions and promotions for your sales success

EMPLOYEE SATISFACTION

- groundbreaking, innovative corporate culture
- health promotion programs
- open, modern office concept with
- varied communal and outdoor areas



Wall module guidance system:

- good long-distance effect
- division into work areas for easier orientation at the POS.
- side information boards support purchasing decisions.

Available in various widths from 100 cm to 250 cm.





Our POS systems are delivered to your eady for sale and are the ideal addition to your existing range. We are happy to put together secondary placements tailored to your needs.

You choose the products you want—we deliver the display ready for sale. All you have to do then is position it in a high-traffic area. Look forward to numerous impulse purchases from your customers!







PROTECTIVE GLOVES INFORMATION

PROTECTIVE GLOVES

The regulation for personal protective equipment (PPE) 2016/425 distinguishes between gloves for protection against "minimal", "medium" and "high" risks. CATEGORY 1 (CAT I): MINMAL RISKS

Gloves of simple design for protection against minimal risks (e.g. gardening gloves). In addition to the CE mark, the glove and/or the smallest packaging unit must be labelled "for minimal risks only". No external inspection necessary.

CATEGORY 2 (CAT II): MINMAL RISKS

The glove must be type-tested by a notified testing institute. It must bear the CE mark and one or more pictograms and performance levels.

CATEGORY 3 (CAT III): MINMAL RISKS

The glove must offer protection against irreversible damage and fatal hazards. In addition to the type examination, the production facility must be subject to continuous monitoring by a test centre. The glove must bear the CE mark, one or more pictograms, the performance levels and the identification numbers of the notified

EN ISO 21420:2020 PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS



This standard specifies the relevant test methods and general requirements to be applied to all protective gloves with regard to design principles, glove manufacture, resistance of the glove material to water penetration, chemical resistance, comfort and performance. The manufacturer must fulfil his obligation to provide information by affixing appropriate symbols and instructions to the packaging and enclosing an information brochure containing further information, e.g. care, storage, conditions of use, special risks, prohibitions on use, etc. for the consumer. This is indicated by a book symbol with an "i".

EN 388: PROTECTIVE GLOVES AGAINST MECHANICAL RISKS

The following parameters are tested:

tear resistance puncture force (according to EN ISO 13997)

abrasion resistance (power levels 0-4): Number of abrasion cycles required to rub through the test glove.

(power levels 0-5): Index calculated on the basis of the number of test cycles required to cut through the test glove at constant speed and constant force (5 Newtons).

(power levels 0-4): Force required to tear a crack in a rectangular test sample over half its length.

(power levels 0-4): Force required to pierce the test glove with a steel pin of specified dimensions.

TDM cut resistance (power levels A-F): Required force (Newton = N) that must be applied to the standardised blade in order to cut through the test

material over a length of 20 mm.Only relevant for relevant for cut-resistant gloves. A = 2 N, F = 30 N

The performance levels achieved are indicated in this order below the pictogram. Level "0" means that the glove has not reached performance level 1. The marking "X" instead of a number indicates that the glove has not been tested for the corresponding risk or that testing was not possible. The higher the value, the better the

EN ISO 374: PROTECTIVE GLOVES AGAINST HAZARDOUS CHEMICALS AND MICRO-ORGANISMS

The new EN ISO 374:2016 distinguishes between 3 types:



glove type A* glove type B** The permeation performance must be at least level 2 against at least 6 test chemicals.


The permeation performance must be at least level 2 against at least 3 test chemicals.

The permeation performance must be at least level 1 against at least 1 test chemical. The letters below the pictogram stand for the tested chemicals. The chemical designations (according to Table 2 of EN ISO 374-1:2016) and the performance levels achieved (breakthrough times) are given in the user information.

With the help of the following tables, the letters can be assigned to the respective test chemicals:

* EN 374-1 TYP A	





CODE LETTER	TEST CHEMICAL	CAS-NUMBER	CLASS
A	methanol	67-56-1	primary alcohol
В	acetone	67-64-1	ketone
С	acetonitrile	75-05-8	nitrile
D	dichloromethane	75-09-2	chlorinated hydrocarbon
E	carbon disulphide	75-15-0	sulphur-containing organic compund
F	toluene	108-88-3	aromatic hydrocarbon
G	diethylamine	109-89-7	amine
Н	tetrahydrofuran	109-99-9	heterocyclic and ether compounds
I	ethyl acetate	141-78-6	ester
	n-heptane	142-82-5	aliphatic hydrocarbon
K	sodium hydroxide 40 %	1310-73-2	inorganic base
L	sulphuric acid 96 %	7664-93-9	inorganic acid, oxidising
M	nitric acid 65 %	7697-37-2	inorganic acid, oxidising
N	acetic acid 99 %	64-19-7	organic acid
0	ammonia water 25 %	1336-21-6	organic base
P	hydrogen peroxide 30 %	7722-84-1	peroxide
S	hydrogen acid 40 %	7664-39-3	inorganic acid
Т	formaldehyde 37 %	50-00-0	aldehyde

EN ISO 374-5:2016: PROTECTIVE GLOVES AGAINST DANGEROUS CHEMICALS AND MICRO-ORGANISMS - PART 5: TERMINOLOGY AND PERFORMANCE REQUIREMENTS FOR RISKS DUE TO MICRO-ORGANISMS



Chemical protective gloves labelled with this pictogram also protect against bacteria and fungi. If the word "VIRUS" appears under the pictogram, the gloves also offer protection against viruses.

EN 511: PROTECTIVE GLOVES AGAINST COLD

The following parameters are tested:

\$

convection cooling (power levels 0-4): thermal insulation property measured by convection transfer of cold (power levels 0-4): thermal resistance in direct contact with a cold object

(power levels 1/0): 1 = no water penetration / 0 = water penetration after 30 minutes of loading

The performance levels achieved are indicated in this order below the pictogram. Level "0" means that the glove has not reached performance level 1. The marking "X" instead of a number indicates that the glove has not been tested for the corresponding risk or that testing was not possible. The higher the value, the better the test

MATERIAL INFORMATION

LEATHER

FULL GRAIN LEATHER

Full-grain leather is the upper layer of the hide, which is brought to the required thickness for the intended use by processing the flesh side. The surface is firm and smooth and therefore resistant to oils and fats and more weather-resistant than suede.

Suede is a collective term for types of leather with a rough surface that are sanded on the flesh or grain side. Suede leather is characterised by greater strength (denser fibre structure compared to full-grain leather of the same thickness) and can therefore also be used for heat-resistant and cut-resistant gloves.

SYNTHETIC LEATHER

Synthetic leather is the combination of textile fabric or non-woven materials with a plastic coating (full leather imitation) or an extremely thin thread is produced from basic components (e.g. PU-polyester mixture), from which particularly soft and supple materials can be produced that are reminiscent of suede in their surface texture. Advantages: Properties can be precisely tailored to the application, washable, usually better dexterity than genuine leather, consistent surface quality.

TEXTILE

ACRYLIC

soft and warm fibre (wool-like character), good light fastness, high tensile and abrasion resistance - For use e.g. in cold protection gloves.

soft natural fibre, low allergy potential (skin-friendly), very absorbent and very comfortable to wear for long periods, but dries slowly; if cotton and synthetic fibres (e.g. polyester) are mixed together, the mechanical strength and elasticity are increased

Also known as Lycra, is elastic and refers to all fibres that consist of 85% polyurethane, is resistant to ageing and UV radiation, is used in stretch fabrics and cuffs and ensures lasting elasticity in woven and knitted fabrics without wearing out.

HPPE - HIGH PERFORMANCE POLYETHYLENE

The fibre is very durable and has a high resistance to abrasion, moisture and UV rays, it is characterised by a high tensile strength It is used in cut-resistant gloves.

very elastic, creases little, mostly low-linting, very high tear and abrasion resistance (long service life), higher moisture absorption than polyester

very elastic, low crease tendency, good tear and abrasion resistance (long service life), low moisture absorption (dries quickly but absorbs little perspiration), highest light and temperature resistance of all man-made fibres used for clothing, one disadvantage is the high static charge when dry

RECYCLED POLYESTER / RPET (GEBOL UPCYCLED)

Recycled polyester, also known as rPET, is obtained by melting down existing plastic and spinning it into new polyester fibres. The recycled fibre has the same properties as conventional polyester.

Thermatech Smart Textile transports perspiration from the surface of the skin to the surface of the glove. There, the moisture evaporates and cooler air from the surroundings flows in. This means your hands stay dry.

THINSULATE™ INSULATION (THERMO-FUTTER VON 3M™)

Thermatech Smart Textile transports perspiration from the surface of the skin to the surface of the glove. There, the moisture evaporates and cooler air from the surroundings flows in. This means your hands stay dry.

Consists of particularly small fibres, which means that more air is stored in the spaces between the fibres, allowing more heat to be stored (insulation principle), the material is light, thin and breathable.

fine, soft fibre à high wearing comfort, very good moisture absorption, breathable, rapidly renewable raw material, low strength and elasticity (can be improved by

COATINGS

Natural rubber, very flexible and elastic, good grip, but not particularly resistant to light and heat, high allergy potential à that's why we put the "latex symbol" on the packaging

synthetic rubber, good mechanical properties, excellent resistance to oils and greases, low-concentration acids, certain organic solvents as well as fuels and combustibles

PU - POLYURETHANE

very flexible and elastic, can be applied very thinly (excellent sensitivity) and still has good abrasion resistance, tear resistance and oil resistance

Very good resistance to acids, oil, light and temperature - which is why chemical-resistant gloves are often made of PVC



robustness



wearing comfort



moisture-/ oil resistance



cut protection









GmbH

Samesleitner Straße 34, A-4470 Enns

Telefon: +43 7223 85085-0 Kundenservice: +43 7223 85085-15 E-Mail: office@gebol.at

www.gebol.com