

**IT'S IN
YOUR
HANDS.**

**WORK SAFETY
2026**

IT'S IN YOUR HANDS.



1945

80 YEARS OF
COMMITMENT TO
YOUR SAFETY

>80

STAFF IN
ENNS

65%

SHARE OF EXPORTS
TO EUROPE

22

COUNTRIES
IN EUROPE

160

HANDS FOR YOUR
SAFETY

SAFETY FROM AUSTRIA

WHO WE ARE

GEBOL GmbH, based in Enns (Upper Austria), is an owner-managed, internationally active PPE company with a clear focus on occupational safety.

For 80 years, we have been developing innovative, reliable and sustainable products that protect people in the trades, industry, the service sector and in everyday life.

0

ACCIDENTS AT WORK
2025 AT GEBOL

SUSTAINABILITY

100%

GREEN
ELECTRICITY

-77%

WASTE
2024-2025

Top

15%

ECOVADIS
WORLDWIDE

VISION

"Our vision is to be the European market leader in the PPE retail sector by developing the most innovative, sustainable and customer-focused solutions for our customers and users."

**Gerhard Frank (owner)
& Markus Dulle (CEO)**

CERTIFICATIONS & AWARDS

ISO 9001

ISO 14001

ISO 45001

OEKO-TEX®

DERMATEST

AMFORI BSC

ECOVADIS SILVER

GRS RECYCLED

BGF QUALITY MARK

AUSTRIA QUALITY MARK

MAKE IT ZERO

WHAT DRIVES US

Our strength lies in developing health and safety solutions that are functional, durable and tailored to the demands of modern workplaces.

WHY PPE? THE FIGURES SPEAK FOR THEMSELVES.

FACTS ABOUT ACCIDENTS AT WORK & PROTECTIVE EQUIPMENT IN EUROPE

HANDS

GLOVES
ALLROUND / HEAVY
WET & OIL / THERMO

HEAD

SAFETY HELMETS
HEARING PROTECTION
EYE PROTECTION
RESPIRATORY PROTECTION

BODY

CLOTHING
KNEE PROTECTION
WORK SHOES

33%

ALL WORK-RELATED ACCIDENTS
INVOLVE HAND INJURIES

DGUV-STUDY

90%

ALL EYE INJURIES COULD BE
PREVENTED BY WEARING THE
RIGHT SAFETY GLASSES

CONSENSUS AMONG SAFETY EXPERTS

2,82 M

NON-FATAL ACCIDENTS AT WORK
IN THE EU IN 2023 – OVER THREE-
QUARTERS INVOLVED INJURIES,
BRUISES OR FRACTURES

EUROSTAT 2025

40%

ALL ACCIDENTS IN
ELECTRICAL COMPANIES INVOLVE
THE HANDS – FROM CUTS TO
AMPUTATIONS

BG ETEM

#1

Occupational illness

NOISE-INDUCED HEARING LOSS
THE MOST COMMON
OCCUPATIONAL ILLNESS IN
EUROPE, ACCOUNTING FOR
APPROXIMATELY HALF OF ALL
WORK-RELATED ILLNESSES

EU-OSHA

18,8%

ALL WORK-RELATED ACCIDENTS
INVOLVE THE ANKLES AND FEET
- THE SECOND MOST COMMON
BODY PART
AFTER THE HANDS

DGUV

70%

THE INJURED PERSON WAS NOT
WEARING GLOVES AT THE TIME OF
THE ACCIDENT

OSHA

5 M

WORKERS IN GERMANY ALONE
ARE EXPOSED TO NOISE THAT IS
HAZARDOUS TO THEIR HEARING

BAUA GERMANY

BK 2112

KNEE OSTEOARTHRITIS
CAUSED BY WORK INVOLVING
KNEELING IS A RECOGNISED
OCCUPATIONAL ILLNESS –
TILERS, PLUMBERS AND ROOFERS
ARE PARTICULARLY AFFECTED

BG BAU / DGUV

30%

THE REST OF THE INJURED WORE THE
WRONG GLOVES FOR THE TASK

OSHA

7,6%

ALL REPORTED ACCIDENTS AT
WORK INVOLVE HEAD INJURIES

DGUV

76%

ALL WORK-RELATED ACCIDENTS
IN THE EU RESULT IN WOUNDS,
INJURIES OR FRACTURES –
PROTECTIVE CLOTHING HALVES
THE RISK

EUROSTAT / EU-OSHA

GEBOL-ANSWER

The right glove for every job. From
all-round use to cut resistance class F.

GEBOL-ANSWER

Protection for all areas (ears, eyes,
respiratory and head)
- certified and comfortable.

GEBOL-ANSWER

Protection from head to toe
- durable, sustainable and
suitable for all weather conditions.

HANDS

ALLROUND	4-31
HEAVY	32-45
WET & OIL	46-59
THERMO	60-73
MULTIPACKS	74-75

HEAD


SAFETY HELMETS	76-81
HEARING PROTECTION	82-89
EYE PROTECTION	90-97
RESPIRATORY PROT.	98-103

BODY

CLOTHING	104-113
KNEE PROTECTION	114-131
FOOTWEAR	132-145

OLFA

CUTTER	146-152
SPECIAL-CUTTER	153-157
BLADES	158-160
ACCESSORIES	161



ALLROUND





MULTI FLEX TOUCH

DESCRIPTION
— suitable for touchscreen operation
— breathable back of the hand
— good grip even on smooth objects
— good resistance to fats and oils
— water-repellent coating
— excellent tactile feedback

MATERIAL
Nylon, Elasthane
Coating: Nitrile microfoam with nitrile nubs



Item no.	Size	VE	ÜK
709276_T	8/M	12	72
709277_T	9/L	12	72
709278_T	10/XL	12	72
709279_T	11/XXL	12	72



MULTI FLEX

DESCRIPTION
— excellent tactile feedback
— breathable back of the hand
— good grip even on smooth objects
— good resistance to fats and oils
— water-repellent coating

MATERIAL
Nylon, Elasthane
Coating: Nitrile microfoam with nitrile nubs



Item no.	Size	VE	ÜK
709275	7/S	12	72
709276	8/M	12	72
709277	9/L	12	72
709278	10/XL	12	72
709279	11/XXL	12	72



MULTI FLEX COMFORT

DESCRIPTION
— excellent tactile feedback
— high level of comfort
— good resistance to fats and oils
— water-repellent coating

MATERIAL
Viscose made from bamboo fibre, Polyester, Elasthane
Coating: Nitrile microfoam with a sandy finish and Nitrile nubs



Item no.	Size	VE	ÜK
709576	8/M	12	72
709577	9/L	12	72
709578	10/XL	12	72
709579	11/XXL	12	72




MULTI FLEX ECO

DESCRIPTION
— good fit
— good grip even on smooth objects
— good resistance to fats and oils
— water-repellent coating

MATERIAL
Polyester
Coating: Nitrile foam with Nitrile nubs



Item no.	Size	VE	ÜK
709676	8/M	12	120
709677	9/L	12	120
709678	10/XL	12	120
709679	11/XXL	12	120



MULTI FLEX INDUSTRY

DESCRIPTION
 — high abrasion resistance
 — excellent tactile feedback
 — breathable back of the hand
 — good grip even on smooth objects
 — Resistant to fats and oils
 — water-repellent coating

MATERIAL
 Nylon, Elasthane
Coating: Nitrile microfoam with Nitrile nubs

CE CAT II EN 388 4131X EN 407 X1XXXX

Item no.	Size	VE	ÜK
709475_07	7/S	12	120
709475_08	8/M	12	120
709475_09	9/L	12	120
709475_10	10/XL	12	120
709475_11	11/XXL	12	120

Industrial packaging without header card

MASTER FLEX TOUCH

DESCRIPTION
 — suitable for touchscreen operation
 — good tactile feedback
 — a secure grip, even on smooth objects
 — good resistance to fats and oils

MATERIAL
 Nylon, Elasthane
Coating: Nitrile with a sandy finish

CE CAT II EN 388 4121X EN 407 X1XXXX SKIN FRIENDLY TOUCH FUNCTION

Item no.	Size	VE	ÜK
709545_T_08	8/M	12	72
709545_T_09	9/L	12	72
709545_T_10	10/XL	12	72
709545_T_11	11/XXL	12	72



MASTER FLEX ECO

DESCRIPTION
 — good fit and high level of comfort
 — a secure grip, even on smooth objects
 — good resistance to fats and oils

MATERIAL
 Polyester
Coating: Nitrile with a sandy finish

CE CAT II EN 388 3121X

Item no.	Size	VE	ÜK
709744	8/M	12	72
709745	9/L	12	72
709746	10/XL	12	72
709747	11/XXL	12	72

MASTER FLEX

DESCRIPTION
 — high durability
 — very good fit and high level of comfort
 — good resistance to fats and oils
 — a secure grip, even on smooth objects

MATERIAL
 Nylon, Elasthane
Coating: Nitrile with a sandy finish

CE CAT II EN 388 4121X EN 407 X1XXXX SKIN FRIENDLY

Item no.	Size	VE	ÜK
709544	8/M	12	72
709545	9/L	12	72
709546	10/XL	12	72
709547	11/XXL	12	72



MASTER FLEX COOL&TOUCH

- DESCRIPTION**
- Cooling Thermatech fibre wicks away moisture
 - comfortable to wear
 - suitable for touchscreen operation
 - optimal dexterity



MATERIAL
Nylon, Elasthan
Coating: Nitrile with a sandy finish



Item no.	Size	VE	ÜK
709542_T	6/XS	12	72
709543_T	7/S	12	72
709544_T	8/M	12	72
709545_T	9/L	12	72
709546_T	10/XL	12	72
709547_T	11/XXL	12	72

MULTI FLEX COOL&TOUCH

- DESCRIPTION**
- Cooling Thermatech fibre wicks away moisture
 - comfortable to wear
 - suitable for touchscreen operation
 - optimal dexterity



MATERIAL
Nylon, Elasthane
Coating: Nitrile microfoam with Nitrile nubs



Item no.	Size	VE	ÜK
709374_T	6/XS	12	72
709375_T	7/S	12	72
709376_T	8/M	12	72
709377_T	9/L	12	72
709378_T	10/XL	12	72
709379_T	11/XXL	12	72



MULTI FLEX TOUCH LADY

DESCRIPTION
 — optimal dexterity
 — suitable for touchscreen operation
 — high level of comfort
 — breathable back of the hand
 — a secure grip, even on smooth objects
 — excellent tactile feedback

MATERIAL
 Nylon, Elasthane
Coating: Nitrile with Nitrile nubs



Item no.	Size	VE	ÜK
709974_T	6/XS	12	72
709975_T	7/S	12	72
709976_T	8/M	12	72



MULTI FLEX LADY

DESCRIPTION
 — excellent tactile feedback
 — breathable back of the hand
 — a secure grip, even on smooth objects
 — good resistance to fats and oils
 — water-repellent coating

MATERIAL
 Nylon, Elasthane
Coating: Nitrile with Nitrile nubs



Item no.	Size	VE	ÜK
709974	6/XS	12	72
709975	7/S	12	72
709976	8/M	12	72

MASTER FLEX LADY

DESCRIPTION
 — durable coating
 — good fit
 — high level of comfort
 — a secure grip, even on smooth objects
 — good resistance to fats and oils

MATERIAL
 Nylon, Elasthane
Coating: Nitrile with a sandy finish



Item no.	Size	VE	ÜK
709942	6/XS	12	72
709943	7/S	12	72
709944	8/M	12	72



MASTER FLEX ECO LADY

DESCRIPTION
 — good fit and high comfort
 — a secure grip, even on smooth objects
 — good resistance to fats and oils

MATERIAL
 Polyester
Coating: Nitrile with a sandy finish



Item no.	Size	VE	ÜK
709140	6/XS	12	72
709141	7/S	12	72
709142	8/M	12	72





TOP FLEX

DESCRIPTION

- particularly durable nitrile coating
- excellent tactile feedback
- water-repellent coating
- good fit

MATERIAL

Nylon, Elasthane

Coating: Nitrile microfoam



Item no.	Size	VE	ÜK
709534_08	8/M	12	120
709534_09	9/L	12	120
709534_10	10/XL	12	120
709534_11	11/XXL	12	120
709534_12	12/XXXL	12	120



G-BASE T-FLEX

DESCRIPTION

- particularly durable nitrile coating
- good tactile feedback
- water-repellent coating
- good fit and high comfort
- a secure grip, even on smooth objects

MATERIAL

Polyester, Elasthane

Coating: Nitrile



Item no.	Size	VE	ÜK
EP760005_08	8/M	12	120
EP760005_09	9/L	12	120
EP760005_10	10/XL	12	120
EP760005_11	11/XXL	12	120

G-BASE NEON

DESCRIPTION

- durable, soft latex foam coating
- good fit
- a secure grip, even on smooth objects

MATERIAL

Polyester, Elasthane

Coating: Latex



Item no.	Size	VE	ÜK
EP760006_08	8/M	12	120
EP760006_09	9/L	12	120
EP760006_10	10/XL	12	120
EP760006_11	11/XXL	12	120



FLEX GRIP

DESCRIPTION

- foamed, durable nitrile coating
- suitable for working with wet or oily objects
- optimal dexterity

MATERIAL

Polyester

Coating: Nitrile



Item no.	Size	VE	ÜK
709430_07	7/S	12	120
709430_08	8/M	12	120
709430_09	9/L	12	120
709430_10	10/XL	12	120
709430_11	11/XXL	12	120





NANO FLEX TOUCH

DESCRIPTION
— good tactile feedback
— good fit and grip
— suitable for touchscreen operation
— also available in bulk packaging:
709240S_T - 709244S_T

MATERIAL
Polyester
Coating: Polyurethane



Item no.	Size	VE	ÜK
709242S_T_SB	8/M	12	120
709243S_T_SB	9/L	12	120
709244S_T_SB	10/XL	12	120
709245S_T_SB	11/XXL	12	120

NANO FLEX WHITE

DESCRIPTION
— durable PU coating
— good fit and high comfort
— optimal dexterity

MATERIAL
Polyester
Coating: Polyurethane



Item no.	Size	VE	ÜK
709241	7/S	12	120
709242	8/M	12	120
709243	9/L	12	120
709244	10/XL	12	120
709245	11/XXL	12	120



NANO FLEX PRO

DESCRIPTION
— breathable and oil-repellent coating
— high level of comfort
— made without silicone

MATERIAL
Nylon
Coating: Polyurethane



Item no.	Size	VE	ÜK
709419BG_06	6/XS	12	120
709419BG_07	7/S	12	120
709419BG_08	8/M	12	120
709419BG_09	9/L	12	120
709419BG_10	10/XL	12	120
709419BG_06-11	11/XXL	12	120

Industrial packaging
without header card

NANO FLEX GREY

DESCRIPTION
— durable PU coating
— good fit and high comfort
— optimal dexterity

MATERIAL
Polyester
Coating: Polyurethane



Item no.	Size	VE	ÜK
709240G	6/XS	12	120
709241G	7/S	12	120
709242G	8/M	12	120
709243G	9/L	12	120
709244G	10/XL	12	120
709245G	11/XXL	12	120
709246G	12/XXXL	12	120





NANO FLEX BLACK

DESCRIPTION
 — durable PU coating
 — good fit
 — high level of comfort
 — optimal dexterity

MATERIAL
 Polyester
Coating: Polyurethane

CE CAT II EN 388 3121X

Item no.	Size	VE	ÜK
709242S	8/M	12	120
709243S	9/L	12	120
709244S	10/XL	12	120
709245S	11/XXL	12	120



G-BASE NANO

DESCRIPTION
 — durable PU coating
 — good fit
 — high level of comfort
 — optimal dexterity

MATERIAL
 Polyester, Elasthane
Coating: Polyurethane

CE CAT II EN 388 3121A

Item no.	Size	VE	ÜK
EP760003_08	8/M	12	120
EP760003_09	9/L	12	120
EP760003_10	10/XL	12	120
EP760003_11	11/XXL	12	120



NANO FLEX NEON

DESCRIPTION
 — durable PU coating
 — good fit
 — high level of comfort
 — optimal dexterity

MATERIAL
 Polyester
Coating: Polyurethane

CE CAT II EN 388 3121X

Item no.	Size	VE	ÜK
709242H	8/M	12	120
709243H	9/L	12	120
709244H	10/XL	12	120
709245H	11/XXL	12	120



G-BASE NANO

DESCRIPTION
 — durable PU coating
 — good fit
 — high level of comfort
 — optimal dexterity

MATERIAL
 Polyester, Elasthane
Coating: Polyurethane

CE CAT II EN 388 3121A

Item no.	Size	VE	ÜK
EP760004_06	6/XS	12	120
EP760004_07	7/S	12	120
EP760004_08	8/M	12	120

BLUE GRIP

DESCRIPTION
— made from a comfortable nylon/cotton blend
— with blue, non-slip PVC studs for greater durability
— particularly breathable
— ideal for light work



MATERIAL
Nylon, Cotton, Polyester
Coating: PVC nubs

CE CAT II



Item no.	Size	VE	ÜK
709428_05	5/XXS	12	120
709428_06	6/XS	12	12
709428_07	7/S	12	120
709428_08	8/M	12	120
709428_09	9/L	12	120
709428_10	10/XL	12	120
709428_11	11/XXL	12	120

BLUE GRIP COMFORT

DESCRIPTION
— made from a comfortable nylon/polyacrylic blend
— with red, non-slip PVC studs for greater durability
— good fit
— high level of comfort
— ideal for light work

MATERIAL
Nylon, Polyacrylic
Coating: PVC nubs

CE CAT II



Item no.	Size	VE	ÜK
709429_05	5/XXS	12	120
709429_06	6/XS	12	120
709429_07	7/S	12	120
709429_08	8/M	12	120
709429_09	9/L	12	120
709429_10	10/XL	12	120
709429_11	11/XXL	12	120



TRIKOT

DESCRIPTION
— good fit
— breathable
— Pack of 2

MATERIAL
Cotton/polyester blend

CE CAT I

Item no.	Size	VE	ÜK
709536	9/L	6	120



FLOWER DUO

DESCRIPTION
— breathable back of the hand
— good fit and grip
— Set of 2 pairs (1 green / 1 red)

You can find more gardening gloves in our gardening catalogue.



MATERIAL
Polyester
Coating: Latex foam

CE CAT I



Item no.	Size	VE	ÜK
709807_07	7/S	6	60
709807_08	8/M	6	60

FLOWER PURPLE

DESCRIPTION
— breathable
— good fit and grip

MATERIAL
Polyester
Coating: Latex foam

CE CAT I



Item no.	Size	VE	ÜK
709799	6/XS	12	120
709800	7/S	12	120
709801	8/M	12	120



MISS FLOWER

DESCRIPTION
— very good fit
— high level of comfort
— optimal dexterity
— a secure grip, even on smooth objects

MATERIAL
Polyester
Coating: PU-Coating

CE CAT I

Item no.	Size	VE	ÜK
709814	7/S	12	120
709815	8/M	12	120





G-BASE GARDEN GRIP

DESCRIPTION

- flexible, water-repellent coating
- good fit
- high level of comfort
- good grip in dry, damp and wet conditions

MATERIAL

Polyester, Elasthane
Coating: Latex-Crinkle

CE CAT I



Item no.	Size	VE	ÜK
EP760009_06	6/XS	12	144
EP760009_07	7/S	12	144
EP760009_08	8/M	12	144

GARDELUXE DAISY

DESCRIPTION

- special water-repellent nitrile foam coating
- good grip on wet surfaces

MATERIAL

Polyester
Coating: Nitrile foam

CE CAT I

Item no.	Size	VE	ÜK
779812_07	7/S	12	120
779812_08	8/M	12	120



GARDELUXE DAISY

DESCRIPTION

- special water-repellent nitrile foam coating
- good grip on wet surfaces

MATERIAL

Polyester
Coating: Nitrile foam

CE CAT I

Item no.	Size	VE	ÜK
779813_07	7/S	12	120
779813_08	8/M	12	120

GARDELUXE DAISY

DESCRIPTION

- special water-repellent nitrile foam coating
- good grip on wet surfaces

MATERIAL

Polyester
Coating: Nitrile foam

CE CAT I

Item no.	Size	VE	ÜK
779814_07	7/S	12	120
779814_08	8/M	12	120





GARDELUXE LEMON

DESCRIPTION
— special water-repellent nitrile foam coating
— good grip on wet surfaces

MATERIAL
Polyester
Coating: Nitrile foam

CE CAT I

Item no.	Size	VE	ÜK
779815_07	7/S	12	120
779815_08	8/M	12	120



GARDELUXE POMEGRANATE

DESCRIPTION
— special water-repellent nitrile foam coating
— good grip on wet surfaces

MATERIAL
Polyester
Coating: Nitrile foam

CE CAT I

Item no.	Size	VE	ÜK
779816_07	7/S	12	120
779816_08	8/M	12	120



GARDELUXE OLEANDER

DESCRIPTION
— special water-repellent nitrile foam coating
— good grip on wet surfaces

MATERIAL
Polyester
Coating: Nitrile foam

CE CAT I

Item no.	Size	VE	ÜK
779817_07	7/S	12	120
779817_08	8/M	12	120



GARDELUXE FLOWER & FRUIT

DESCRIPTION
— special water-repellent nitrile foam coating
— good grip on wet surfaces

MATERIAL
Polyester
Coating: Nitrile foam

CE CAT I

Item no.	Size	VE	ÜK
779808_07	7/S	12	120
779808_08	8/M	12	120



GARDELUXE HONEYBEE

DESCRIPTION
— special water-repellent nitrile foam coating
— good grip on wet surfaces

MATERIAL
Polyester
Coating: Nitrile foam

CE CAT I

Item no.	Size	VE	ÜK
779809_07	7/5	12	120
779809_08	8/M	12	120



GARDELUXE KIDS

DESCRIPTION
— for all budding gardeners
— special water-repellent nitrile foam coating
— good grip on wet surfaces
— Sizes 4-8 years

MATERIAL
Polyester
Coating: Nitrile foam

CE CAT I

Item no.	Colour	Size	VE	ÜK
779810	blue	4-8 Years	12	120
779811	yellow	4-8 Years	12	120

FROGGY

DESCRIPTION
— for all budding gardeners
— high level of comfort
— water-repellent coating

MATERIAL
Polyester
Coating: Nitrile with a sandy finish

CE CAT I

Item no.	Size	VE	ÜK
709700	4-6 Years	12	120



KIDS

DESCRIPTION
— for all budding gardeners
— very good fit
— high level of comfort
— Sizes 5-8 years

MATERIAL
Polyester
Coating: Nitrile with a sandy finish

CE CAT I

Item no.	Colour	Size	VE	ÜK
709704	pink	4-8 Years	12	120
709705	blue	4-8 Years	12	120



LIMITED EDITION MOTO

- DESCRIPTION**
- suitable for touchscreen operation
 - breathable back of the hand
 - good grip even on smooth objects
 - good resistance to fats and oils
 - water-repellent coating
 - excellent tactile feedback



MATERIAL
Nylon, Elasthane
Coating:
Nitrile microfoam with Nitrile nubs

CECAT II

EN 3884131AEN 407X1XXXX

OEKO TEXSTANDARD 100SH2018879TESTEX

TOUCH FUNCTION

Item no.	Size	VE	ÜK
LE2_709277_T	9/L	12	12
LE2_709278_T	10/XL	12	120

LIMITED EDITION HERO

- DESCRIPTION**
- suitable for touchscreen operation
 - breathable back of the hand
 - good grip even on smooth objects
 - good resistance to fats and oils
 - water-repellent coating
 - excellent tactile feedback



MATERIAL
Nylon, Elasthane
Coating:
Nitrile microfoam with Nitrile nubs

CECAT II

EN 3884131AEN 407X1XXXX

OEKO TEXSTANDARD 100SH2018879TESTEX

TOUCH FUNCTION

Item no.	Size	VE	ÜK
LE1_709277_T	9/L	12	12
LE1_709278_T	10/XL	12	120

HEAVY





MULTI CUT F PLUS

DESCRIPTION
— Cut resistance (Class F)
— reinforced thumb and index finger area
— suitable for touchscreen operation
— Tested and certified in Germany
— suitable for food use

MATERIAL
Polyethylene, Polyester, Nylon, Metal fiber, Elasthane
Coating: Nitrile microfoam with Nitrile nubs



Item no.	Size	VE	ÜK
709422_06	6/XS	12	120
709422_07	7/S	12	120
709422_08	8/M	12	120
709422_09	9/L	12	120
709422_10	10/XL	12	120
709422_11	11/XXL	12	120
709422_06-12	12/XXXL	12	120



MULTI CUT F PLUS LONG

DESCRIPTION
— Cut resistance (Class F)
— with extra-long cuffs
— reinforced thumb and index finger area
— suitable for touchscreen operation
— Tested and certified in Germany
— suitable for food use

MATERIAL
Polyethylene, Polyester, Nylon, Metal fiber, Elasthane
Coating: Nitrile microfoam with Nitrile nubs



Item no.	Size	VE	ÜK
709423_06	6/XS	12	120
709423_07	7/S	12	120
709423_08	8/M	12	120
709423_09	9/L	12	120
709423_10	10/XL	12	120
709423_11	11/XXL	12	120
709423_12	12/XXXL	12	120

WET CUT F PLUS

DESCRIPTION
— Cut resistance (Class F)
— reinforced thumb and index finger area
— suitable for touchscreen operation
— Tested and certified in Germany
— suitable for food use

MATERIAL
Polyethylene, Polyester, Nylon, Metal fiber, Elasthane
Coating: Double coating ¾ Nitrile with a sandy finish



Item no.	Size	VE	ÜK
709424_06	6/XS	12	120
709424_07	7/S	12	120
709424_08	8/M	12	120
709424_09	9/L	12	120
709424_10	10/XL	12	120
709424_11	11/XXL	12	120
709424_12	12/XXXL	12	120



MULTI CUT D PLUS

DESCRIPTION
— Cut resistance (Class D)
— reinforced thumb and index finger area
— suitable for touchscreen operation
— Tested and certified in Germany
— suitable for food use

MATERIAL
Polyethylene, Polyester, Nylon, Metal fiber, Elasthane
Coating: Nitrile microfoam with Nitrile nubs



Item no.	Size	VE	ÜK
709421_06	6/XS	12	120
709421_07	7/S	12	120
709421_08	8/M	12	120
709421_09	9/L	12	120
709421_10	10/XL	12	120
709421_11	11/XXL	12	120
709421_12	12/XXXL	12	120





MASTER CUT C PLUS

DESCRIPTION

- Cut resistance (Class C)
- reinforced thumb and index finger area
- good fit and high level of comfort
- good grip on smooth objects
- oil-repellent

MATERIAL

Polyethylene, HPPE, Nylon, Metal fiber, Elasthane
Coating: Nitrile microfoam mit Sandy Finish



Item no.	Size	VE	ÜK
709818	6/XS	12	72
709819	7/S	12	72
709820	8/M	12	72
709821	9/L	12	72
109822	10/XL	12	72
709823	11/XXL	12	72



G-BASE CUT

DESCRIPTION

- Cut resistance (Class C)
- very durable coating
- optimal dexterity
- a secure grip, even on smooth objects

MATERIAL

Polyethylene, Polyester, Glasfaser, Nylon, Elasthane
Coating: Polyurethane



Item no.	Size	VE	ÜK
EP760002_08	8/M	12	120
EP760002_09	9/L	12	120
EP760002_10	10/XL	12	120
EP760002_11	11/XXL	12	120

ECO GRIP

DESCRIPTION

- good fit and high level of comfort
- a secure grip, even on damp objects

MATERIAL

Polyester
Coating: Latex-Crinkle



Item no.	Size	VE	ÜK
709689	8/M	12	120
709690	9/L	12	120
709691	10/XL	12	120
709692	11/XXL	12	120



G-BASE GRIP

DESCRIPTION

- a secure grip, even on smooth objects
- good fit and high level of comfort

MATERIAL

Polyester, Elasthane
Coating: Latex-Crinkle



Item no.	Size	VE	ÜK
EP760001_08	8/M	12	120
EP760001_09	9/L	12	120
EP760001_10	10/XL	12	120
EP760001_11	11/XXL	12	120





DRIVER

DESCRIPTION
— Leather thickness approx. 1.1 mm
— Double seam
— high level of comfort

MATERIAL
Full cow leather

CE CAT II EN 388 2121X EN 407 X1XXXX

Item no.	Size	VE	ÜK
709213	8/M	12	120
709214	9/L	12	120
709215	10/XL	12	120
709216	11/XXL	12	120



G-BASE DRIVER

DESCRIPTION
— sturdy buffalo leather glove
— Leather thickness approx. 0.8 mm
— good fit
— high level of comfort

MATERIAL
Buffalo leather

CE CAT II EN 388 2121X EN 407 X1XXXX

Item no.	Size	VE	ÜK
EP760010_08	8/M	12	120
EP760010_09	9/L	12	120
EP760010_10	10/XL	12	120
EP760010_11	11/XXL	12	120


UNI FIT COMFORT

DESCRIPTION
— Goatskin glove
— Stretch spandex on the back of the hand
— elasticated cuff with Velcro fastening
— high level of comfort
— good fit

MATERIAL
Goatskin, Polyester, Elasthane

CE CAT II EN 388 2011X

Item no.	Size	VE	ÜK
703431	8/M	12	120
703432	9/L	12	120
703433	10/XL	12	120
703434	11/XXL	12	120



G-BASE ECO FIT

DESCRIPTION
— Sheepskin glove
— elasticated cuff with Velcro fastening
— good fit
— high level of comfort

MATERIAL
Sheepskin, Polyester

CE CAT II EN 388 2111X

Item no.	Size	VE	ÜK
EP703431	8/M	12	120
EP703432	9/L	12	120
EP703433	10/XL	12	120
EP703434	11/XXL	12	120

Industrial packaging
without header card



G-BASE GARDEN TECH

DESCRIPTION
— Gloves made from a carefully selected blend of materials
— padded leather palm
— The back of the hand is made from breathable mesh for good ventilation
— Cuff with Velcro fastening for a good fit
— high level of comfort

MATERIAL
Polyester-Mesh, Goatskin

CE CAT II

EN 388 2111X

Item no.	Size	VE	ÜK
EP760011_08	8/M	12	120
EP760011_09	9/L	12	120
EP760011_10	10/XL	12	120
EP760011_11	11/XXL	12	120



MASTER ALLROUND

DESCRIPTION
— Premium gloves for discerning users
— high level of comfort
— Reinforcements at the knuckles
— padded and reinforced palm
— additional reinforcements at the points subject to stress
— Neoprene cuff with Velcro fastening

MATERIAL
Polyester, Elasthane, Synthetic leather, Neoprene, PVC

CE CAT II

EN 388 2111X

Item no.	Size	VE	ÜK
709886	9/L	6	72
709887	10/XL	6	72
709888	11/XXL	6	72



MASTER SHOCK

DESCRIPTION
— Premium gloves for discerning users
— high level of comfort
— padded and reinforced palm
— vibration-damping
— elasticated back of the hand

MATERIAL
Elasthane, Synthetic leather

CE CAT II

EN 388 2110X

Item no.	Size	VE	ÜK
709831	9/L	6	120
709832	10/XL	6	120
709833	11/XXL	6	120



MASTER IMPACT

DESCRIPTION
— Premium gloves for discerning users
— Reinforcements at the knuckles
— padded palm
— non-slip silicone coating for better grip on the palm
— additional reinforcements at the points subject to stress
— Neoprene cuff with Velcro fastening

MATERIAL
Polyester, Elasthane, PVC, Silicone, Synthetic leather, Nylon

CE CAT II

EN 388 2111X

Item no.	Size	VE	ÜK
709891	9/L	6	72
709892	10/XL	6	72
709893	11/XXL	6	72

WORKER

DESCRIPTION
— Leather thickness approx. 1 mm
— Lined on the palm
— Double seam
— rubberised cuff approx. 7 cm



MATERIAL
Full cow leather, Cow split leather, Cotton

CE CAT II



Item no.	Size	VE	ÜK
709207	10,5/XL	12	120

WORKER PRO

DESCRIPTION
— Leather thickness approx. 1,2 mm
— Lined on the palm
— Double seam
— Back of the hand and cuff made out of canvas
— rubberised cuff approx. 8 cm

MATERIAL
Full cow leather, Cotton

CE CAT II



Item no.	Size	VE	ÜK
709208	9/L	12	120
709209	10,5/XL	12	120
709210	12/XXXL	12	120



ECO

DESCRIPTION
— Leather thickness approx. 1 mm
— Lined on the palm
— reinforced cuff approx. 7 cm

MATERIAL
Cow split leather, Cotton

CE CAT II



Item no.	Size	VE	ÜK
709201	10,5/XL	12	120



BUILDER

- DESCRIPTION**
- Leather thickness approx. 1 mm
 - Knuckle protectors and finger caps made from split cowhide leather
 - padded palm
 - rubberised cuff approx. 7 cm
 - Back of the hand and cuff made out of canvas



MATERIAL
Cow split leather, cotton



Item no.	Size	VE	ÜK
EP709201_10	10/XL	12	120

LIGHTNING

- DESCRIPTION**
- Leather thickness approx. 1 mm
 - Approx. 35 cm
 - Pulse protection



MATERIAL
Cow split leather



Item no.	Size	VE	ÜK
709208A	10/XL	12	60

WET & OIL





GREEN TECH

DESCRIPTION
— flocked
— roughened palm
— good resistance to acids, alkalis, fats and oils
— high tear resistance
— suitable for food use

MATERIAL
Nitrile with cotton flock finish

CE CAT III   			
Item no.	Size	VE	ÜK
709926	9/L	12	144
709927	10/XL	12	144



GRIP TECH

DESCRIPTION
— Seamless industrial glove made from a nitrile-PVC blend with a nylon knit lining
— additional nitrile coating with a sanded finish on the palm for extra grip
— exceptionally high flexibility, even at low temperatures
— oil and chemical resistant

MATERIAL
Nitrile, PVC with a nylon knit lining
Coating: Nitrile with a sandy finish

CE CAT III    			
Item no.	Size	VE	ÜK
709982	9/L	12	72
709983	10/XL	12	72



BLUE TECH

DESCRIPTION
— roughened palm
— oil and chemical resistant
— good fit and grip

MATERIAL
PVC with a cotton knit lining

CE CAT III   			
Item no.	Size	VE	ÜK
709923	9/L	12	72
709924	10/XL	12	72



GRIP TECH PLUS

DESCRIPTION
— Seamless industrial glove made from a nitrile-PVC blend with a nylon knit lining
— additional nitrile coating with a sanded finish on the palm for extra grip
— extra-long forearm protection
— exceptionally high flexibility, even at low temperatures
— oil and chemical resistant

MATERIAL
Nitrile, PVC with a nylon knit lining
Coating: Nitrile with a sandy finish

CE CAT III    			
Item no.	Size	VE	ÜK
709985_09	9/L	12	48
709985_10	10/XL	12	48



DISPOSABLE GLOVE LATEX DERMAGRIP

DESCRIPTION
 — heavy-duty version
 — textured fingertips
 — high tear resistance
 — powder-free
 — Rolled edge
 — can be worn on either hand
 — Approx. 27 cm
 — 50 pieces per pack

MATERIAL
 Latex



Item no.	Size	ÜK
BX10619	7/S	10
BX20619	8/M	10
BX30619	9/L	10
BX40619	10/XL	10



DISPOSABLE GLOVE BLUE NITRILE COMFORT

DESCRIPTION
 — extra-thin version
 — textured fingertips
 — very high tear resistance
 — free from sulphur, thiuram, silicone and dithiocarbamate
 — can be worn on either hand
 — 100 pieces per pack

MATERIAL
 Nitrile



Item no.	Size	ÜK
709660	6/XS	10
709661	7/S	10
709662	8/M	10
709663	9/L	10
709664	10/XL	10
709665	11/XXL	10



DISPOSABLE GLOVE BLACK NITRILE ULTRA STRONG

DESCRIPTION
 — heavy-duty version
 — textured fingertips
 — high tear resistance
 — latex-free and powder-free
 — Rolled edge
 — can be worn on either hand
 — suitable for food use
 — 80 pieces per pack

MATERIAL
 Nitrile



Item no.	Size	ÜK
709629	7/S	10
709630	8/M	10
709631	9/L	10
709632	10/XL	10



DISPOSABLE GLOVE ORANGE NITRILE ULTRA GRIP

DESCRIPTION
 — with a pyramid structure
 — excellent grip, even in wet conditions
 — very high tear resistance
 — Polymer coating for easy fitting
 — latex-free
 — can be worn on either hand
 — made without silicone
 — 50 pieces per pack

MATERIAL
 Nitrile



Item no.	Size	ÜK
709668	8/M	10
709669	9/L	10
709670	10/XL	10
709671	11/XXL	10

DISPOSABLE GLOVE MULTI COLOR

DESCRIPTION

- Durable disposable gloves made from 100% nitrile
- thin design, yet particularly tear-resistant
- textured fingertips
- latex-free, powder-free
- food-safe
- can be worn on either hand
- Assorted pack of 4 colours (black, violet-blue, light blue, pink) – 20 pieces per colour, 80 pieces per pack

MATERIAL
Nitrile



Item no.	Size	ÜK
709636_S	7/S	10
709636_M	8/M	10
709636_L	9/L	10



DISPOSABLE GLOVE WHITE NITRILE ECO

DESCRIPTION

- sturdy disposable gloves made of white nitrile
- powder-free
- textured fingertips
- high tear resistance
- Polymer coating for easy fitting
- latex-free, silicone-free
- can be worn on either hand
- 100 pieces per pack

MATERIAL
Nitrile



Item no.	Size	ÜK
709635W_S	7/S	10
709635W_M	8/M	10
709635W_L	9/L	10
709635W_XL	10/XL	10



DISPOSABLE GLOVE BLACK NITRILE ECO

DESCRIPTION

- sturdy disposable glove made of black nitrile
- powder-free
- textured fingertips
- high tear resistance
- Polymer coating for easy fitting
- latex-free, silicone-free
- can be worn on either hand
- 100 pieces per pack

MATERIAL
Nitrile



Item no.	Size	ÜK
709635_S	7/S	10
709635_M	8/M	10
709635_L	9/L	10
709635_XL	10/XL	10



DISPOSABLE GLOVE BLUE NITRILE ECO

DESCRIPTION

- sturdy disposable glove made of blue nitrile
- powder-free
- textured fingertips
- high tear resistance
- Polymer coating for easy fitting
- latex-free, silicone-free
- can be worn on either hand
- 100 pieces per pack

MATERIAL
Nitrile



Item no.	Size	ÜK
709635B_S	7/S	10
709635B_M	8/M	10
709635B_L	9/L	10
709635B_XL	10/XL	10





DISPOSABLE GLOVE PRAKTIMAX

DESCRIPTION

— suitable for both left and right-handed use

MATERIAL

Polyethylene (HDPE)

Item no.	Size	VE	ÜK
709673	one size fits all, 50 pcs.	20	200
709674	one size fits all, 100 pcs.	20	100
972038	Halterung für Praktimax	1	NV

MIDI FLEX

DESCRIPTION

— oil- and grease-repellent coating
— excellent tactile feedback

MATERIAL

Polyester

Coating: Nitrile



Item no.	Size	VE	ÜK
709262	8/M	12	120
709263	9/L	12	120
709264	10/XL	12	120
709265	11/XXL	12	120



DANA HOUSEHOLD

DESCRIPTION

— Classic nitrile household gloves
— a textured surface on the fingers
— high tear resistance
— Inner side flocked
— Approx. 27 cm
— 709303_08-09 two pairs per pack
— 709304_07-10 one pair per pack

MATERIAL

Nitrile

Item no.	Size	VE	ÜK
709303_08	8/M	12	60
709303_09	9/L	12	60
Item no.	Size	VE	ÜK
709304_07	7/S	12	144
709304_08	8/M	12	144
709304_09	9/L	12	144
709304_10	10/XL	12	144

G-BASE MIDI

DESCRIPTION

— with a thick nitrile coating
— suitable for working with wet and oily objects
— optimal dexterity

MATERIAL

Polyester, Elasthane

Coating: Nitrile



Item no.	Size	VE	ÜK
EP760007_08	8/M	12	120
EP760007_09	9/L	12	120
EP760007_10	10/XL	12	120
EP760007_11	11/XXL	12	120





NITRILE

DESCRIPTION
— ¾ coating
— Knitted cuff
— oil- and grease-repellent coating

MATERIAL
Cotton
Coating: Nitrile

CE CAT II



Item no.	Size	VE	ÜK
729508	8/M	12	120
729509	9/L	12	120
729510	10/XL	12	120
729511	11/XXL	12	120



SUPER GRIP

DESCRIPTION
— ribbed backing fabric
— excellent grip
— very good fit
— good resistance to fats and oils

MATERIAL
Nylon
Coating: Nitrile

CE CAT II



Item no.	Size	VE	ÜK
709285_08	8/M	12	72
709285	9/L	12	72
709286	10/XL	12	72
709285_11	11/XXL	12	72

WET GRIP

DESCRIPTION
— good fit and grip
— good resistance to fats and oils
— oil- and water-repellent double coating
— excellent grip on wet objects

MATERIAL
Nylon
Coating: Nitrile with a sandy finish

CE CAT II



Item no.	Size	VE	ÜK
709592	9/L	12	144
709593	10/XL	12	144



BLUE NITRILE

DESCRIPTION
— fully coated
— oil- and grease-repellent
— Cuff made out of canvas

MATERIAL
Cotton
Coating: Nitrile

CE CAT II



Item no.	Size	VE	ÜK
709515	9/L	12	120
709516	10/XL	12	120





WET GUARD BLUE

DESCRIPTION
— ¾ coating
— Knitted cuff
— oil- and grease-repellent coating

MATERIAL
Cotton
Coating: Nitrile

CE CAT II EN 388 3111X

Item no.	Size	VE	ÜK
729513_08	8/M	12	120
729513_09	9/L	12	120
729513_10	10/XL	12	120
729513_11	11/XXL	12	120



WET GUARD YELLOW

DESCRIPTION
— dip-coated ¾ nitrile coating
— oil- and water-resistant
— good fit
— excellent grip on wet objects
— Self-service packaging with a hangtag

MATERIAL
Polyester
Coating: Nitrile

CE CAT II EN 388 3121X

Item no.	Size	VE	ÜK
EP729514_08	8/M	12	120
EP729514_09	9/L	12	120
EP729514_10	10/XL	12	120
EP729514_11	11/XXL	12	120

Industrial packaging without header card



G-BASE W-GUARD

DESCRIPTION
— dip-coated ¾ nitrile coating
— oil- and water-repellent
— good fit
— good grip on wet objects

MATERIAL
Polyester, Elasthane
Coating: Nitrile

CE CAT II EN 388 2131A

Item no.	Size	VE	ÜK
EP760008_08	8/M	12	120
EP760008_09	9/L	12	120
EP760008_10	10/XL	12	120
EP760008_11	11/XXL	12	120



WET GUARD YELLOW PLUS

DESCRIPTION
— fully dipped nitrile coating
— oil- and water-resistant
— good fit
— excellent grip on wet objects
— Self-service packaging with a hangtag

MATERIAL
Polyester
Coating: Nitrile

CE CAT II EN 388 4121X

Item no.	Size	VE	ÜK
EP729614_09	9/L	12	120
EP729614_10	10/XL	12	120
EP729614_11	11/XXL	12	120

Industrial packaging without header card

THERMO



MASTER THERMO

- DESCRIPTION**
- Premium gloves for discerning users
 - high level of comfort
 - non-slip silicone coating on the palm
 - Cold insulation provided by genuine 3M Thinsulate™ lining
 - Neoprene cuff with Velcro fastening



MATERIAL
Polyester, Nylon, Elasthane, Neoprene, silicone, synthetic leather

CE CAT II

EN 388 3111X EN 511 X1X

3M Thinsulate INSULATION

Item no.	Size	VE	ÜK
709865	9/L	6	72
709866	10/XL	6	72
709567	11/XXL	6	72

UNI FIT THERMO

- DESCRIPTION**
- Goatskin glove
 - Stretch spandex on the back of the hand
 - elasticated cuff with Velcro fastening
 - Thermal insulation provided by 3M Thinsulate™ lining
 - high level of comfort
 - very good fit



MATERIAL
Polyester, Elasthane, Goatskin
Futter: Original 3M Thinsulate™

CE CAT II

EN 388 2122X EN 511 X2X

3M Thinsulate INSULATION

Item no.	Size	VE	ÜK
709339	9/L	12	72
709340	10/XL	12	72
709341	11/XXL	12	72



WINTER GRIP

DESCRIPTION

- Brushed inner surface
- excellent protection against the cold
- water-repellent coating
- good fit and grip in wet conditions

MATERIAL

Polyacrylic

Coating: Latex foam with Sandy Finish



Item no.	Size	VE	ÜK
709281_06	6/XS	6	72
709281_07	7/S	6	72
709281	8/M	6	72
709283	9/L	6	72
709284	10/XL	6	72
709282	11/XXL	6	72



WINTER EXTREME ULTRA

DESCRIPTION

- water- and oil-repellent double coating
- good fit and secure grip
- excellent protection against the cold
- Velcro fastening

MATERIAL

Polyacrylic

Coating: Latex foam with Sandy Finish



Item no.	Size	VE	ÜK
709385_09	9/L	6	36
709385_10	10/XL	6	36
709385_11	11/XXL	6	36



WORKER PRO THERMO COMFORT

DESCRIPTION

- Leather thickness approx. 1,2 mm
- double stitching for greater durability
- Back of the hand made from water-repellent polyester
- Knitted cuff für mehr Tragekomfort
- Thermal lining

MATERIAL

Polyester, Full cow leather, Polyester-cotton-blend



Item no.	Size	VE	ÜK
709115	9/L	6	72
709116	10/XL	6	72
709117	11/XXL	6	72



WINTER EXTREME PRO

DESCRIPTION

- with a water- and oil-repellent double coating
- double-layered fabric for warm hands
- a secure grip on slippery objects
- very good fit
- for work in cold temperatures

MATERIAL

Polyester, Polyacrylic

Coating: Latex with an additional Latex-Sandy coating on the palm



Item no.	Size	VE	ÜK
709381	9/L	6	36
709382	10/XL	6	36
709383	11/XXL	6	36
709384	12/XXXL	6	36



WINTER LITE TOUCH

DESCRIPTION
 — ideal for use at temperatures down to 0 °C
 — very good fit and comfort
 — optimal dexterity and a secure grip on slippery objects
 — water-repellent coating

MATERIAL
 Polyacrylic, Elasthane
Coating: Nitrile with a sandy finish



Item no.	Size	VE	ÜK
709220_06	6/XS	6	72
709220	7/S	6	72
709221	8/M	6	72
709222	9/L	6	72
709223	10/XL	6	72
709224	11/XXL	6	72



WINTER LITE TOUCH

DESCRIPTION
 — ideal for use at temperatures down to 0 °C
 — very good fit and comfort
 — optimal dexterity and a secure grip on slippery objects
 — water-repellent coating

MATERIAL
 Polyacrylic, Elasthane
Coating: Nitrile with a sandy finish



Item no.	Size	VE	ÜK
709220DB_08	8/M	6	72
709220DB_09	9/L	6	72
709220DB_10	10/XL	6	72
709220DB_11	11/XXL	6	72

WINTER ECO

DESCRIPTION
 — brushed inner lining
 — excellent grip
 — water-repellent crinkled latex coating



MATERIAL
 Polyester
Coating: Latex-Crinkle



Item no.	Colour	Size	VE	ÜK
709589	black	9/L	6	72
709590	black	10/XL	6	72
709591	black	11/XXL	6	72
7095880	orange	8/M	6	72
7095890	orange	9/L	6	72
7095900	orange	10/XL	6	72
7095910	orange	11/XXL	6	72
709588B	blue	8/M	6	72
709589B	blue	9/L	6	72
709590B	blue	10/XL	6	72
709591B	blue	11/XXL	6	72



G-BASE WINTER

DESCRIPTION
— seamless chunky-knit gloves
— good fit
— good grip
— suitable for all activities in cold weather

MATERIAL
Polyester
Coating: Latex-Crinkle



Item no.	Size	VE	ÜK
EP760013_08	8/M	12	72
EP760013_09	9/L	12	72
EP760013_10	10/XL	12	72



WINTER QUEEN

DESCRIPTION
— Women's gloves for cool weather
— Extra-soft microfibre ensures a high level of comfort
— ideal for use at temperatures down to 0 °C
— optimal dexterity and a secure grip, even on smooth objects

MATERIAL
Nylon
Coating: Latex-foam



Item no.	Size	VE	ÜK
709930	6/XS	6	72
709931	7/S	6	72
709932	8/M	6	72

PINGU

DESCRIPTION
— for all budding crafters
— double-layered fabric for warm hands
— high level of comfort

MATERIAL
Nylon
Coating: Latex



Item no.	Size	VE	ÜK
709710	5-8 Years	6	72



PINGUINA

DESCRIPTION
— for all budding crafters
— double-layered fabric for warm hands
— high level of comfort

MATERIAL
Nylon
Coating: Latex



Item no.	Size	VE	ÜK
709710P	5-8 Years	6	72





HAT WITH REFLECTIVE STRIPES

DESCRIPTION
 — with reflective strips
 — Genuine 3M Thinsulate™ lining
 — One size fits all

MATERIAL
 Polyacrylic, Thinsulate™ fibres



Item no.	Colour	VE	ÜK
700000	orange	12	96
700001	yellow	12	96
700003	black	12	96
700015	grey	12	96
700000K	orange (Child size)	12	96
700001K	yellow (Child size)	12	96

HAT UPCYCLED

DESCRIPTION
 — A blend of the natural fibre modal and polyester
 — elastic, hard-wearing and retains its shape
 — comfortable to wear
 — One size fits all

MATERIAL
 Polyester, Modal

Item no.	Colour	VE	ÜK
700010	black	12	96



LED HAT WITH REFLECTIVE STRIPES

DESCRIPTION
 — removable LED light with four brightness settings
 — Burning time: approx. 60 minutes
 — Rechargeable via USB
 — One size fits all

MATERIAL
 Polyacrylic

Item no.	Colour	VE	ÜK
700006	black	1	24
700007	yellow	1	24
700011	orange	1	24
700012	grey	1	24
700006K	black (Child size)	1	24
700013K	blue (Child size)	1	24
700014K	pink (Child size)	1	24

HAT VISION

DESCRIPTION
 — comfortable to wear
 — 360-degree reflective strips ensure high visibility
 — One size fits all

MATERIAL
 Polyacryl

Item no.	Colour	VE	ÜK
700008	yellow	12	96
700009	black	12	96



The modular GEBOL POS system.

Our POS systems are delivered to you ready for sale and are the ideal addition to your existing range. We'd be happy to put together secondary displays tailored to your needs.

You choose the products you want – we supply the ready-to-sell display. All that's left to do is position it in a high-traffic area. Look forward to plenty of impulse purchases from your customers!



MULTIPACK - 5 PAAR

Die Bestseller, immer Griffbereit



MULTI FLEX 5 PAAR

DESCRIPTION

- excellent tactile feedback
- breathable back of the hand
- good grip even on smooth objects
- good resistance to fats and oils
- water-repellent coating

MATERIAL

Nylon, Elasthan

Coating: Nitrile microfoam with Nitrile nubs



Item no.	Size	Packaging	VE	ÜK
709277_MUP5	9/L	Multipack (5 pairs)	1	24
709278_MUP5	10/XL	Multipack (5 pairs)	1	24

NANO FLEX 10 PAAR

DESCRIPTION

- durable PU coating
- good fit and high comfort
- optimal dexterity

MATERIAL

Polyester

Coating: Polyurethane



Item no.	Size	Packaging	VE	ÜK
709243G_MUP10	9/L	Multipack (10 pairs)	1	24
709244G_MUP10	10/XL	Multipack (10 pairs)	1	24



MASTER FLEX 5 PAAR

DESCRIPTION

- high durability
- very good fit and high level of comfort
- good resistance to fats and oils
- a secure grip, even on smooth objects

MATERIAL

Nylon, Elasthan

Coating: PPU-Nitrile with a sandy finish



Item no.	Size	Packaging	VE	ÜK
709545_MUP5	9/L	Multipack (5 pairs)	1	24
709546_MUP5	10/XL	Multipack (5 pairs)	1	24

ECO GRIP 10 PAAR

DESCRIPTION

- good fit and high level of comfort
- a secure grip, even on damp objects

MATERIAL

Polyester

Coating: Latex-Crinkle



Item no.	Size	Packaging	VE	ÜK
709690_MUP10	9/L	Multipack (10 pairs)	1	24
709691_MUP10	10/XL	Multipack (10 pairs)	1	24



TOP FLEX 5 PAAR

DESCRIPTION

- particularly durable nitrile coating
- excellent tactile feedback
- water-repellent coating
- good fit

MATERIAL

Nylon, Elasthan

Coating: Nitrile microfoam



Item no.	Size	Packaging	VE	ÜK
709534_09_MUP5	9/L	Multipack (5 pairs)	1	24
709534_10_MUP5	10/XL	Multipack (5 pairs)	1	24

MIDI FLEX 10 PAAR

DESCRIPTION

- oil- and grease-repellent coating
- excellent tactile feedback

MATERIAL

Polyester

Coating: Nitrile



Item no.	Size	Packaging	VE	ÜK
709263_MUP10	9/L	Multipack (10 pairs)	1	12
709264_MUP10	10/XL	Multipack (10 pairs)	1	12



SAFETY HELMETS



SAFETY HELMET CONSTRUCTION

- DESCRIPTION**
- 6-point suspension
 - with a sweatband
 - Weight approx. 317 g
 - Made in EU



MATERIAL
HDPE

CE EN 397

Item no.	Size / Colour	VE	ÜK
704019	56-61 cm / white	1	78
704020	56-61 cm / red	1	78
704020	56-61 cm / yellow	1	78

SAFETY HELMET MASTER

- DESCRIPTION**
- 6-point suspension
 - high-tensile textile straps
 - long sweatband
 - Weight approx. 350 g
 - freeze-resistant up to -30 °C
 - Twist lock for continuous size adjustment
 - high level of comfort



MATERIAL
ABS

CE EN 397

Item no.	Size / Colour	VE	ÜK
704002	56-61 cm / white	1	28
704003	56-61 cm / yellow	1	28
704004	56-61 cm / hi-viz yellow	1	28

SAFETY HELMET EVOLITE

- DESCRIPTION**
- with reflective strips and an ID card holder
 - One-handed size adjustment
 - freeze-resistant up to -40 °C
 - 6-point harness with high-tensile textile straps
 - Weight approx. 285 g
 - Made in EU



MATERIAL
ABS



Item no.	Size / Colour	VE
704104	56-61 cm / white	1
Item no.	Size / packaging	VE
704100	Chin strap / 1 pc. self service	1
704039	Sweatband / 1 pc. self service	1

SAFETY HELMET EVO 3

- DESCRIPTION**
- One-handed size adjustment
 - high level of comfort
 - freeze-resistant up to -40 °C
 - 6-point harness with high-tensile textile straps
 - Weight approx. 375 g
 - Made in EU



MATERIAL
HDPE



Item no.	Size / Colour	VE	ÜK
704101	56-61 cm / white	1	10
704102	56-61 cm / yellow	1	10
704103	56-61 cm / blue	1	10
Item no.	Size / packaging	VE	
704100	Chin strap / 1 pc. self service	1	
704039	Sweatband / 1 pc. self service	1	

HEARING PROTECTION



EARMUFFS PROFI BT

DESCRIPTION

- with Bluetooth functionality for making calls, listening to music, etc., and an additional AUX input
- At noise levels of 82 dB or higher, the microphone switches off, ensuring optimal noise reduction
- USB charging cable, battery life up to 8 hours
- very soft ear pads and a two-point suspension system
- SNR value 29 dB



MATERIAL
ABS

CE CAT III EN 352-1:2020 Bluetooth®

Item no.	Packaging	VE	ÜK
701437	1 pc. self service	3	3

EARMUFFS PROFİ

DESCRIPTION

- very light and comfortable
- extra-wide, padded headband
- adjustable-length wire hangers
- very soft ear pads
- gentle pressure
- Two-point suspension
- SNR value 33 dB

MATERIAL
ABS

CE CAT III EN 352-1:2020

Item no.	Packaging	VE	ÜK
701433	1 pc. self service	1	20



EARMUFFS PROFİ

DESCRIPTION

- very light and comfortable
- extra-wide, padded headband
- adjustable-length wire hangers
- very soft ear pads
- gentle pressure
- Two-point suspension
- SNR value 33 dB

MATERIAL
ABS

CE CAT III EN 352-1:2020

Item no.	Packaging	VE	ÜK
701435	1 pc. self service	1	3





EARMUFFS SAFETY KIDS

DESCRIPTION
— especially for children
— very light and comfortable
— foldable
— high level of comfort
— very soft ear pads
— gentle pressure
— SNR value 26 dB

MATERIAL
plastic

CE EN 352-1:2020

Item no.	Colour	VE	ÜK
701420	blue	1	50
701421	pink	1	50

EARMUFFS BASIC +

DESCRIPTION
— adjustable-length
— Headband made from special plastic
— very soft ear pads
— gentle pressure
— SNR value 29 dB

MATERIAL
PP

CE EN 352-1:2020

Item no.	Packaging	VE	ÜK
701436	1 pc. self service	6	24



BASIC 3-PIECE PPE SET

DESCRIPTION
— SAFETY GOOGLES
very light and comfortable
— EARMUFFS
very soft ear pads
gentle pressure
SNR value 24 dB
— FACE MASK FFP1

MATERIAL
Safety goggles: PVC, Polycarbonatee
Earmuffs: POM, ABS, PVC
face mask: Polypropylene, Polyester

CE EN 149:2001+A1:2009
EN ISO 16321-1:2022
EN 352-1:2020

Item no.	Packaging	VE	ÜK
730101	Set	6	48

EARMUFFS BASIC

DESCRIPTION
— Headband made from special plastic
— very soft ear pads
— gentle pressure
— SNR value 24 dB

MATERIAL
plastic

CE EN 352-1:2020

Item no.	Packaging	VE	ÜK
701434	1 pc. self service	1	50





HEADBAND-STYLE EAR DEFENDERS COMFORT

DESCRIPTION

- flexible headband design for ease of use
- can be worn either as a chin strap or a neck strap
- the earbuds do not go into the ear
- high level of comfort
- including 2 replacement plugs
- SNR value 29 dB

MATERIAL
PP, PPU

CE CAT III EN 352-2

Item no.	Packaging	VE	ÜK
731101	1 pc. self service	12	50

EARPLUGS BASIC

DESCRIPTION

- smooth, tapered surface
- high level of comfort
- SNR value 38 dB

MATERIAL
PU

CE EN 352-2

Item no.	Packaging	VE	ÜK
731100	5 pairs self service	25	250



EARPLUGS PROFI SILICONE 2 PAIRS

DESCRIPTION

- high level of comfort
- very good fit
- reusable, washable
- long service life
- Pack of 2
- SNR value 31 dB

MATERIAL
Silicone

CE CAT III EN 352-2

Item no.	Packaging	VE	ÜK
731102	2 Pairs self service	12	144

EARPLUGS BASIC MULTIPACK

DESCRIPTION

- 200 pcs. / Dispenser box
- packed in pairs
- smooth, tapered surface
- high level of comfort
- SNR value 38 dB


MATERIAL
PU

CE EN 352-2

Item no.	Packaging	VE	ÜK
731103	200 pcs./dispenser	1	6



SAFETY GOGGLES





SAFETY GOGGLES ULTRALIGHT

DESCRIPTION
— sporty design with excellent comfort
— particularly comfortable thanks to soft padding around the nose and temples
— The removable sweatband provides extra protection for the eyes against dust and sweat
— flexible, soft nose clip
— UV filter
— scratch- and fog-resistant coating

MATERIAL
Polycarbonate, TPR, TPE, PVC



Item no.	Colour	VE	ÜK
730401	clear	4	40
730402	tinted	4	40
730403	yellow	4	40



SAFETY GOGGLES SAFETY COMFORT

DESCRIPTION
— sporty design with excellent comfort
— integrated side protection
— flexible, soft nose clip
— Bracket adjustable in length and angle
— Optical Class 1

MATERIAL
Frame made of Nylon
Lenses made of Polycarbonate



Item no.	Colour	VE	ÜK
730001	clear	6	120
730002	tinted	6	120

SAFETY GOGGLES SAFETY GUARD

DESCRIPTION
— for professional users
— very high level of comfort
— with an adjustable elastic band
— integrated side protection
— scratch- and fog-resistant coating
— UV filter against UVA/UVB radiation
— Optical Class 1

MATERIAL
Frame made of plastic and TPR
Lenses made of Polycarbonate



Item no.	Packaging	VE	ÜK
730400	1 pc. self service	6	60



SAFETY GOGGLES SPORTS LINE

DESCRIPTION
— sporty design with excellent comfort
— flexible, soft nose clip
— scratch- and fog-resistant coating
— UV filter against UVA/UVB radiation
— Optical Class 1

MATERIAL
Frame and lenses made of made of Polycarbonate



Item no.	Colour	VE	ÜK
730404	clear	6	60
730405	tinted	6	60





SAFETY GOGGLES READER

DESCRIPTION
— sporty design
— built-in reading aid
 (+1.5 / +2 / +2.5 / +3 dioptries)
— particularly light (23 g)
— scratch- and fog-resistant coating
— UV filter against UVA/UVB radiation

MATERIAL
Frame made of Nylon
Lenses made of Polycarbonate

CE EN 166

Item no.	reading aid	VE	ÜK
730003	+1,5	1	72
730004	+2	1	72
730005	+2,5	1	72
730006	+3,0	1	72



SAFETY GOGGLES NEON

DESCRIPTION
— sporty design
— Adjustable-length bracket
— scratch- and fog-resistant coating
— Neon colour for high visibility
— UV Filter
— Optical Class 1

MATERIAL
Frame made of Nylon, PVC
Lenses made of Polycarbonate

CE EN 166
EN 170

Item no.	Colour	VE	ÜK
730406	clear	6	60
730407	tinted	6	60

EYEGLOSS CORD FOR SAFETY GOGGLES

DESCRIPTION
— a very comfortable polyester glasses strap
— fits securely on all GEBOL frame glasses (except for the
 Basic safety glasses)
— individual length adjustment via an adjustable stopper

MATERIAL
Polyacrylic

Item no.	length	VE	ÜK
730099	60 cm	6	500



SAFETY GOGGLES BASIC

DESCRIPTION
— lightweight open-plan design
— impact-resistant
— scratch-resistant
— Optical Class 1

MATERIAL
Polycarbonate

CE EN ISO 16321-1:2022

Item no.	Packaging	VE	
730410	1 pc. self service	8	





FULL-VIEW SAFETY GOGGLES PROFI

DESCRIPTION
— specially designed for people who wear glasses
— all-round protection for maximum field of vision
— anti-fog
— UV filter against UV-B and UV-C radiation

MATERIAL
Polycarbonate

CE EN ISO 16321-1:2022/A1:2025

Item no.	Packaging	VE	ÜK
730413	1 pc. self service	6	60



FULL-VIEW SAFETY GOGGLES PROFI

DESCRIPTION
— specially designed for people who wear glasses
— flexible vinyl frame for a tight fit and all-round protection
— Directly ventilated, anti-fog 2.2 mm thick polycarbonate lens with an extra-wide panoramic field of view
— adjustable elastic band
— Optical Class 1

MATERIAL
Vinyl, Polycarbonate

CE EN ISO 16321-1:2022

Item no.	Packaging	VE	ÜK
730421	1 pc. self service	3	30



FULL-VIEW SAFETY GOGGLES ECO

DESCRIPTION
— sealed seat for all-round protection
— 1.7 mm thick polycarbonate lens
— flexible vinyl frame
— adjustable elastic strap
— high level of comfort
— directly ventilated
— Optical Class 1

MATERIAL
Polycarbonate

CE EN ISO 16321-1:2022

Item no.	Packaging	VE	ÜK
730420	1 pc. self service	6	120



SAFETY GOGGLES SAFETY KIDS

DESCRIPTION
— especially for children
— high level of comfort
— adjustable arms
— extra-light version
— scratch-resistant
— Optical Class 1

MATERIAL
Frame made of Nylon
Lenses made of Polycarbonate

CE EN 166

Item no.	Colour	VE	ÜK
730020	blue	6	120
730021	pink	6	120

RESPIRATORY PROTECTION



INFORMATION RESPIRATORY MASKS

If technical and organisational measures are insufficient to ensure adequate air quality, suitable respiratory protection must be used. The effective prevention of health risks through respiratory protection depends on the correct selection, as well as the consistent use and maintenance of the respiratory protection equipment. The employer must find out about potential airborne contaminants in the workplace, assess the workstations and, where necessary, provide suitable respiratory protection. The employee must wear the respiratory protection provided to them for the entire duration of their presence in the hazard zone.

EN 149

Respiratory protective devices – filtering half-masks for protection against particles – requirements, testing, marking
Occupational exposure limits (OELs) specify the concentration of a substance at which acute or chronic adverse effects on health are generally not expected. These limits are based on existing occupational health and toxicological findings.

FFP 1 / P1

PROTECTS AGAINST FINE PARTICULATE MATTER UP TO 4 TIMES THE GUIDELINE VALUE
Protection against non-toxic and non-fibrogenic¹ dusts. Inhaling these dusts does not lead to the development of diseases, but may irritate the respiratory tract and cause a nuisance due to odour.

FFP 2 / P2

PROTECTS AGAINST FINE PARTICULATE MATTER UP TO 10 TIMES THE GUIDELINE VALUE
Protection against solid and liquid dust, smoke and aerosols that are harmful to health. These particles may be fibrogenic, meaning that they can cause short-term irritation of the respiratory tract and, in the long term, a reduction in the elasticity of lung tissue.

FFP 3 / P3

AGAINST PARTICULATE MATTER UP TO 30 TIMES THE GUIDELINE VALUE
Protection against toxic and harmful dust, smoke and aerosols (e.g. carcinogenic particles, fungal spores, pesticides).

¹ fibrogen = the term ‘fibrogenic dusts’ refers to aerosols², including droplets, that contain poorly soluble particles which can cause pneumoconiosis associated with the formation of connective tissue (e.g. silicosis).
² aerosols = a mixture (dispersion) of solid or liquid particles suspended in a gas, e.g. soot, house dust, cigarette smoke, but also sprays of all kinds (paints, pesticides, deodorants, etc.)

A1 / A2

PROTECTS AGAINST GASES AND VAPOURS
Gases and vapours are molecules so small that they can pass through particle filters. Special filters must therefore be used to protect against gases and vapours. GVS gas or gas and particle respirators offer the user specific protection against harmful substances through physical or chemical adsorption, as indicated by specific letters and colours:

TYPE		Protection
A		Organic gases and vapours with a boiling point above 65°C
B		Inorganic gases/vapours (excluding carbon monoxide), sulphur dioxide and other acidic gases and vapours, ammonia and organic derivatives
E		
K		
AX		Certain organic gases and vapours with a boiling point of ≤ 65 °C. For single use only.

There are different protection classes for each type of gas filter, depending on the amount of pollutants the filter can adsorb. The choice therefore depends on the predicted concentration of the pollutant:

class	concentration limit
1	low 1.000 ppm
2	medium 5.000 ppm

	FFP 1	FFP 2	FFP 3	A1P3	A2P3
CLEANING					
with minimal dust generation	X	X	X	X	X
where there is a lot of dust		X	X	X	X
GRINDING					
Paints, varnishes		X	X	X	X
paints Anti-Fouling			X	X	X
Softwood		X	X	X	X
Hardwood			X	X	X
Metal		X	X	X	X
Rust		X	X	X	X
anti-rust coating			X	X	X
filler		X	X	X	X
Cement, concrete		X	X	X	X
WORKING WITH ASBESTOS					
to a limited extent			X	X	X
PAINTING					
solvent-based paints					
water-based paints		X	X	X	X
AGRICULTURE					
pesticides					X
AUTOMOTIVE INDUSTRY					X
Paint odour up to 5,000 ppm					
CONSTRUCTION					
PAINT ODOUR UP TO 1,000 PPM				X	X
Mould				X	X
MANUFACTURE					
solvent				X	X
WELDING AND METALWORKING INDUSTRY					
Painted metal (repair)				X	X

RESPIRATORY MASK ELIPSE A1P3

DESCRIPTION
— reusable half-mask
— extra-compact, lightweight and flexible design
— large, central exhalation valve
— Protects against substances in concentrations of up to 1.000 ppm
— latex- and silicone-free
— made in UK

MATERIAL
Mask body: TPE
Filter: activated carbon with ABS cartridge

CE EN 140 EN 14387+A1 A1P3 R D

Item no.	Size	VE
734002	M/L	1
Item no.	Description	VE
734003	Replacement filter A1P3	1



RESPIRATORY MASK ELIPSE PROFI A2P3

DESCRIPTION
— reusable half-mask
— kompaktes, leichtes und flexibles Design
— large, central exhalation valve
— Protects against substances in concentrations of up to 5.000 ppm
— latex- and silicone-free
— made in UK

MATERIAL
Mask body: TPE
Filter: activated carbon with ABS cartridge

CE EN 140 EN 14387+A1 A2P3 R D

Item no.	Size	VE
734004	M/L	1
Item no.	Description	VE
734005	Replacement filter A2P3	1





FACE MASK FFP2 PROFI

DESCRIPTION

- pre-formed mask body
- innovative filter medium for greater protection and low breathing resistance
- high level of comfort

CE EN 149:2001+A1:2009

Item no.	Packaging	VE
730502	2 Pcs. self service	12
730502MUP	10 Pcs. self service	1



FACE MASK FFP2 COMFORT

DESCRIPTION

- with an exhalation valve
- pre-formed mask body
- high level of comfort

CE EN 149:2001+A1:2009

Item no.	Packaging	VE	ÜK
730504	2 Pcs. self service	12	100
730504MUP	10 Pcs. self service	1	12



FACE MASK FFP3 COMFORT

DESCRIPTION

- pre-formed mask body
- High-quality valve technology for a fresh environment inside the mask
- soft foam sealing lip for high wearing comfort
- flexible nose clip for a perfect fit

CE EN 149:2001+A1:2009

Item no.	Packaging	VE	ÜK
730505	2 Pcs. self service	12	60
730505MUP	5 Pcs. self service	1	12

FACE MASK FFP1 BASIC

DESCRIPTION

- Face mask
- adjustable nose clip

CE EN 149:2001+A1:2009

Item no.	Packaging	VE	ÜK
730500	3 Pcs. self service	12	12



FACE MASK

DESCRIPTION

- without protection level

Item no.	Packaging	VE	ÜK
708500	5 Pcs. self service	10	100



CLOTHING





DISPOSABLE OVERALLS

DESCRIPTION

- breathable
- Hood, elasticated cuffs and hem
- with a zip

MATERIAL

polypropylene

Item no.	Size / Packaging	VE	ÜK
703000	XL 180-188 cm / Self service	20	100
703002	XXL 186 - 194 cm / Self service	20	100

OVERSHOES PROFI

DESCRIPTION

- durable, tear-resistant and waterproof outsole
- easy to grip
- breathable outer material
- with an elasticated band
- low-profile version
- 10 pairs in an SB box

MATERIAL

Upper material: Polypropylen

Outsole: Polyethylen

Item no.	Size	ÜK
703010	One size fits all	20




DISPOSABLE OVERALLS TYP 5/6

DESCRIPTION

- suitable for working with asbestos
- high-quality, certified material (Type 5/6)
- lightweight, low-pilling SF fabric
- provides protection against particles and liquid splashes
- The hooded design allows for unrestricted head movement
- Elasticated cuffs and hems

MATERIAL

microporous film, coated PP



Item no.	Size	VE	ÜK
703005_XL	XL 180 - 188 cm	10	50
703005_XXL	XXL 186 - 194 cm	10	50



PONCHO UNIVERSAL

DESCRIPTION

- transparent
- waterproof
- thickness 2,5 my
- compact and lightweight
- ideal for travel, hiking, cycling and events

MATERIAL

LDPE

Item no.	Size	VE	ÜK
804080	one size fits all	1	200





RAIN JACKET MONSUN

- DESCRIPTION**
- welded seams
 - tear-resistant material
 - Zip fastening and concealed button placket with press studs
 - Sleeve cuffs with Velcro fastenings
 - 2 flap pockets
 - Hood in the collar
 - with reflective strips

MATERIAL
100% Polyester with a PU coating

Item no.	Size	VE	ÜK
804008G	M	1	25
804009G	L	1	25
804010G	XL	1	25
804011G	XXL	1	25



RAIN JACKET MONSUN

- DESCRIPTION**
- welded seams
 - tear-resistant material
 - Zip fastening and concealed button placket with press studs
 - Sleeve cuffs with Velcro fastenings
 - 2 flap pockets
 - Hood in the collar
 - with reflective strips

MATERIAL
100% Polyester with a PU coating

Item no.	Size	VE	ÜK
804007	S	1	25
804008	M	1	25
804009	L	1	25
804010	XL	1	25
804011	XXL	1	25



RAIN TROUSERS MONSUN

- DESCRIPTION**
- welded seams
 - tear-resistant material
 - wide elasticated waistband
 - side zip at the bottom of the leg
 - with reflective strips

MATERIAL
100% Polyester with a PU coating

Item no.	Size	VE	ÜK
804002G	M	1	25
804003G	L	1	25
804004G	XL	1	25
804005G	XXL	1	25



RAIN TROUSERS MONSUN

- DESCRIPTION**
- welded seams
 - tear-resistant material
 - wide elasticated waistband
 - side zip at the bottom of the leg
 - with reflective strips

MATERIAL
100% Polyester with a PU coating

Item no.	Size	VE	ÜK
804001	S	1	25
804002	M	1	25
804003	L	1	25
804004	XL	1	25
804005	XXL	1	25



RAIN JACKET RAIN

DESCRIPTION

- zip
- Cuffs with press studs
- Hood in the collar
- Pocket with a flap

MATERIAL

100% Polyester with a Vinyl-Coating

Item no.	Size	VE	ÜK
804021	S	1	25
804022	M	1	25
804023	L	1	25
804024	XL	1	25
804025	XXL	1	25

SAFETY BOOTS PROFI / S5

DESCRIPTION

- for construction and industry
- Weight approx. 1.400 g
- Shaft height 38 cm, can be shortened

MATERIAL

OUTER MATERIAL: PVC
INNER LINING: Textilee
MID SOLE: metal, puncture-proof
TOE CAP: steel



Item no.	Size	VE	ÜK
902038	38	1	6
902039	39	1	6
902040	40	1	6
902041	41	1	6
902042	42	1	6
902043	43	1	6
902044	44	1	6
902045	45	1	6
902046	46	1	6
902047	47	1	6



RAIN TROUSERS RAIN

DESCRIPTION

- Elasticated waistband
- Adjustable leg cuffs
- 2 pockets

MATERIAL

100% Polyester with a Vinyl-Coating

Item no.	Size	VE	ÜK
804014	S	1	50
804015	M	1	50
804016	L	1	50
804017	XL	1	50
804018	XXL	1	50

BOOTS BASIC

DESCRIPTION

- non-slip treaded sole
- 100% waterproof
- Weight approx. 640 g
- Shaft height 38 cm

MATERIAL

OUTER MATERIAL: PVC
INNER LINING: Textilee



Item no.	Size	VE	ÜK
902139	39	1	10
902140	40	1	10
902141	41	1	10
902142	42	1	10
902143	43	1	10
902144	44	1	10
902145	45	1	10
902146	46	1	10
902147	47	1	10



HIGH-VISIBILITY VEST BASIC

DESCRIPTION
— Lightweight, durable high-visibility vest made from 120 g/m² polyester fabric
— Machine washable at 40 °C (up to 5 times)
— 360-degree visibility thanks to reflective strips all round
— Velcro fastening
— One size fits all
— EN ISO 20471 Class 2

MATERIAL
Polyester (approx. 120 g/m²)

CE EN ISO 20471:2013+A1:2016
DIN EN ISO 13688:2013+A1:2021

Item no.	Colour	VE	ÜK
805021	yellow	10	100
805022	orange	10	100



SMALL FIRST-AID KIT, TYP 1

DESCRIPTION
— Wall mount with 90-degree stop mechanism
— transparent cover plates
— perimeter rubber seal
— Adjustable interior layout
— Screw caps and reinforced carrying handle
— Sealing device
— including filling material

MATERIAL
ABS

ÖNORM Z1020

Item no.	Dimensions	VE	ÜK
972203	22,5 x 22 x 12,5 cm	1	4
972200	Contents for Type 1 first aid kit (for up to 5 staff members)	1	4



CAR FIRST-AID KIT

DESCRIPTION
— including filling material for multi-track vehicles

MATERIAL
PP plastic

lt. KFG § 102 Abs. 10

Item no.	Dimensions	VE
972202	25,5 x 16,6 x 8,0 cm	1



LARGE FIRST-AID KIT, TYP 2

DESCRIPTION
— Wall mount with 90-degree stop mechanism
— transparent cover plates
— perimeter rubber seal
— Adjustable interior layout
— Screw caps and reinforced carrying handle
— Sealing device
— including filling material

MATERIAL
ABS

ÖNORM Z1020

Item no.	Dimensions	VE	ÜK
972204	38 x 37 x 14 cm	1	4
972201	Contents for Type 2 first aid kit (for up to 20 staff members)	1	4



KNEE PROTECTION



ULTRA – MAXIMUM PERFORMANCE WITHOUT COMPROMISE

The **ULTRA** models are the top of the line in our knee protection range. They were developed for extreme requirements and combine **premium materials** with **maximum wearing comfort** and **maximum durability**.

The **ULTRA** models focus on:

- particularly durable outer materials
- high-quality upholstery and cushioning systems
- ergonomic design for long, fatigue-free working

ULTRA is the right choice for professionals who **refuse to compromise** and expect a product that delivers consistently high performance even under intensive daily use.



KNEE PAD U-300

DESCRIPTION
 — Drawstring loop for easy fastening and adjustment
 — Durable fabric with a shock-absorbing gel insert
 — PP shell with TPR elements for extra grip and protection
 — Foldable thigh strap for maximum stability
 — Extra-wide elastic fastening straps with a pull tab
 — Optimal grip for demanding tasks
 — Performance level: 2 / Type 1



LEVEL 0

LEVEL 1

LEVEL 2

ULTRA

★★★★★

Zugschleife als Anzieh- und Justierhilfe

Klappbare Oberschenkelhalterung für maximale Stabilität

Robustes Textilgewebe mit Gel-Einlage

PP-Schale mit TPR-Elementen für extra Grip und Schutz

HEAVY

MATERIAL
 PP, TPR, Polyester, EVA, PU foam, Gel

CE EN 14404:2024

Item no.	Size	VE	ÜK
702013	one size fits all	1	6

ABRASION RESISTANT

ANTI SLIP

ERGONOMIC SHAPE

EXTRA WIDE STRAP

GEL / FOAM INSERT

IMPACT RESISTANT

PUNCTURE L2 RESISTANT

QUICK RELEASE

THIGH STRAP

WATER RESISTANT



KNEE PAD U-100

- DESCRIPTION**
- Pull loop for easy fastening and adjustment
 - Durable fabric with gel insert
 - Durable PP shell for hard surfaces
 - Padded Velcro fastening at the thigh for a secure fit
 - Extra-wide elastic fastening straps with a pull tab
 - A secure grip, even when moving around a lot
 - Performance level: 2 / Type 1



LEVEL 0

LEVEL 1

LEVEL 2

ULTRA
★★★★★



MATERIAL
PP, Polyester, EVA, PU foam, Gel

CE EN 14404:2024

Item no.	Size	VE	ÜK
702012	one size fits all	1	6

ABRASION
RESISTANT

ERGONOMIC
SHAPE

EXTRA WIDE
STRAP

GEL / FOAM
INSERT

IMPACT
RESISTANT

PUNCTURE
L2
RESISTANT

QUICK
RELEASE

THIGH
STRAP

WATER
RESISTANT

PRO – DEVELOPED FOR PROFESSIONAL CONTINUOUS USE

The **PRO** models are designed for users who rely on their knee pads every day and work in demanding conditions. In this category, the focus is on **reliability, ergonomics, and durability**.

The **PRO** models focus on:

- reinforced materials
- optimized design
- even pressure distribution

The **PRO** models are aimed at **professional craftsmen and specialist companies** who need a product that delivers consistently high performance in daily use and impresses in the long term.



KNEE PAD P-400

DESCRIPTION

- Pull loop for easy fastening and adjustment
- Durable fabric with a shock-absorbing gel insert
- Flexible TPE shell with a non-slip surface
- Extra-wide elastic fastening straps with a pull tab
- Secure support and optimal pressure distribution
- Performance level: 1 / Type 1

LEVEL 0 LEVEL 1 LEVEL 2

PRO
★★★★☆



HEAVY

MATERIAL
Polyester, EVA, PU foam, Gel

CE EN 14404:2024

Item no.	Size	VE	ÜK
702010	one size fits all	1	6

ABRASION
RESISTANT

EXTRA WIDE
STRAP

PUNCTURE
L2
RESISTANT

ANTI
SLIP

GEL / FOAM
INSERT

QUICK
RELEASE

ERGONOMIC
SHAPE

IMPACT
RESISTANT

WATER
RESISTANT

KNEE PAD P-300

DESCRIPTION

- Pull loop for easy fastening and adjustment
- Durable fabric with gel insert
- Durable PP sell for hard surfaces
- Extra-wide elastic fastening straps with a pull tab
- Reliable protection during heavy use
- Performance level: 2 / Type 1

LEVEL 0

LEVEL 1

LEVEL 2

PRO
★★★★☆



HEAVY

MATERIAL
PP, Polyester, EVA, PU-Foam, Gel

CE EN 14404:2024

Item no.	Size	VE	ÜK
702009	one size fits all	1	6

EXTRA WIDE STRAP

PUNCTURE L2 RESISTANT

ABRASION RESISTANT

GEL / FOAM INSERT

QUICK RELEASE

ERGONOMIC SHAPE

IMPACT RESISTANT

WATER RESISTANT

KNEE PAD P-200

DESCRIPTION

- Pull loop for easy fastening and adjustment
- Durable fabric with gel insert
- Extra breite elastische Fixierbänder für hohen Halt
- Pull tab on the Velcro strap for easy fastening
- Comfortable seating even during long periods of use
- Performance level: 1 / Type 1

LEVEL 0

LEVEL 1

LEVEL 2

PRO
★★★★☆



ALLROUND

MATERIAL
Polyester, EVA, PU foam, Gel

CE EN 14404:2024

Item no.	Size	VE	ÜK
702008	one size fits all	1	6

FLOOR SAFE

PUNCTURE L1 RESISTANT

ERGONOMIC SHAPE

GEL / FOAM INSERT

QUICK RELEASE

EXTRA WIDE STRAP

IMPACT RESISTANT

WATER RESISTANT

KNEE PAD P-100

- DESCRIPTION**
- Pull loop for easy fastening and adjustment
 - Textile fabric with a shock-absorbing gel insert
 - Two wide elastic straps for a secure fit
 - Removable PVC shell for flexible use
 - Effective protection and relief for the knees
 - Performance level: 1 / Type 1

LEVEL 0

LEVEL 1

LEVEL 2

PRO
★★★★☆

HEAVY &
ALLROUND



MATERIAL
PVC, Polyester, EVA, Gel, SBR

CE EN 14404:2024

Item no.	Size	VE	ÜK
702007	one size fits all	1	20

2 IN 1
PROTECTION

FLOOR
SAFE

IMPACT
RESISTANT

ERGONOMIC
SHAPE

GEL / FOAM
INSERT

PUNCTURE
L1
RESISTANT



CLASSIC – RELIABLE QUALITY FOR VERSATILE APPLICATIONS

The **CLASSIC** models stand for reliable protection, high wearing comfort, and a balanced relationship between function and economy. They are designed for users who value solid, proven quality.

The **CLASSIC** models focus on:

- functionality
- suitability for everyday use
- economic efficiency

CLASSIC is therefore the ideal entry-level class for anyone looking for **solid protection, ease of use, and attractive value for money.**



KNEE PAD C-200

DESCRIPTION

- Pull loop for easy fastening and adjustment
- Durable fabric with a shock-absorbing gel insert
- Neoprene strap with Velcro fastening for a secure fit
- Integrated PVC shell
- Effective pressure distribution and relief for the knees
- Performance level: 1 / Type 1

LEVEL 0

LEVEL 1

LEVEL 2

CLASSIC

★★★★☆



HEAVY

MATERIAL
PVC, Polyester, Gel, SBR

CE EN 14404:2024

Item no.	Size	VE	ÜK
702000	one size fits all	1	20

ABRASION

RESISTANT

ANTI

SLIP

ERGONOMIC

SHAPE

EXTRA WIDE

STRAP

GEL / FOAM

INSERT

IMPACT

RESISTANT

PUNCTURE

L1 RESISTANT

QUICK

RELEASE

WATER

RESISTANT

KNEE PAD C-100

DESCRIPTION

- Pull loop for easy fastening and adjustment
- Durable fabric with comfortable padding
- Two wide elastic straps for a secure fit
- Significant relief from pressure when working on one's knees
- Ergonomic fit for comfortable wear
- Performance level: 0 / Type 1

LEVEL 0

LEVEL 1

LEVEL 2

CLASSIC
★★★★☆



ALLROUND

MATERIAL
PU-leather, Polyester, EVA

CE EN 14404:2024

Item no.	Size	VE	ÜK
702004	one size fits all	1	20

FLOOR
SAFE

QUICK
RELEASE

WATER
RESISTANT

ULTRA LIGHT
TOE CAP

TWO
STRAPS

KNEE PAD INSERTS C-300

DESCRIPTION

- Pressure-relieving knee pad
- Suitable for work trousers with knee pad pockets
- Suitable for hard surfaces
- Comfortable protection when kneeling for long periods
- Performance level: 0 / Type 2

LEVEL 0

LEVEL 1

LEVEL 2

CLASSIC
★★★★☆



ALLROUND

MATERIAL
EVA

CE EN 14404:2024

Item no.	Size	VE	ÜK
702002	one size fits all	1	24

IMPACT
RESISTANT

ULTRA LIGHT
TOE CAP

WATER
RESISTANT

KNEE BOARD C-400

- DESCRIPTION**
- Knee pad for even pressure distribution
 - Integrated recessed handle for easy carrying
 - Ideal for working on hard surfaces
 - Type 3 (no certified knee protection)


LEVEL 0

LEVEL 1

LEVEL 2

CLASSIC
★★★★☆

ALLROUND



MATERIAL
EVA



Item no.	Size	VE	ÜK
702006	one size fits all	1	20

ULTRA LIGHT
TOE CAP

ANTI SLIP

FLOOR SAFE

WATER RESISTANT

KNEE PILLOW C-500

- DESCRIPTION**
- Ergonomic knee cushion for optimal pressure relief
 - Non-slip base for a secure grip
 - Lightweight, easy to handle and ideal for use on the go
 - Type 3 (no certified knee protection)

LEVEL 0

LEVEL 1

LEVEL 2

CLASSIC
★★★★☆

ALLROUND



MATERIAL
EVA



EN 14404:2024

Item no.	Size	VE	ÜK
702011	one size fits all	1	20

GEL / FOAM INSERT

ANTI SLIP

FLOOR SAFE

WATER RESISTANT

ULTRA LIGHT
TOE CAP

FOOTWEAR



ULTRA – MAXIMUM PERFORMANCE WITHOUT COMPROMISE

The **ULTRA** models are the top of the range in our safety shoe series. They were developed for extreme requirements and combine **Premium materials with maximum comfort and maximum durability.**

The **ULTRA** models focus on:

- particularly durable outer materials
- maximum comfort and durability
- High-quality Quick-Lace system for a finely adjustable, precise fit

ULTRA is the right choice for professionals who **refuse to compromise** and expect a product that delivers consistently high performance even with intensive daily use.



SAFETY SHOE U-100

DESCRIPTION

- Quick-Lace system for a finely adjustable, precise fit
- ultra-lightweight toe cap made from metal-free carbon fibre
- puncture-resistant, non-metallic midsole made of Kevlar
- heat-resistant and non-slip sole
- reinforced material in the toe cap area for greater durability
- waterproof upper material
- Anti-odour insoles reduce odours

S3S

ULTRA
★★★★★



MATERIAL
OUTER MATERIAL:
Oxford fabric, Sandwich Mesh
MID SOLE: Kevlar
Sohle: heat-resistant rubber, TPU
Futter: breathable technical lining
TOE CAP: Carbon fibres

CE EN ISO 20345:2022

Item no.	Size	VE	ÜK
903541	41	1	6
903542	42	1	6
903543	43	1	6
903544	44	1	6
903545	45	1	6
903546	46	1	6

HEAT RESISTANT

REINFORCED ZONE

ANTI ODOR INSOLE

PUNCTURE RESISTANT

ULTRA LIGHT TOE CAP

ANTI SLIP

QUICK LACE SYSTEM

WATER PROOF

SAFETY BOOT U-201

DESCRIPTION

- Quick-Lace system for a finely adjustable, precise fit
- ultra-lightweight toe cap made from metal-free carbon fibre
- puncture-resistant, non-metallic midsole made of Kevlar
- heat-resistant and non-slip sole
- reinforced material in the toe cap area for greater durability
- waterproof upper material
- Anti-odour insoles reduce odours

S3S

ULTRA
★★★★★



MATERIAL
OUTER MATERIAL: Textile, TPU
MID SOLE: Kevlar
Sohle: heat-resistant rubber
Futter: breathable technical lining
TOE CAP: Carbon fibres

CE EN ISO 20345:2022

Item no.	Size	VE	ÜK
903741	41	1	6
903742	42	1	6
903743	43	1	6
903744	44	1	6
903745	45	1	6
903746	46	1	6

HEAT
RESISTANT

PUNCTURE
RESISTANT

QUICK LACE
SYSTEM

ANTI ODOR
INSOLE

ANTI
SLIP

REINFORCED
ZONE

ULTRA LIGHT
TOE CAP

WATER
PROOF

SAFETY SHOE U-200

DESCRIPTION

- Quick-Lace system for a finely adjustable, precise fit
- ultra-lightweight toe cap made from metal-free carbon fibre
- puncture-resistant, non-metallic midsole made of Kevlar
- heat-resistant and non-slip sole
- reinforced material in the toe cap area for greater durability
- waterproof upper material
- Anti-odour insoles reduce odours

S3S

ULTRA
★★★★★



MATERIAL
OUTER MATERIAL: Textile, TPU
MID SOLE: Kevlar
Sohle: heat-resistant rubber
Futter: breathable technical lining
TOE CAP: Carbon fibres

CE EN ISO 20345:2022

Item no.	Size	VE	ÜK
903641	41	1	6
903642	42	1	6
903643	43	1	6
903644	44	1	6
903645	45	1	6
903646	46	1	6

HEAT
RESISTANT

PUNCTURE
RESISTANT

QUICK LACE
SYSTEM

ANTI ODOR
INSOLE

ANTI
SLIP

REINFORCED
ZONE

ULTRA LIGHT
TOE CAP

WATER
PROOF

PRO – DEVELOPED
FOR PROFESSIONAL
CONTINUOUS USE

The **PRO** models are designed for users who rely on their work shoes every day and work in demanding conditions. In this category, the focus is on **reliability, ergonomics, and durability**.

The **PRO** models focus on:

- reinforced materials
- high resistance
- optimized design

The **PRO** models are aimed at **professional craftsmen and specialist companies** who need a product that delivers consistently high performance in daily use and impresses in the long term.



SAFETY SHOE P-200

DESCRIPTION
— ultra-lightweight toe cap made from metal-free carbon fibre
— puncture-resistant, non-metallic midsole made of Kevlar
— heat-resistant and non-slip sole
— reinforced material in the toe cap area for greater durability
— Anti-odour insoles reduce odours

S1PS

PRO
★★★★☆



MATERIAL
OUTER MATERIAL: Textile, TPU, Synthetic leather
MID SOLE: Kevlar
Sohle: heat-resistant rubber
Futter: breathable technical lining
TOE CAP: Carbon fibres

CE EN ISO 20345:2022

Item no.	Size	VE	ÜK
903441	41	1	6
903442	42	1	6
903443	43	1	6
903444	44	1	6
903445	45	1	6
903446	46	1	6



SAFETY BOOT P-101

- DESCRIPTION**
- ultra-lightweight toe cap made from metal-free carbon fibre
 - puncture-resistant, non-metallic midsole made of Kevlar
 - heat-resistant and non-slip sole
 - reinforced material in the toe cap area for greater durability
 - waterproof upper material
 - Anti-odour insoles reduce odours

S3S

PRO
★★★★☆



MATERIAL
OUTER MATERIAL: Oxford fabric, Sandwich Mesh, TPU
MID SOLE: Kevlar
Sohle: heat-resistant rubber
Futter: breathable technical lining
TOE CAP: Carbon fibres

Item no.	Size	VE	ÜK
903341	41	1	6
903342	42	1	6
903343	43	1	6
903344	44	1	6
903345	45	1	6
903346	46	1	6

ANTI ODOR
INSOLE

ANTI
SLIP

HEAT
RESISTANT

PUNCTURE
RESISTANT

REINFORCED
ZONE

ULTRA LIGHT
TOE CAP

WATER
PROOF

CE EN ISO 20345:2022

SAFETY SHOE P-100

- DESCRIPTION**
- ultra-lightweight toe cap made from metal-free carbon fibre
 - puncture-resistant, non-metallic midsole made of Kevlar
 - heat-resistant and non-slip sole
 - reinforced material in the toe cap area for greater durability
 - Anti-odour insoles reduce odours

S1PS

PRO
★★★★☆



MATERIAL
OUTER MATERIAL: Oxford fabric, Sandwich Mesh, TPU
MID SOLE: Kevlar
Sohle: heat-resistant rubber
Futter: breathable technical lining
TOE CAP: Carbon fibres

Item no.	Size	VE	ÜK
903236	36	1	6
903237	37	1	6
903238	38	1	6
903239	39	1	6
903240	40	1	6
903241	41	1	6
903242	42	1	6
903243	43	1	6
903244	44	1	6
903245	45	1	6
903246	46	1	6

ANTI ODOR
INSOLE

ANTI
SLIP

HEAT
RESISTANT

PUNCTURE
RESISTANT

REINFORCED
ZONE

ULTRA LIGHT
TOE CAP

CE EN ISO 20345:2022

CLASSIC – RELIABLE QUALITY FOR VERSATILE APPLICATIONS

The **CLASSIC** models stand for reliable protection, comfortable wear, and a balanced relationship between function and economy. They are designed for users who value solid, proven quality.

The **CLASSIC** models focus on:

- functionality
- suitability for everyday use
- economic efficiency

CLASSIC is therefore the ideal entry-level class for anyone looking for **solid protection and attractive value for money**.



SAFETY BOOT C-101

DESCRIPTION
 — puncture-resistant, non-metallic midsole made of Kevlar
 — non-slip sole
 — reinforced material in the toe cap area for greater durability
 — waterproof upper material

S3S

CLASSIC
 ★★★★★



MATERIAL
OUTER MATERIAL: Synthetic leather, Mesh
MID SOLE: Kevlar
Sohle: PU
Futter: breathable technical lining
TOE CAP: Plastic

CE EN ISO 20345:2022

Item no.	Size	VE	ÜK
903141	41	1	6
903142	42	1	6
903143	43	1	6
903144	44	1	6
903145	45	1	6
903146	46	1	6



SAFETY SHOE C-100

DESCRIPTION
— puncture-resistant, non-metallic midsole made of Kevlar
— non-slip sole
— reinforced material in the toe cap area for greater durability

S1PS

CLASSIC
★★★★☆



MATERIAL
OUTER MATERIAL: Synthetic leather, Mesh
MID SOLE: Kevlar
Sohle: PU
Futter: breathable technical lining
TOE CAP: Plastic

Item no.	Size	VE	ÜK
900241	41	1	6
903042	42	1	6
903043	43	1	6
903044	44	1	6
903045	45	1	6
903046	46	1	6

CE EN ISO 20345:2022



WORK SOCKS 2-PAIRS U-100

DESCRIPTION
— Pack of 2 pairs
— Protection against friction thanks to reinforced heel and toe
— Padding in the foot and leg areas protects against pressure sores
— Comfort and breathability thanks to soft bamboo fibre
— keeps you cool in summer and warm in winter
— Odour neutralisation thanks to the natural antibacterial properties of bamboo

MATERIAL
Bamboo, Polyester, Nylon, Elasthane

Item no.	Size	VE	ÜK
940342	39-42	6	72
940346	43-46	6	72



WORK SOCKS 3-PAIRS P-100

DESCRIPTION
— Pack of 3 pairs
— Protection against friction thanks to reinforced heel and toe
— A perfect fit thanks to the elasticated cuff at the ankle
— Breathability thanks to ventilation zones
— Padding in the foot and leg areas protects against pressure sores
— Comfort thanks to soft cotton

MATERIAL
Cotton, Polyester, Polyamid, Elasthane

Item no.	Size	VE	ÜK
940242	39-42	6	63
940246	43-46	6	63



WORK SOCKS 3-PAIRS C-100

DESCRIPTION
— Pack of 3 pairs
— Protection against friction thanks to reinforced heel and toe
— Protection against pressure points thanks to padding in the foot area
— Comfort thanks to soft cotton

MATERIAL
Cotton, Polyester, Elasthane

Item no.	Size	VE	ÜK
940142	39-42	6	63
940146	43-46	6	63





OLFA KLINGEN-INFO



AB / LB / HB

blade

High-quality snap-off blade made of carbon steel for excellent sharpness and extremely long durability. A precise 59° blade angle ensures maximum performance and stability of the blade. For cutting linoleum, carpets, insulation, etc.



ABB / LBB / HBB

blade "Excel Black"

High-quality snap-off blade made of carbon steel, double-ground and therefore 25% sharper. This ensures extremely precise cuts with noticeably less resistance. A precise 59° blade angle ensures maximum performance and stability of the blade. For cutting plasterboard, etc.



blade "Speed Blade"


High-quality snap-off blade made of carbon steel with a special fluorine coating for outstanding sharpness and extremely long durability. A precise 59° blade angle ensures maximum performance and stability. This blade cuts cardboard significantly faster than other blades.



LWB

blade serrated edge

High-quality, unbreakable serrated blade made of carbon steel with extremely long durability. A precise 59° blade angle ensures maximum performance and stability of the blade. Perfect for cutting round, slippery, or soft materials (e.g., glass wool, ropes, insulation, etc.).



CUTTER A-5

DESCRIPTION

- Stainless steel blade guide
- One-way blade lock

Item no.	Blade width	VE	ÜK
857212	9 mm	6	240



CUTTER 180 BLACK

DESCRIPTION

- made of metal
- with spring-loaded grid

Item no.	Blade width	VE	ÜK
857202	9 mm	6	240



CUTTER SILVER SVR-1

DESCRIPTION

- made entirely of stainless steel
- completely rust-free
- with Auto-Lock system

Item no.	Blade width	VE	ÜK
857204	9 mm	6	240



CUTTER SAC-1

DESCRIPTION

- with a 30° blade for the most precise cut
- ideal for graphic designers
- made entirely of stainless steel
- completely rust-free
- with Auto-Lock system

Item no.	Blade width	VE	ÜK
857284	9 mm	6	240



CUTTER XA-1

DESCRIPTION

- Steel blade guide
- non-slip handle
- acetone-resistant
- with Auto-Lock system

Item no.	Blade width	VE	ÜK
857289	9 mm	6	240





CUTTER A-1

DESCRIPTION
— Steel blade guide
— with Auto-Lock system
— handy clip for attaching to trouser pockets

Item no.	Blade width	VE	ÜK
857325	9 mm	6	240



CUTTER MXP-AL

DESCRIPTION
— Premium Cutter
— sturdy aluminium housing
— Stainless steel blade guide
— non-slip rubber grip
— with a locking screw for infinitely variable blade feed

Item no.	Blade width	VE	ÜK
857292	18 mm	6	240



CUTTER MXP-AL

DESCRIPTION
— Premium Cutter
— sturdy aluminium housing
— Stainless steel blade guide
— non-slip rubber grip
— with Auto-Lock system

Item no.	Blade width	VE	ÜK
857291	18 mm	6	240



CUTTER LTD-L-LFB

DESCRIPTION
— Steel blade guide
— non-slip, ergonomic plastic handle
— with a locking screw for infinitely variable blade feed
— acetone-resistant
— with an OLFA Speedblade

Item no.	Blade width	VE	ÜK
857321	18 mm	6	240



CUTTER LTD-AL-LFB

DESCRIPTION
— Steel blade guide
— non-slip, ergonomic plastic handle
— with Auto-Lock system
— acetone-resistant
— with an OLFA Speedblade

Item no.	Blade width	VE	ÜK
857322	18 mm	6	240



CUTTER L-1 GREEN

DESCRIPTION
— Handle made from recycled plastic
— Steel blade guide
— with a locking screw for infinitely variable blade feed

Item no.	Blade width	VE	ÜK
857215RC	18 mm	6	240



CUTTER L5-AL

DESCRIPTION
— Stainless steel blade guide
— non-slip handle
— with Auto-Lock system
— acetone-resistant
— A metal tab at the end of the handle for opening tins

Item no.	Blade width	VE	ÜK
857218	18 mm	6	240



CUTTER L5

DESCRIPTION
— Stainless steel blade guide
— non-slip handle
— with a locking screw for infinitely variable blade feed
— acetone-resistant
— A metal tab at the end of the handle for opening tins

Item no.	Blade width	VE	ÜK
857281	18 mm	6	240



CUTTER OL

DESCRIPTION

- extended stainless steel blade guide für extra Stabilität
- A metal tab at the end of the handle for opening tins
- with a locking screw for infinitely variable blade feed

Item no.	Blade width	VE	ÜK
857223	18 mm	6	120



CUTTER H-1

DESCRIPTION

- extra-strong version
- Stainless steel blade guide
- non-slip handle
- with a locking screw for infinitely variable blade feed

Item no.	Blade width	VE	ÜK
857226	18 mm	6	144



CUTTER XH-1

DESCRIPTION

- extra-strong version
- Stainless steel blade guide
- non-slip handle
- acetone-resistant
- with a locking screw for infinitely variable blade feed

Item no.	Blade width	VE	ÜK
857283	25 mm	6	72



CUTTER XH-AL

DESCRIPTION

- extra-strong version
- Stainless steel blade guide
- non-slip handle
- acetone-resistant
- with Auto-Lock system


Item no.	Blade width	VE	ÜK
857254	25 mm	6	72

CUTTER MT-1

DESCRIPTION

- “Midi” blade, 12.5 mm wide
- combines the advantages of the two standard sizes
- as light as the 9 mm blade and as strong as the 18 mm blade
- Stainless steel blade guide
- acetone-resistant
- with Auto-Lock system

Item no.	Blade width	VE
857302	12,5 mm	6



CUTTER 2 IN 1 CS-5

DESCRIPTION

- combines a saw and a 12.5 mm ‘Midi’ cutter
- Stainless steel blade guide
- non-slip handle
- acetone-resistant
- specifically for electricians and drywall installers
- with Auto-Lock system

Item no.	Blade width	VE	ÜK
857301	12,5 mm	6	60



ART KNIFE AK-1

DESCRIPTION

- Professional scalpel knife for cutting, correcting and retouching
- with protective cap

Item no.	Packaging	VE	ÜK
857241	Self service packaging	6	120
857247	25 Blades/Dispenser	6	120



ART KNIFE AK-4

DESCRIPTION

- high-quality precision scalpel knife
- Top quality with a fixed precision blade
- balanced weight distribution
- ergonomic handle
- brass blade clamp
- includes four blades (2x precision blades, 1x chisel blade, 1x curved blade)

Item no.	Blade width	VE	ÜK
857314	Self service packaging	6	120
857247	25 Blades/Dispenser	6	120



SAFETY KNIFE ESK-1

- DESCRIPTION**
- Safety knives for the office or school
 - Special plastic-coated snap-off blades protect against serious injuries when cutting or changing blades
 - Ergonomically shaped handle
 - Knife holder with integrated blade snap-off mechanism

Item no.	VE	ÜK
857313	5	50



SAFETY KNIFE SK-4

- DESCRIPTION**
- Steel blade guide
 - impact-resistant ABS handle
 - for right- and left-handed people
 - with automatic blade retraction

Item no.	Packaging	VE	ÜK
857311	Industrial Packaging	24	144
827311_SB	Self service packaging	6	120
857217	5 Blades/Dispenser	6	240



SAFETY KNIFE SK-7 GREEN

- DESCRIPTION**
- Handle made from recycled plastic
 - Steel blade guide
 - very handy
 - for right- and left-handed people
 - with automatic blade retraction


Item no.	Packaging	VE	ÜK
857288RC	Self service packaging	6	120



SAFETY KNIFE SK-15/DSB

- DESCRIPTION**
- Safety knife with a concealed stainless steel blade
 - suitable for left- and right-handed people
 - A 3.2 mm-thick cutting channel prevents damage to goods
 - double-bladed head for longer life
 - Handle made of glass-fibre-reinforced plastic


Item no.	VE	ÜK
857317	1	600



SAFETY KNIFE SK-8

- DESCRIPTION**
- Steel blade guide
 - extended blade extension for maximum durability
 - for right- and left-handed people
 - with automatic blade retraction

Item no.	Packaging	VE	ÜK
857326	Self service packaging	24	120
857327	10 Blades/Dispenser	6	240



SAFETY KNIFE SK-16

- DESCRIPTION**
- Safety knife with a replaceable stainless steel blade head
 - Concealed blades prevent injuries and damage to goods
 - suitable for both left- and right-handed users
 - ergonomic, impact-resistant plastic handle
 - secure blade replacement without tools by replacing the blade head
 - the spike at the end of the handle is used to cut through packaging straps
 - Approx. 180 mm
 - Weight approx. 80 g

Item no.	Typ	VE	ÜK
857318	Safety knife SK-16	6	120
857319	Spare blades, 10 Blades/Box	6	120



SAFETY KNIFE SK-10

- DESCRIPTION**
- Safety cutter with tape cutter
 - Suitable for cardboard, tape, film and packaging materials
 - With concealed blade (17.8 mm)
 - Impact-resistant handle
 - Easy blade replacement
 - acetone-resistant

Item no.	Blade width	VE	ÜK
857309	Industrial Packaging	24	192
857309_SB	Self service packaging	6	120
857310	10 Blades/Dispenser	6	240





SCRAPER XSR-300

DESCRIPTION
— Wall scraper with soft-touch handle
— tool-free blade replacement
— Length: 300 mm

Item no.	Typ	VE	ÜK
857296	Self service packaging	5	30
857293	10 Spare blades	6	120

SCISSORS SCS-1

DESCRIPTION
— Precision scissors
— long service life
— serrated stainless steel blades for a secure grip on the food being cut
— Ring handles made of ABS plastic
— suitable for left- and right-handed people
— Cutting length 40 mm
— Length 140 mm

Item no.	Packaging	VE	ÜK
857315	Industrial Packaging	6	120



SCRAPER GSR-1/3B

DESCRIPTION
— innovative glass scraper with an ergonomic fibreglass handle
— with 3 extra stainless steel blades
— stainless

Item no.	Typ	VE	ÜK
857294	Self service packaging	6	60
857246	30 Spare blades	6	36

SCISSORS SCS-2

DESCRIPTION
— Precision scissors
— long service life
— serrated stainless steel blades for a secure grip on the food being cut
— Ring handles made of ABS plastic
— suitable for left- and right-handed people
— Cutting length 55 mm
— Length 170 mm

Item no.	Packaging	VE	ÜK
857316	Industrial Packaging	6	120



SCRAPER GSR-2

DESCRIPTION
— High-quality scraper with a non-slip two-component handle
— with a protective cover and an integrated blade compartment in the handle
— ideal for cleaning glass and removing adhesive residue
— includes 6 stainless steel blades

Item no.	Typ	VE	ÜK
857312	Self service packaging	6	120

ROTARY CUTTER RTY-2C/YEL

DESCRIPTION
— cuts more precisely than scissors
— tool-free and quick blade change
— ideal for leather, fabric, paper, etc.
— suitable for both left- and right-handed people
— 45 mm stainless steel round blade

Item no.	Blade width	VE	ÜK
857320	Industrial Packaging	6	72





BLADES AB

DESCRIPTION
— maximum service life with optimum cutting results
— Thickness 0.5 mm / Blade width 9 mm

Item no.	Typ	VE	ÜK
857208	10 Blades/Dispenser	12	720
857207	10 Blades/Dispenser	6	240
857209	50 Blades/Dispenser	12	120



BLADES STAINLESS

DESCRIPTION
— very long service life
— for cutting on glass, etc.
— completely rust-free
— Thickness 0.5 mm / Blade width 9 mm


Item no.	Typ	VE	ÜK
857210	10 Blades/Dispenser	6	240



BLADES 30°

DESCRIPTION
— very long service life
— for SAC-1 Cutter
— Thickness 0.5 mm / Blade width 9 mm

Item no.	Typ	VE	ÜK
857285	10 Blades/Dispenser	6	240



BLADES EXCEL BLACK ABB

DESCRIPTION
— 25% sharper than a standard AB blade
— Thickness 0.5 mm / Blade width 9 mm

Item no.	Typ	VE	ÜK
857211	10 Blades/Dispenser	12	720
857297	10 Blades/Dispenser	6	240



BLADES MTB

DESCRIPTION
— “Midi” blade
— as light as a 9 mm blade and as hard as an 18 mm blade
— Blade width 12.5 mm

Item no.	Typ	VE	ÜK
857303	10 Blades/Dispenser	6	240



BLADES LB

DESCRIPTION
— maximum service life with optimum cutting results
— Thickness 0.5 mm / Blade width 18 mm

Item no.	Blade width	VE	ÜK
857230	10 Blades/Dispenser	6	240
857232	10 Blades/Dispenser	6	240
857233	50 Blades/Dispenser	6	60



BLADES LB-SOL

DESCRIPTION
— non-breakable
— for the food industry
— Thickness 0.5 mm / Blade width 18 mm

Item no.	Blade width	VE	ÜK
857250	10 Blades/Dispenser	6	240



BLADES WAVE-CUT

DESCRIPTION
— precise cutting of elastic or round materials
— Thickness 0.5 mm / Blade width 18 mm

Item no.	Blade width	VE	ÜK
857235	3 Blades/Dispenser	6	120



BLADES EXCEL BLACK LBB

DESCRIPTION
— 25% sharper than the standard LB blade
— Thickness 0.5 mm / Blade width 18 mm


Item no.	Blade width	VE	ÜK
857229	10 Blades/Dispenser	6	240
857231	10 Blades/Dispenser	6	120



BLADES SPEED BLADE LFB-5B

DESCRIPTION
— ultra-sharp blade
— extra fluorine coating on the cutting edge
— 50% less frictional resistance for significantly better cutting performance
— Thickness 0.5 mm / Blade width 18 mm

Item no.	Blade width	VE	ÜK
857214	5 Blades/Dispenser	6	120




BLADES HB

DESCRIPTION

- maximum service life with optimum cutting results
- Thickness 0.5 mm / Blade width 25 mm

Item no.	Typ	VE	ÜK
857236	5 Blades/Dispenser	6	120



BLADES EXCEL BLACK HBB

DESCRIPTION

- 25% sharper than a standard AB blade
- Thickness 0.7 mm / Blade width 25 mm

Item no.	Typ	VE	ÜK
857298	5 Blades/Dispenser	6	120



SAW BLADE HSWB-1/1B

DESCRIPTION

- for cutting wood, plastic and more
- Pulse hardening process for long-lasting sharpness
- Suitable for all OLFA 25 mm cutters

Item no.	Typ	VE	ÜK
857324	5 Blades/Dispenser	6	120




SAW BLADE SWB-5

DESCRIPTION

- Replacement saw blade for the CS-5 cutter

Item no.	Typ	VE	ÜK
857304	1 Klingen Self service	10	120



BLADES SKB-8/10B

DESCRIPTION

- Replacement blade for the SK-8 safety cutter
- Thickness 0.4 mm / Blade width 17.8 mm


Item no.	Typ	VE	ÜK
857327	1 Blade/dispenser	6	240

BLADES ROTARY CUTTER

DESCRIPTION

- long service life
- for RTY-2

Item no.	Packaging	VE	ÜK
857267	1 Blade/dispenser	6	480



BLADE DISPOSAL CASE DC-4

DESCRIPTION

- Container for used blades
- No blades lying around in the workshop or on the building site
- Dull blades can be disposed of separately and recycled

Item no.	VE	ÜK
857323	6	120



KNIFE POUCH INCLUDING CUTTER

DESCRIPTION

- Knife pouch including an 18 mm cutter
- Practical, flexible loop for attaching to a belt
- The angle of the belt loop can be adjusted by up to 30 degrees forwards or backwards.
- Glass-fibre-reinforced polypropylene resin for strength, durability and resistance to acetone

Item no.	VE	ÜK
857328	6	60




OLFA CUTTING MAT

DESCRIPTION

- Self-healing cutting mat
- Specially designed for OLFA rotary cutters
- Can be used on both sides
- Front side features grid lines, centimetre and inch scales, and 30°/45°/60° angles

Item no.	Dimensions	VE	ÜK
D857210	600 x 450 mm	5	20
D857211	920 x 610 mm	5	10



IT'S IN YOUR HANDS.

Together we can achieve more.
Your GEBOL customer service team:



GEBOL GmbH
Samesleitner Straße 34, A-4470 Enns



office@gebol.at



+43 7223 85085-0



www.gebol.com

THE RIGHT SOLUTION FOR EVERYONE

- For professional users and DIY enthusiasts
- Compliant with all legal requirements
- The right product for every application

FAST. RELIABLE.

- Delivery within 48 hours
- Efficient logistics processes
- Reliable shipping partners, Europe-wide

WERE THERE WHEN YOU NEEDED THEM

- High storage capacities
- Ready for shipping at any time

RESPONSIBILITY THAT WORKS

- ISO 14001:2015 certified environmental management
- Cardboard instead of plastic wherever possible
- Responsibility for people and the environment in production
- Focus on sustainable development

QUALITY WITHOUT COMPROMISE

- ISO 9001:2015 certified
- Quality control by international testing institutes
- Quality and compliance management inspects products and production processes on site.

DESIGNED FOR REAL WORK

- Continuous product development
- Focus on application and product quality
- Innovative sales concepts and POS solutions

MORE THAN JUST PRODUCTS

- Support from our own employees
- Expert advice
- Support with placement and promotions

STRONG BRAND. STRONG TEAM.

- Groundbreaking, innovative corporate culture
- Health promotion programs
- Open, modern office concept with varied communal and open areas.




The modular GEBOL POS system.

Wall-mounted wayfinding system:

- good long-range performance
- Division into work areas to make it easier to find your way around the shop floor.
- Information panels on the sides help customers make a purchase decision.

Available in various widths from 100 cm to 250 cm.



Our POS systems are delivered to you ready for use and are the perfect addition to your existing range. We are happy to put together secondary displays tailored to your needs.

You choose the products you want – we'll supply the ready-to-sell display. All that's left to do is place it in a high-traffic area. Look forward to plenty of impulse purchases from your customers!



STATEMENT ON STANDARDS

PROTECTIVE GLOVES

The Personal Protective Equipment (PPE) Regulation 2016/425 distinguishes between gloves designed to protect against low, medium and high risks.

Category 1 (CAT I): MINIMAL RISKS

Simple gloves designed to protect against minimal risks (e.g. gardening gloves). In addition to the CE mark, the gloves and/or the smallest unit of packaging must bear the words ‘for minimal risks only’. No external testing is required.

Category 2 (CAT II): MEDIUM RISKS

The glove must have undergone type testing by a notified testing body. It must bear the CE mark, as well as one or more pictograms and performance levels.

Category 3 (CAT III): HIGH RISKS

The glove must provide protection against irreversible damage and fatal hazards. In addition to type testing, the production facility must be subject to continuous monitoring by a notified body. The glove must bear the CE mark, one or more pictograms, the performance levels and the identification numbers of the notified body.

EN 407: PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT)

The following parameters are tested:

Limited flame formation	Performance levels 0-4
body heat	Performance levels 0-4
convective cooling	Performance levels 0-4
Radiant heat	Performance levels 0-4
small splashes of molten metal	Performance levels 0-4
large quantities of molten metal	Performance levels 0-4

The performance levels achieved are indicated in this order beneath the pictogram. Level ‘0’ means that the glove has not achieved performance level 1. The symbol ‘X’ in place of a number indicates that the glove has not been tested for the relevant risk or that testing was not possible. The higher the value, the better the test result.

EN ISO 374-1:2016+A1:2018: Protective gloves against hazardous chemicals and microorganisms

EN ISO 374:2016 distinguishes between three types:

Type of glove A* *(The permeation performance must meet at least Level 2 for at least 6 chemicals.)*

Type of glove B** *(The permeation performance must be at least Level 2 against at least three chemicals.)*

Type of glove C*** *(The permeation performance must meet at least Level 1 for at least one chemical.)*

The letters beneath the pictogram represent the chemicals tested. The chemical names (in accordance with Table 2 of EN ISO 374-1:2016) and the performance levels achieved (breakthrough times) are specified in the user information.

The following table shows how the letters correspond to the respective test chemicals:

LETTER	TEST CHEMICAL	CAS-NO	CLASS
A	Methanol	67-56-1	Primary alcohol
B	Acetone	67-64-1	Keton
C	Acetonitrile	75-05-8	Nitrile
D	dichloromethane	75-09-2	Chlorinated hydrocarbon
E	carbon disulphide	75-15-0	Organic compound containing sulphur
F	Toluene	108-88-3	Aromatic hydrocarbon
G	Diethylamine	109-89-7	Amin
H	Tetrahydrofuran	109-99-9	Heterocyclic and ether compounds
I	Ethyl acetate	141-78-6	Ester
J	n-heptane	142-82-5	Aliphatic hydrocarbon
K	Sodium hydroxide 40%	1310-73-2	Inorganic Base
L	Sulphuric acid 96%	7664-93-9	Inorganic acid, oxidising
M	Nitric acid 65%	7697-37-2	Inorganic acid, oxidising
N	Acetic acid 99%	64-19-7	Organic acid
O	25% ammonia solution	1336-21-6	Inorganic Base
P	Hydrogen peroxide 30%	7722-84-1	Peroxide
S	Hydrofluoric acid 40%	7664-39-3	Inorganic acid
T	Formaldehyde 37%	50-00-0	Aldehyde



EN ISO 21420:2020 PROTECTIVE GLOVES
GENERAL REQUIREMENTS AND TEST METHODS

This standard specifies the general requirements and test methods applicable to all protective gloves. It covers requirements relating to the design and construction of gloves, the safety of the materials used, comfort, suitability for use, as well as labelling and the information to be provided by the manufacturer. The manufacturer must fulfil their duty to provide information by affixing appropriate symbols and instructions on the packaging and enclosing an information leaflet that provides further details for the consumer, such as care, storage, instructions on conditions of use, specific risks, prohibited uses, etc. This is indicated by a book symbol with an ‘i’.

EN 388:2026+A1:2018:
PROTECTIVE GLOVES AGAINST MECHANICAL HAZARDS

The following parameters are tested:

Abrasion resistance **Performance levels 0-4**
(Number of abrasion cycles required to wear through the test glove)

Shear strength (Coupe Test) **Performance levels 0-5**
(An index calculated on the basis of the number of test cycles required to cut through the test glove at a constant speed and under a constant force (5 newtons).)

Tear resistance **Performance levels 0-4**
(The force required to propagate a crack in a rectangular test specimen over half its length.)

Penetration force **Performance levels 0-4**
(The force required to pierce the test glove with a steel pin (of specified dimensions).)

TDM cut resistance (in accordance with EN ISO 13997) **Performance levels A-F**
(The force required to be applied to the standard blade in order to cut through the test material over a length of 20 mm. A = 2 newtons – F = 30 newtons)

EN ISO 374-5:2016: PROTECTIVE GLOVES AGAINST HAZARDOUS
CHEMICALS AND MICROORGANISMS – PART 5: TERMINOLOGY
AND PERFORMANCE REQUIREMENTS FOR RISKS POSED BY
MICROORGANISMS

Chemical-resistant gloves bearing this pictogram also provide protection against bacteria and fungi.

If the word ‘VIRUS’ appears beneath the icon, the gloves also offer protection against viruses.

EN 511: PROTECTIVE GLOVES AGAINST THE COLD

The following parameters are tested:

convective cooling **Performance levels 0-4**
(a thermal insulation property measured by the convective transfer of cold)

contact chill **Performance levels 0-4**
(thermal stability when in direct contact with a cold object)

Water penetration **Performance levels 1/0**
(1 = no water penetration / 0 = water penetration after 30 minutes of testing)

The performance levels achieved are indicated in this order beneath the pictogram. Level ‘0’ means that the glove has not achieved performance level 1.

The symbol ‘X’ in place of a number indicates that the glove has not been tested for the relevant risk, or that testing was not possible. The higher the value, the better the test result.

KNEE PROTECTION

EN 14404

EN 14404 sets out the requirements for knee pads intended for use whilst working in a kneeling position. The standard distinguishes between different designs (Types 1–4) and protection levels (Levels 0–2) in terms of shock absorption, pressure distribution and puncture resistance:

Types of knee pads:

Type 1:
Knee pads that are worn directly on the leg using straps or similar fastenings.

Type 2:
Pads designed to be inserted into the knee pockets of work trousers.

Type 3:
Loose knee pads or knee protection mats.

Type 4:
Knee support systems with additional functions (e.g. knee support or standing aid).

Performance levels:
Level 0:
For level floors, no puncture protection

Level 1:
Under normal working conditions, puncture resistance of at least 100 N.

Level 2:
For tough conditions (e.g. stones, rubble): puncture resistance of at least 250 N.

EXPLANATION OF MATERIALS

WHAT DOES 'GAUGE' MEAN?

A unit of measurement corresponding to the thickness of the knit. The finer the knit, the more delicate the glove. The coarser the knit, the more robust the glove.

		7 GAUGE Thick knit for reliable protection and a long lifespan.
		10 GAUGE A good balance for most industrial tasks.
		13 GAUGE Everyday gloves that combine comfort and durability.
		15 GAUGE Thinner and lighter for more precise handling.
		18 GAUGE Very thin shells for optimum dexterity.
		21 GAUGE Extra-fine knit for maximum comfort in small sizes.
		24 GAUGE Ultra-fine knit fabric that offers maximum freedom of movement and feels like a second skin.

EXPLANATIONOFMATERIALS

TEXTILE

ACRYL
soft, warm fibre (wool-like in character), good lightfastness, high tensile strength and abrasion resistance – used e.g. in cold-weather gloves

COTTON
a soft natural fibre, low allergenic potential (skin-friendly), highly absorbent and very comfortable even when worn for long periods, although it dries slowly; when cotton and synthetic fibres (e.g. polyester) are blended, the mechanical strength and elasticity are increased

ELASTHANE
is also known as Lycra; it is elastic and refers to all fibres consisting of 85% polyurethane; it is resistant to ageing and UV light; it is used in stretch fabrics and cuffs and ensures that woven and knitted fabrics retain their elasticity without losing their shape

HPPE – HIGH PERFORMANCE POLYETHYLENE
The fibre is extremely durable and highly resistant to abrasion, moisture and UV rays; it is characterised by high tensile strength – it is used in cut-resistant gloves

KEVLAR
A synthetic aramid material with an extremely high fibre content and very high tensile strength. It is used in footwear as a protective or reinforcing material, for example to protect against punctures or heavy mechanical stress.

NYLON
highly elastic, creases very little, generally low-pilling, very high tear and abrasion resistance (long service life), higher moisture absorption than polyester

OXFORD-FABRIC
A robust, tightly woven polyester or nylon fabric with high tear resistance. It is frequently used for hard-wearing shoe uppers as it is durable, abrasion-resistant and slightly water-repellent.

POLYESTER
highly elastic, low tendency to crease, good tear and abrasion resistance (long service life), low moisture absorption (dries quickly but absorbs little sweat), the highest light and heat resistance of all synthetic fibres used in clothing; one drawback is the high static charge in dry conditions

RECYCLED POLYESTER / rPET
Recycled polyester, also known as rPET, is produced by melting down existing plastic and spinning it into new polyester fibre. The recycled fibre has the same properties as conventional polyester.

SANDWICH-MESH
A multi-layered mesh fabric with a breathable structure. It ensures high breathability and good air circulation inside the shoe, and is often used in sporty or lightweight styles to enhance comfort.

THERMATECH®-FIBRE
Thermatech Smart Textile wicks sweat away from the skin’s surface to the surface of the glove. There, the moisture evaporates and cooler air from the surroundings flows in. This means your hands stay dry.

THINSULATE™ INSULATION (3M™ THERMAL LINING)
is made up of particularly fine fibres, which means that more air is trapped in the spaces between the fibres, allowing more heat to be stored (the principle of insulation); the material is light, thin and breathable

VISCOSE
fine, soft fibres, high comfort, excellent moisture absorption, breathable, rapidly renewable raw material, low strength and elasticity (can be improved by blending with synthetic fibres – e.g. elastane)

COATINGS

LATEX
Natural rubber, very flexible and elastic, provides a good grip, but is not particularly resistant to light or heat, and has a high allergenic potential; for this reason, we display the ‘latex symbol’ on the packaging

NITRILE
synthetic rubber, good mechanical properties, excellent resistance to oils and greases, low-concentration acids, certain organic solvents, and fuels

PU – POLYURETHANE
highly flexible and elastic, can be applied very thinly (excellent tactile sensitivity) yet still offers good abrasion resistance, tear resistance and oil resistance

PVC – POLYVINYLCHLORIDE
Excellent resistance to acids, oils, light and temperature – which is why chemical-resistant gloves are often made from PVC

LEATHER

FULL-LEATHER
Full-grain leather is the top layer of the hide, which is processed on the flesh side to achieve the thickness required for its intended use. The surface is firm and smooth, making it resistant to oils and fats and more weather-resistant than suede.

SUEDE
Suede is a collective term for types of leather with a rough surface that have been sanded on the flesh or grain side. Suede is characterised by greater strength (a denser fibre structure compared to full-grain leather of the same thickness) and can therefore also be used for heat-resistant and cut-resistant gloves.

SYNTHETIC LEATHER
Faux leather is a composite of textile fabric or non-woven materials with a plastic coating (full-grain imitation leather), or it is produced by creating an extremely fine thread from base components (e.g. a PU-polyester blend), which can be used to manufacture particularly soft and supple materials whose surface texture is reminiscent of suede. Advantages: Properties can be precisely tailored to the application; washable; generally offers better dexterity than genuine leather; consistent surface quality.

KUNSTSTOFFE

EVA (ETHYLENE-VINYL ACETATE)
A lightweight, elastic foam material offering good shock absorption and a high level of comfort. It distributes pressure evenly and provides comfortable padding when working on your knees.

PP (POLYPROPYLENE)
A robust, lightweight plastic with excellent dimensional stability. It is often used as a hard outer shell in knee pads and provides reliable protection against punctures and concentrated impacts.

SBR (STYROL-BUTADIEN-RUBBER)
Flexible rubber with good shock absorption and slip resistance. Provides comfortable cushioning, distributes pressure evenly and offers a high level of comfort when working on your knees.

TPU (THERMOPLASTIC POLYURETHANE))
A flexible yet highly durable synthetic material. It offers stability, abrasion resistance and elasticity, and is frequently used for reinforcements, heel counters or sole components.

THE NEW FEATURES

NEW PRODUCT-FEATURES

To highlight the added value of each product, we list its key characteristics on the packaging as ‘features’.

GLOVES

ABRASION
RESISTANT

ANTI
MICROBIAL

ANTI SLIP
DOTS

BREATHABLE
BREATHABLE

CHEMICAL
SAFETY

COLD
RESISTANT

COOLING
EFFECT

CUT
RESISTANT

CUT
RESISTANT

CUT
RESISTANT

ELECTRICAL
SAFETY

EXTRA
GRIP

FOOD
SAFE

GENUINE
LEATHER

HEAT
RESISTANT

HEAT
RESISTANT

REAL
FEEL

HIGH
VISIBILITY

IMPACT
RESISTANT

MACHINE
WASHABLE

MACHINE
WASHABLE

OIL
RESISTANT

RECYCLED
NYLON

RECYCLED
POLYESTER

REINFORCED
ZONES

REINFORCED
ZONES

SPARK
RESISTANT

TOUCHSCREEN
READY

UV
RESISTANT

VELCRO
FASTENER

VIRUS
SAFETY

WATER
PROOF

RESPIRATORY PROTECTION

PROTECTION
A1P2
LEVEL

PROTECTION
A1P3
LEVEL

PROTECTION
A2P2
LEVEL

PROTECTION
A2P3
LEVEL

EXHALATION
VALVE

PROTECTION
FFP1
LEVEL

PROTECTION
FFP2
LEVEL

PROTECTION
FFP3
LEVEL

NOSE
CLIP

FILTER
REPLACEABLE

REUSABLE
REUSABLE

SINGLE
USE

ULTRA
LIGHT

SAFETY HELMETS

AIRFLOW
VENTS

COLD
RESISTANT

COLD
RESISTANT

EASY TWIST
ADJUST

HEAT
RESISTANT

SWEAT
BAND

KNEE PROTECTION

2 IN 1
PROTECTION

ABRASION
RESISTANT

ANTI
SLIP

ERGONOMIC
SHAPE

EXTRA WIDE
STRAP

FLOOR
SAFE

GEL / FOAM
INSERT

IMPACT
RESISTANT

PUNCTURE
L1
RESISTANT

PUNCTURE
L2
RESISTANT

QUICK
RELEASE

THIGH
STRAP

TWO
STRAPS

ULTRA
LIGHT

WATER
RESISTANT

CLOTHING

BATTERY
LIFE

ELASTIC
MATERIAL

HIGH
VISIBILITY

LED
LIGHT

MACHINE
WASHABLE

MACHINE
WASHABLE

REFLECTIVE
MATERIAL

USB
RECHARGE

WIND
PROOF

EYE PROTECTION

ADJUSTABLE
LENGTH

ADJUSTABLE
TILT

ANTI
FOG

CORRECTIVE
LENSES

CORRECTIVE
LENSES

CORRECTIVE
LENSES

IMPACT
RESISTANT

PANORAMIC
VIEW

SCRATCH
PROOF

ULTRA
LIGHT

UV-FILTER
A / B

UV-FILTER
A / B / C

DISPOSABLE-CLOTHING

BREATHABLE
BREATHABLE

SINGLE
USE

TEAR
RESISTANT

HEARING PROTECTION

BATTERY
LIFE

BATTERY
POWERED

BLUETOOTH
FUNCTION

FOLDABLE
FOLDABLE

PADDED
HEADBAND

REUSABLE
REUSABLE

RINSE
CLEAN

SINGLE
USE

SNR
24 dB
VALUE

SNR
26 dB
VALUE

SNR
29 dB
VALUE

SNR
31 dB
VALUE

SNR
32 dB
VALUE

SNR
33 dB
VALUE

SNR
38 dB
VALUE

SOFT
EAR PADS

ULTRA
LIGHT

USB
RECHARGE

WORK SHOES / SOCKS

ANTI ODOR
INSOLE

ANTI
SLIP

HEAT
RESISTANT

PUNCTURE
RESISTANT

QUICK LACE
SYSTEM

REINFORCED
ZONE

TOE
CAP

ULTRA LIGHT
TOE CAP

WATER
PROOF

ANTI
ODOR

COMFORT
CUSHIONS

REINFORCED
ZONE

RAINWEAR

BREATHABLE
BREATHABLE

DIRT
RESISTANT

ELASTIC
MATERIAL

MACHINE
WASHABLE

MACHINE
WASHABLE

REFLECTIVE
MATERIAL

WATER
PROOF

WATER
RESISTANT

WIND
PROOF



Samesleitner Straße 34, A-4470 Enns

Telefon: +43 7223 85085-0
Kundenservice: +43 7223 85085-15
E-Mail: office@gebol.at

www.gebol.com